

1999
RAM PICK-UP
(BR)



Jeep

CHRYSLER • PLYMOUTH • DODGE • JEEP

THE MOPAR DIFFERENCE

VIN PLATE DECODING INFORMATION

1	2	3	4	5	6	7	8	9	10	11	12 thru 17
Country	Make	Vehicle Type	Other	Line	Series	Body Style	Engine	Check Digit	Model Year	Assy. Plant	Sequence No.

The following table interprets the VIN Plate positions shown above.

Position	Interpretation	Codes = Description
1	Country of Origin	1 = U.S. 3 = Mexico
2	Make	B = Dodge
3	Vehicle type	4 = Multipurpose 5 = Bus 6 = Incomplete 7 = Truck
4	GVWR & Pass. Safety	D=0-1360 kg (0-3000 lbs) E=1361-1814 kg (3001-4000 lbs) F=1815-2267 kg (4001-5000 lbs) G=2268-2721 kg (5001-6000 lbs) H=2722-3175 kg (6001-7000 lbs) J=3176-3628 kg (7001-8000 lbs) K=3629-4082 kg (8001-9000 lbs) L=4083-4535 kg (9001-10000 lbs) M=4536-6350 kg (10001-14000 lbs) W=Bus's & Incomplete vehicles
5	Vehicle Line	C = Ram Cab Chassis/Ram Pick Up (4x2) F = Ram Cab Chassis/Ram Pick Up (4x4)
6	Series	1 = 1500 2 = 2500 3 = 3500
7	Body Style	6 = Regular Cab (2WD) 3 = Club Cab (4WD)
8	Engine	X - 3.9L 6 Cyl. (EHC) Y = 5.2L 8 Cyl. (ELF) 7 = 5.9l 6 Cyl. (ETH) 6 = 5.9L 6 Cyl. (ETC) 5 = 5.9L 8 Cyl. (EMM) Z = 5.9L 8 Cyl. (EML) W = 8.0L 10 Cyl (EWA)
9	Check Digit	
10	Model Year	U = 1997, W= 1998, X = 1999
11	Assembly Plant	S = Warren Truck J = St. Louis North M =Lago Alberto
12 thru 17	Vehicle Build Sequence	Model Year Assembly Sequence

Group – 002
Front Suspension & Drive

GROUP 2 - Front Suspension & Drive

Illustration Title Group-Fig. No.

Front Suspension

Upper and Lower Control Arms,Springs and Shocks,BR 1,2,3	Fig. 002-110
Upper and Lower Control Arms,Springs and Shocks,BR 3 (with Z3B),BR 6,7,8	Fig. 002-120
Front Stabilizer Bar,BR 1,2,3 BR 1,2,3	Fig. 002-130
Front Stabilizer Bar and Track Bar,BR3 (with Z3B),BR 6,7,8 BR 6,7,8	Fig. 002-140

Front Axle Drive Shafts

Front Axle Shafts,Dana Models 44,60,BR 6,7,8	Fig. 002-210
--	--------------

Front Axle Housing

Front Axle Housing,Dana Model 44,BR 6	Fig. 002-310
Front Axle Housing,Dana Model 60,BR 3,7,8	Fig. 002-320

Front Axle Assembly


Front Axle Assembly	Fig. 002-410
---------------------------	--------------







Front Axle Disconnect

Vacuum Lines Front Axle and Transfer Case	Fig. 002-510
---	--------------


Front Axle Differential

Differential, Front Axle Dana Model 44,BR 6	Fig. 002-610
Differential, Front Axle,Dana Model 60,BR 7,8	Fig. 002-620



<div>002-100</div> <div>Front Suspension</div> <div></div>	<div>002-200</div> <div>Front Axle Drive Shafts</div> <div></div>	<div>002-300</div> <div>Front Axle Housing</div> <div></div>	<div>002-400</div> <div>Front Axle Assembly</div> <div></div>
<div>002-500</div> <div>Front Axle Disconnect</div> <div></div>	<div>002-600</div> <div>Front Axle Differential</div> <div></div>		

Upper and Lower Control Arms,Springs and Shocks,BR 1,2,3
Figure 002-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: UCA=Upper Control Arm---LCA=Lower Control Arm---XBC=Without Box---XBS=Sweptline Box---AGL=Super Sport Group
(SS/T)---EH0=3.9L V-6 Gas Engine---EL0 5.2L 8 Cylinder Gas Engine---EM0=5.9L 8 Cylinder Gas Engine---EW0=8.0L V-10 Gas
codes on the coil springs.


1	0120 123	3							PIN, Cotter, UCA and LCA Ball Joint
2	6502 749	2	1, 2, 3		61, 62,				NUT, Castle, M14x1.5, UCA Ball
					65				Joint Mounting
3									KNUCKLE, Front
	5203 7680	1	1		61, 62				Z1B, Right
	5203 7681	1	1		61, 62				Z1B, Left
	5203 7682	1	2, 3		62, 65				Z2A,Z2B,Z3A, Right
	5203 7683	1	2, 3		62, 65				Z2A,Z2B,Z3A, Left
4	6502 857	2	2, 3		62, 65				NUT, Hex, M20x1.5, LCA Ball Joint
									Mounting
5	6502 858	2	1		61, 62				NUT, Castle, M16x1.50, LCA Ball
									Joint Mounting
6	6503 029	2							NUT, Hex, M12x1.25, Shock Upper
									Mounting
7	5203 8273	2	1, 2, 3		61, 62,				RETAINER, Shock Absorber
					65				
8	5203 8552	4	1, 2, 3		61, 62,				GROMMET, Shock Absorber
					65				
9	5203 8273	2	1, 2, 3		61, 62,				RETAINER, Shock Absorber
					65				
10									SHOCK ABSORBER PACKAGE,
									Suspension, Front
	4897 443AC	2	1		61, 62	EH0			Z1B
	4897 460AC	2	2		62	EL0,			Z2B
						EM0			
	4897 461AC	2	2		62	EW0			Z2B
	4897 462AC	2	2		62	ET0			Z2B
	4897 463AC	2	2, 3		62, 65	EL0,			Z3A,Z2B
						EM0,			
						EW0			
	4897 465AC	2	2, 3		62, 65	ET0			Z3A,Z2B
11	6502 818	2							BOLT, Hex Flange Head, M14x2.
									00x80, Lower Shock Mounting
12	6502 817	2							LOCK NUT, M14-2.00, Lower Shock
									Mounting
13									BALL JOINT, Lower Control Arm
	5203 7660	1	1		61, 62				

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Upper and Lower Control Arms,Springs and Shocks,BR 1,2,3
Figure 002-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
14	5203 7661	1	2, 3		62, 65				SNAP RING, Control Arm
	6034 969	1	1		61, 62				LCA Ball Joint
		1	2, 3		62, 65				LCA Ball Joint
15									ARM, Control
	5203 8406	1	1		61, 62				Lower,Z1B, Right
	5203 8407	1	1		61, 62				Lower,Z1B, Left
	5203 7648	1	2, 3		62, 65				Lower, Right
	5203 7649	1	2, 3		62, 65				Lower, Left
16									SPRING, Front Coil
	5203 9018	1							Tag #018,ZHA,ZWA
	5203 9019	1							Tag #019,ZHB,ZWB
	5203 9020	1							Tag #020,ZHC,ZWC
	5203 9021	1							Tag #021,ZHD,ZWD
	5203 9022	1							Tag #022,ZHE,ZWE
	5203 9023	1							Tag #023,ZHF,ZWF
	5203 9024	1							Tag #024,ZHG,ZWG
	5203 9026	1							Tag #026,ZJA,ZXA
	5203 9027	1							Tag #027,ZJB,ZXB
	5203 9035	1							Tag #035,ZJC,ZXC
	5203 9036	1							Tag #036,ZJD,ZXD
	5203 9037	1							Tag #037,ZJE,ZXE
	5203 9038	1							Tag #038,ZJF,ZXF
	5203 9039	1							Tag #039,ZJG,ZXHG
	5203 9046	1							Tag #046,ZJH,ZXH
	5203 9047	1							Tag #047,ZJJ,ZXJ
	5203 9048	1							Tag #048,ZJK,ZXK
	5203 9054	1							Tag #054,ZAA,ZNA
	5203 9055	1							Tag #055,ZAB,ZNB
	5203 9056	1							Tag #056,ZAC,ZNC
	5203 9057	1							Tag #057,ZAD,ZND
	5203 9058	1							Tag #058,ZAE,ZNE
	5203 9059	1							Tag #059,ZAF,ZNF
	5203 9060	1							Tag #060,ZAG,ZNG
	5203 9061	1							Tag #061,ZAH,ZNH
	5203 9062	1							Tag #062,ZBA,ZPA
	5203 9063	1							Tag #063,ZBB,ZPB
	5203 9064	1							Tag #064,ZBC,ZPC
	5203 9065	1							Tag #065,ZBD,ZPD
	5203 9066	1							Tag #066,ZCA,ZRA
	5203 9067	1							Tag #067,ZCB,ZRB


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Figure 002-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5203 9068	1							Tag #068,ZCC,ZRC
	5203 9069	1							Tag #069,ZCD,ZRD
	5203 9070	1							Tag #070,ZDA,ZSA
	5203 9071	1							Tag #071,ZDB,ZSB
	5203 9072	1							Tag #072,ZDC,ZSC
	5203 9073	1							Tag #073,ZDD,ZSD
	5203 9074	1							Tag #074,ZDE,ZSE
	5203 9075	1							Tag #075,ZDF,ZSF
	5203 9076	1							Tag #076,ZDG,ZSG
17	5203 7718	2	1, 2, 3		61, 62, 65				ISOLATOR, Spring, Coil
18	6503 047	4	1, 2, 3		61, 62, 65				BOLT, Hex Flange Head, M16x2. 00x135, LCA Mounting
19	6502 396	4	1, 2, 3		61, 62, 65				NUT, Hex Flange Lock, M16x2, LCA Mounting
20	6503 325	4	1, 2, 3		61, 62, 65				BOLT, Hex Head, M16x2.0x61, UCA to Frame Mounting
21	5203 7673	4	1, 2, 3		61, 62, 65				BUSHING, Control Arm, Upper
22	6503 320	4	1, 2, 3		61, 62, 65				NUT, Hex Lock, M15x2, Upper
23	5203 8241	4	1, 2, 3		61, 62, 65				WASHER, Control Arm Shaft, Upper
24	6502 396	4	1, 2, 3		61, 62, 65				NUT, Hex Flange Lock, M16x2, Upper
25	5203 8730	2	1, 2, 3		61, 62, 65				ARM, Control, Upper
26	5203 7674	2	1, 2, 3		61, 62, 65				BALL JOINT, Upper Control Arm
27	5203 7671	2	1, 2, 3		61, 62, 65				SHAFT, Control Arm, Upper
28	6101 448	2	1		61, 62				NUT AND WASHER, Hex Nut-Coned Washer, M10 x 1.5
29	5208 7636	2	1, 2, 3		61, 62, 65				BUMPER, Jounce

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Upper and Lower Control Arms,Springs and Shocks,BR 3 (with Z3B),BR 6,7,8
Figure 002-120

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

EH0 = All 3.9L V6 Gas Engines

EL0 = All 5.2L 8 Cyl Gas Engines

EM0 = All 5.9L 8 Cyl Gas Engines

ET0 = All 5.9L Turbo Diesel Engines

EW0 = All 8.0L Gas Engines

UCA = Upper Control Arm

LCA = Lower Control Arm

Check the VIN number for the 'Z' sales codes on suspension and springs.

1	6503 029	2							NUT, Hex, M12x1.25, Shock Mounting, Upper
2	5203 8257	2	3		63, 64				RETAINER, Shock Absorber Upper
		2	6, 7, 8						Upper
3	5203 7954	4	3		63, 64				GROMMET, Shock Absorber Upper
		4	6, 7, 8						Upper
4	6502 696	6	3		63, 64				NUT, Hex Flange Lock, M10x1.5 Shock Bracket to Frame, Mounting
		6	6, 7, 8						Shock Bracket to Frame, Mounting
5	5203 8111	2	3		63, 64				BRACKET, Upper Shock Cup
		2	6, 7, 8						
6	5203 8105	2	3		63, 64				RING, Shock Absorber With Studs
		2	6, 7, 8						With Studs
7	5203 7719	2	3		63, 64				ISOLATOR, Spring
		2	6, 7, 8						
8	5203 8838	2	3		63, 64				BUMPER, Jounce
		2	6, 7, 8						
9	52038 850AC	2	6, 7		61, 62, 65				ARM, Control Z6A, Upper
	52038 751AD	2	3, 7, 8		62, 63, 64, 65				Z3B,Z7B,Z8A,Z8B, Upper
10	5203 7892	4	6, 7		61, 62, 65				BUSHING, Control Arm Z6A, Upper

DODGE RAM STANDARD CAB (BR)

SERIES

E = WS RAM 1500

L = RAM 1500, 2500, 3500

LINE

1,6 = 1500

2,7 = 2500

3,8 = 3500

BODY

61 = Reg. Cab(118 WB)

62 = Reg. Cab(134 WB)

63 = Reg. Cab(138 WB)

64 = Reg. Cab(162 WB)

65 = Reg. Cab(134 WB)

ENGINE

EHC = 3.9L 6 Cyl.

ELF = 5.2L 8 Cyl.

ETC,ETH = 5.9L 6 Cyl.

EML,EMM = 5.9L 8 Cyl.

EWA = 8.0L 10 Cyl.

EAA = All engines

EAG = All gas engines

TRANSMISSION

DGK = 42RE 4 Spd. Auto.

DGP = 47RE 4 Spd. Auto.

DGT = 46RE 4 Spd. Auto.

DDP,DDX,DDC = 5 Spd. Manual


DEE = 6 Spd. Manual

DDO = All 5 Speed Manual

DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005




Upper and Lower Control Arms,Springs and Shocks,BR 3 (with Z3B),BR 6,7,8
Figure 002-120

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5203 7893	4	3, 7, 8		62, 63, 64, 65				
11	6502 697	2	3		63, 64				NUT, Hex Flange Lock, M12x1.75
		2	6, 7, 8						UCA to Axle, Mounting
		2	3		63, 64				UCA to Axle, Mounting
		2	6, 7, 8						UCA to Frame, Mounting
12	6502 725	2	3		63, 64				UCA to Frame
		2	3		63, 64				BOLT, Hex Flange, M12x1.75x90
		2	6, 7, 8						UCA to Axle
		2	3		63, 64				UCA to Frame
13	6502 698	2	3		63, 64				UCA to Frame
		2	6, 7, 8						NUT, Hex Flange Lock
		2	3		63, 64				LCA to Frame
14	6502 963	2	3		63, 64				LCA to Frame
		2	6, 7, 8						BOLT, Hex Flange Head, M14x2.0x105
		2	3		63, 64				LCA to Frame
15	5203 7882	4	6		61, 62				LCA to Frame
16	52038 752AC	2	6		61, 62				BUSHING, Control Arm, Z6A, Lower
		2	3, 7, 8		62, 63, 64, 65				ARM, Control
17	6503 672	2	3		63, 64				Z6A, Lower
		2	6, 7, 8						Z3B,Z7B,Z8A,Z8B, Lower
		2	3		63, 64				NUT, Hex, M14-2
18	6504 235	2	3		63, 64				LCA to Axle
		2	6, 7, 8						LCA to Axle
		2	3		63, 64				WASHER
19	6504 237	2	3		63, 64				LCA to Axle
		2	6, 7, 8						LCA to Axle
		2	3		63, 64				SCREW AND WASHER
20	6502 818	2							LCA to Axle
21	6502 817	1							BOLT, Hex Flange Head, M14x2.00x80, Shock Mounting, Lower
22									LOCK NUT, M14-2.00, Shock Mounting, Lower
									SHOCK ABSORBER PACKAGE, Suspension, Front


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Upper and Lower Control Arms,Springs and Shocks,BR 3 (with Z3B),BR 6,7,8 Figure 002-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4897 466AA	2	6		61, 62	EL0,			Z6A
	4897 468AB	2	7		62	EM0, EL0, EM0, EW0			Z7B
	4897 469AB	2	7		62	ET0			Z7B
	4897 471AB	2	3, 8		63, 64				Z3B,Z8B
	4897 464AB	2	7, 8		62, 65				Z7B,Z8A
23									RETAINER, Shock Absorber
	5203 8258	2	3		63, 64				Lower
		2	6, 7, 8						Lower
24									GROMMET, Shock Absorber
	5203 7954	4	3		63, 64				Upper
		4	6, 7, 8						Upper
25									SPRING, Front Coil
	5203 9018	1							Tag #018,ZWA,ZHA
	5203 9019	1							Tag #019,ZWB,ZHB
	5203 9020	1							Tag #020,ZWC,ZHC
	5203 9021	1							Tag #021,ZWD,ZHD
	5203 9022	1							Tag #022,ZWE,ZHE
	5203 9023	1							Tag #023,ZWF,ZHF
	5203 9024	1							Tag #024,ZWG,ZHG
	5203 9026	1							Tag #026,ZXA,ZJA
	5203 9027	1							Tag #027,ZXB,ZJB
	5203 9035	1							Tag #035,ZXC,ZJC
	5203 9036	1							Tag #036,ZXD,ZJD
	5203 9037	1							Tag #037,ZXE,ZJE
	5203 9038	1							Tag #038,ZXF,ZJF
	5203 9039	1							Tag #039,ZXG,ZJG
	5203 9046	1							Tag #046,ZXH,ZJH
	5203 9047	1							Tag #047,ZXJ,ZJJ
	5203 9048	1							Tag #048,ZXK,ZJK
	5203 9054	1							Tag #054,ZNA,ZAA
	5203 9055	1							Tag #055,ZNB,ZAB
	5203 9056	1							Tag #056,ZNC,ZAC
	5203 9057	1							Tag #057,ZND,ZAD
	5203 9058	1							Tag #058,ZNE,ZAE
	5203 9059	1							Tag #059,ZNF,ZAF
	5203 9060	1							Tag #060,ZNG,ZAG
	5203 9061	1							Tag #061,ZNH,ZAH
	5203 9062	1							Tag #062,ZPA,ZBA

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Upper and Lower Control Arms,Springs and Shocks,BR 3 (with Z3B),BR 6,7,8
Figure 002-120

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5203 9063	1							Tag #063,ZPB,ZBB
	5203 9064	1							Tag #064,ZPC,ZBC
	5203 9065	1							Tag #065,ZPD,ZBD
	5203 9066	1							Tag #066,ZRA,ZCA
	5203 9067	1							Tag #067,ZRB,ZCB
	5203 9068	1							Tag #068,ZRC,ZCC
	5203 9069	1							Tag #069,ZRD,ZCD
	5203 9070	1							Tag #070,ZSA,ZDA
	5203 9071	1							Tag #071,ZSB,ZDB
	5203 9072	1							Tag #072,ZSC,ZDC
	5203 9073	1							Tag #073,ZSD,ZDD
	5203 9074	1							Tag #074,ZSE,ZDE
	5203 9075	1							Tag #075,ZSF,ZDF
	5203 9076	1							Tag #076,ZSG,ZDG


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



**Front Stabilizer Bar, BR 1,2,3 BR 1,2,3
Figure 002-130**




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	6504 010	4							SCREW AND WASHER, Hex Head, M10x1.50x35, Sway Bar Retainer to Frame Mounting
2	5203 8455	1	1, 2, 3		61, 62, 65				BAR, Front Sway
3	5203 8851	2	1, 2, 3		61, 62, 65				BUSHING, Sway Bar
4	5203 7710	2	1, 2, 3		61, 62, 65				RETAINER, Sway Bar
5	6101 687	4	1, 2, 3		61, 62, 65				NUT, Hex Lock, M10x1.5
6	5203 8115	4	1, 2, 3		61, 62, 65				RETAINER, Sway Bar, Upper
7	5203 7916	8	1, 2, 3		61, 62, 65				GROMMET, Link
8	5203 8116	4	1, 2, 3		61, 62, 65				RETAINER, Sway Bar, Lower
9	5203 7712	2	1, 2, 3		61, 62, 65				LINK, Sway Eliminator

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Front Stabilizer Bar and Track Bar, BR3 (with Z3B), BR 6,7,8 BR 6,7,8
Figure 002-140



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									NUT, Hex Flange, M14x1.5
	6503 861	1	3		63, 64				Track Bar to Frame Mounting
		1	6, 7, 8						Track Bar to Frame Mounting
2	6502 748	2	3, 6, 7, 8						NUT, Hex, M12x1.75, Lower Link
3									SEAL, Dust
	5018 748AA	1	3		63, 64				
		1	6, 7, 8						
4	6101 687	2	3, 6, 7, 8						NUT, Hex Lock, M10x1.5, Upper Link
5	5203 8115	2	3, 6, 7, 8						RETAINER, Sway Bar, Grommet,
									Upper
6	5203 7916	4	3, 6, 7, 8						GROMMET, Link
7	5203 8116	2	3, 6, 7, 8						RETAINER, Sway Bar, Grommet,
									Lower
8	5203 8665	2	3, 6, 7, 8						LINK, Sway Eliminator
9	5203 9440	1	3, 6, 7, 8						BAR, Front Sway
10	6504 010	4							SCREW AND WASHER, Hex Head,
									M10x1.50x35
11	5203 7710	2	3, 6, 7, 8						RETAINER, Sway Bar
12	5203 8851	2	3, 6, 7, 8						BUSHING, Sway Bar
13									LOCK NUT, M14-2.00
	6502 817	1	3		63, 64				Track Bar to Axle
		1	6, 7, 8						Track Bar to Axle
14									BAR, Track
	5203 8933	1	3		63, 64				
		1	6, 7, 8						
15									BOLT, Hex Flange Head, M14x2.
									00x67.50
	6503 576	1	3		63, 64				Track Bar to Axle
		1	6, 7, 8						Track Bar to Axle

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Front Axle Shafts,Dana Models 44,60,BR 6,7,8
Figure 002-210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


Note:DJC=Dana 44---DJF=Dana 60---BGJ=Power Disc/Drums-RWAL(Rear Wheel Anti-Lock Brakes)---BGK=AWAL(All Wheel Anti-Lock) Brakes

1	5015 136AB	1	6		61, 62				SHAFT, Axle Right
	5015 137AB	1	6		61, 62				Left
	5003 008AA	1	7		62, 65				Right
	5003 009AA	1	7		62, 65				Left
	5003 008AA	1	8		62, 63, 64				Right
2	5003 009AA	1	8		62, 63, 64				Left
	5015 138AA	2	6		61, 62				SHAFT, Stub
	4798 317	2	7		62, 65				[BGJ]
	4798 322	2	7		62, 65				[BGK]
		2	8		62, 63, 64				
3	4137 757	2	6		61, 62				U JOINT, Front Axle
	5003 004AB	2	7		62, 65				
	5003 004AA	2	8		62, 63, 64				
					64				
4	5252 686	1	6		61, 62				BUSHING, Intermediate Shaft
		1	7		62, 65				
		1	8		62, 63, 64				
					64				
5	4778 548	1	6		61, 62				COLLAR, Axle Shift
		1	7		62, 65				
		1	8		62, 63, 64				
					64				
6	4137 740	1	6		61, 62				BUSHING, Axle Shaft
		1	7		62, 65				
		1	8		62, 63, 64				
					64				
7	4506 005	1	6		61, 62				SEAL, Axle Drive Shaft Right
		1	7		62, 65				Right


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Front Axle Shafts,Dana Models 44,60,BR 6,7,8 Figure 002-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
8		1	8		62, 63, 64				Right
									SHAFT, Axle Intermediate
	4762 162	1	6		61, 62				
	4746 814	1	7		62, 65				
9		1	8		62, 63, 64				
									SEAL, Axle Drive Shaft
	4116 366	1	6		61, 62				Left
		1	7		62, 65				Left
		1	8		62, 63, 64				Left

DODGE RAM STANDARD CAB (BR)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Front Axle Housing,Dana Model 44,BR 6 Figure 002-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DDP = 5 Speed Manual Transmission									
ELO = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
1	4506 117	1	6		61, 62				SHIELD, Vacuum Disconnect
2	J535 2955	1	6, 7, 8						VENT, Axle, Vent, Upper
3	4137 734	4	6		61, 62				BOLT, Axle Disconnect Cover
4	5200 3837	1	6		61, 62				BRACKET, Engine Splash Guard, Breather Hose
5	4443 176	1							HOSE, Fuel, .31 I.D. 50 Foot Roll, Bulk Roll
6	0153 455	1			61, 62, 63, 64				CLAMP, Hose, .620
7									VENT, Axle, (NOT REQUIRED)
8	J012 5258	2	6		61, 62				NUT, Hex Slotted, Ball Joint Mounting, Upper
9	J013 7214	2	6		61, 62				PIN, Cotter, Ball Joint Mounting, Upper
10	4746 775	6	6		61, 62				BOLT, Hub
11	5003 048AA	1	6		61, 62				KNUCKLE, Front Right
	5003 049AA	1	6		61, 62				Left
12	3634 267	2	6		61, 62				NUT, Steering Knuckle Socket, Ball Joint Mounting, Lower
13	S011 4494	2	6		61, 62				NUT, Steering Knuckle, Stop
14	JA00 0821	2	6		61, 62				BOLT, Steering Knuckle Stop
15	4746 696	2	6		61, 62				BALL JOINT, Front Knuckle, Kit
16	4762 688	1	6		61, 62				COVER, Differential
17	2954 031	10	6		61, 62				BOLT, Differential Cover
18	3640 792	1	6		61, 62				PLUG, Differential Cover
19	5010 884AA	1	6, 7, 8			ELO, EM0	DDP		SEALANT, RTV
20	5014 282AA	1	6		61, 62				HOUSING, Axle
21	4778 548	1	6		61, 62				COLLAR, Axle Shift
22	4137 731	2	6		61, 62				CLIP, Axle Disconnect Fork
23	4137 727	1	6		61, 62				FORK, Axle Shift
24	4137 728	1	6		61, 62				SNAP RING, Vacuum Motor
25	4137 728	1	6		61, 62				SNAP RING, Vacuum Motor
26	4137 732	1	6		61, 62				GASKET, Axle Disconnect Housing
27	4384 169	1	6		61, 62				COVER, Axle Disconnect


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Front Axle Housing, Dana Model 44, BR 6 Figure 002-310




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
28	4289 880	1	6		61, 62				SWITCH, Hub Lock Indicator
29	5209 912	1	6		61, 62				GASKET, Axle Disconnect Switch
30	4137 733	4	6		61, 62				LOCK WASHER
31	4137 726	1	6		61, 62				O RING, Shaft Disconnect
32	4882 682	1	6		61, 62				MOTOR KIT, Axle Vacuum
33	J813 3708	1	6		61, 62				CLIP KIT, Axle Disconnect

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500 3,8 = 3500	62 = Reg. Cab(134 WB) 63 = Reg. Cab(138 WB) 64 = Reg. Cab(162 WB) 65 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl. ETC,ETH = 5.9L 6 Cyl. EML,EMM = 5.9L 8 Cyl. EWA = 8.0L 10 Cyl. EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDP,DDX,DDC = 5 Spd. Manual DEE = 6 Spd. Manual DDO = All 5 Speed Manual DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Front Axle Housing,Dana Model 60,BR 3,7,8 Figure 002-320



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DDC = 5 Speed HD Manual Transmission									
DJF = Dana 60 Axle									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
1	4506 117	1	7		62, 65				SHIELD, Vacuum Disconnect Motor
		1	8		62, 63, 64				Motor
2	J535 2955	1	6, 7, 8						VENT, Axle
3	5200 3837	1	7		62, 65				BRACKET, Engine Splash Guard
		1	8		62, 63, 64				Breather Hose
4	4137 734	4	7		62, 65				BOLT, Axle Disconnect Cover
		4	8		62, 63, 64				
5	4443 176	1							HOSE, Fuel, .31 I.D. 50 Foot Roll, Bulk Roll
6	0153 455	1	6, 7, 8						CLAMP, Hose, .620, to Axle Vent
7									VENT, Axle, (NOT REQUIRED)
8	4728 706	2	3		63, 64				NUT, Steering Knuckle Socket
		2	7		62, 65				Upper
		2	8		62, 63, 64				Upper
9	J013 7214	2	3		63, 64				PIN, Cotter
		2	7		62, 65				Upper
		2	8		62, 63, 64				Upper
10	4746 810	8	3		63, 64				BOLT, Hub
		8	7		62, 65				Mounting
		8	8		62, 63, 64				Mounting
11	5003 006AA	1	3		63, 64				KNUCKLE, Front
	5003 007AA	1	3		63, 64				Right
									Left


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Front Axle Housing,Dana Model 60,BR 3,7,8 Figure 002-320



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5003 006AA	1	7		62, 65				Right
	5003 007AA	1	7		62, 65				Left
	5003 006AA	1	8		62, 63, 64				Right
	5003 007AA	1	8		62, 63, 64				Left
12	4746 807	2	3		63, 64				SHAFT, Stub, Dead Axle
13	4746 791	2	3		63, 64				NUT, Ball Joint Lower
		2	7		62, 65				Lower
		2	8		62, 63, 64				Lower
14									BALL JOINT, Front Knuckle
	4897 594AA	2	3		63, 64				Kit-Upper and Lower
		2	7		62, 65				Kit-Upper and Lower
		2	8		62, 63, 64				Kit-Upper and Lower
15									RING, Ball Joint
	4856 886	2	3		63, 64				0 = 0 Degrees
		2	7		62, 65				0 = 0 Degrees
		2	8		62, 63, 64				0 = 0 Degrees
	4886 060AA	1	3		63, 64				1/4 = 3/16 Degree Change
		2	7		62, 65				1/4 = 3/16 Degree Change
		2	8		62, 63, 64				1/4 = 3/16 Degree Change
	4886 061AA	1	3		63, 64				1/2 = 11/32 Degree Change
		2	7		62, 65				1/2 = 11/32 Degree Change
		2	8		62, 63, 64				1/2 = 11/32 Degree Change
	4886 062AA	1	3		63, 64				3/4 = 17/32 Degree Change
		2	7		62, 65				3/4 = 17/32 Degree Change
		2	8		62, 63, 64				3/4 = 17/32 Degree Change
	4886 063AA	1	3		63, 64				1 = 11/16 Degree Change
		2	7		62, 65				1 = 11/16 Degree Change
		2	8		62, 63, 64				1 = 11/16 Degree Change
16									COVER, Differential Disconnect Housing
	4746 831	1	7		62, 65				


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Front Axle Housing,Dana Model 60,BR 3,7,8 Figure 002-320



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	8		62, 63, 64				Disconnect Housing
17	2952 474	10	7		62, 65				BOLT, Hex Flange Head
		10	8		62, 63, 64				Cover
18	3640 792	1	7		62, 65				PLUG, Differential Cover
		1	8		62, 63, 64				Cover
19	5010 884AA	1	6, 7, 8			EL0, EM0	DDC		SEALANT, RTV, Cover
20	4625 797	1	7		62, 65				CLIP, Connector
		1	8		62, 63, 64				
21	1150 3780	2	3		63, 64				BOLT
		1	7		62, 65				
		2	8		62, 63, 64				
22	5014 278AA	1	3		63, 64				HOUSING, Axle
	5014 286AA	1	7		62, 65				Dead Axle
		1	8		62, 63, 64				
23	4778 548	1	7		62, 65				COLLAR, Axle Shift
		1	8		62, 63, 64				
24	4137 731	2	7		62, 65				CLIP, Axle Disconnect Fork
		2	8		62, 63, 64				
25	4137 727	1	7		62, 65				FORK, Axle Shift
		1	8		62, 63, 64				
26	4137 728	1	7		62, 65				SNAP RING, Vacuum Motor


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Front Axle Housing,Dana Model 60,BR 3,7,8 Figure 002-320



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
27	4137 729	1	8		62, 63, 64				SNAP RING, Vacuum Motor
		2	7		62, 65				
		2	8		62, 63, 64				
28	4137 732	1	7		62, 65				GASKET, Axle Disconnect Housing
		1	8		62, 63, 64				
29	4384 169	1	7		62, 65				COVER, Axle Disconnect
		1	8		62, 63, 64				
30	4289 880	1	7		62, 65				SWITCH, Hub Lock Indicator
		1	8		62, 63, 64				
31	5209 912	1	7		62, 65				GASKET, Axle Disconnect Switch
		1	8		62, 63, 64				
32	4137 734	4	7		62, 65				BOLT, Axle Disconnect Cover
		4	8		62, 63, 64				
33	4137 733	4	7		62, 65				LOCK WASHER
		4	8		62, 63, 64				
34	4137 726	1	7		62, 65				O RING, Shaft Disconnect
		1	8		62, 63, 64				
35	4882 682	1	7		62, 65				MOTOR KIT, Axle Vacuum
		1	8		62, 63, 64				
36	J813 3708	1	7		62, 65				CLIP KIT, Axle Disconnect


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Front Axle Housing,Dana Model 60,BR 3,7,8
Figure 002-320




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	8		62, 63, 64				
-37	5010 256AA-	1	3		63, 64				SENSOR, Anti-Lock Brakes Right
	5010 257AA-	1	3		63, 64				Left
	5010 256AA-	1	7		62, 65				Right
	5010 257AA-	1	7		62, 65				Left
	5010 256AA-	1	8		62, 63, 64				Right
	5010 257AA-	1	8		62, 63, 64				Left

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Front Axle Assembly
Figure 002-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:DJC= Dana 44 Axle---DJF= Dana 60 Axle---DMD=3.54 Ratio---DMH=3.92 Ratio---DMF=4.10 Ratio									
1									AXLE, Service Front
	5014 279AA	1	6		61, 62				[DJC,DMD] with Tag #52070130AH,52070143AH
	5014 284AA	1	6		61, 62				[DJC,DMH] with Tag #52070132AH,52070144AH
	5014 287AA	1	7		62, 65				[DJF,DMD] with Tag #52070136AE,52070148AE
	5014 298AA	1	7		62, 65				[DJF,DMF] with Tag #52070137AE, 52070152AE
	5014 287AA	1	8		62, 63, 64				[DJF,DMD] with Tag #52070138AE
	5014 298AA	1	8		62, 63, 64				[DJF,DMF] with Tag #52070139AE

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Vacuum Lines Front Axle and Transfer Case
Figure 002-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

DEE = 6 Speed HD Manual Transmission

1	5207 8634	1	6, 7, 8				DEE		HARNESS, Vacuum Front Axle Jumper, ET0 Engine Only
2	6032 173	2	6, 7, 8						CLAMP, Tube, .335 Diameter, Front Axle Disconnect to Vacuum Motor
3	5210 5299	1	6, 7, 8						HARNESS, Vacuum Front Axle
4	6503 319	3	6, 7, 8						SCREW, Hex Head, M6x1x20, From Front Axle Vacuum Disconnect
5	5210 5317	1	6, 7, 8						Motor to Transmission
									HARNESS, Vacuum Front Axle

DODGE RAM STANDARD CAB (BR)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Differential, Front Axle Dana Model 44,BR 6

Figure 002-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: DJC = Dana 44 Axle--- DMD = 3.54 Ratio--- DMH = 3.92 Ratio---DMF = 4.09 Ratio									
1	1791 575	1	6		61, 62				NUT, Pinion Yoke
2	1791 576	1	6		61, 62				WASHER, Pinion Yoke
3	4746 738	1	6		61, 62				YOKE, Drive Shaft
4	4031 974	1	6		61, 62				SLINGER, Drive Pinion
5	4746 772	1	6		61, 62				SEAL, Drive Pinion
6	J812 4052	1	6		61, 62				BEARING, Drive Pinion, Bearing and Cup, Front
7	4746 771	1	6		61, 62				SPACER, Drive Pinion Bearing, Collapsible
8	J812 6499	1	6		61, 62				BEARING, Drive Pinion, Bearing and Cup, Rear
9	4761 647	1	6		61, 62				SHIM KIT, Pinion Shaft
10	4720 891	1	6		61, 62				BOLT KIT, Consists of 10-5252503 Screws
11	4137 749	1	6		61, 62				GEAR KIT, Ring And Pinion 3.54 Ratio
	4506 120	1	6		61, 62				3.92 Ratio
12	5252 503	10	6		61, 62				SCREW, Drive Gear
13	4746 733	1	6		61, 62				BEARING, Differential Case, Consists of 2 Cups and 2 Cones
14	4137 769	1	6		61, 62				SHIM KIT, Differential, Consists of Side Bearing Shims and Snap Ring
15	1791 561	2	6		61, 62				WASHER, Pinion Thrust
16	4137 755	2	6		61, 62				WASHER, Differential Side Gear, Thrust
17	8350 3069	1	6		61, 62				SHAFT, Differential
18	4778 672	1	6		61, 62				CASE, Differential 3.54 Ratio
	4778 602	1	6		61, 62				3.92 Ratio
19	4778 595	1	6		61, 62				GEAR KIT, Center Differential
20	1791 563	1	6		61, 62				PIN, Differential Shaft

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Differential, Front Axle,Dana Model 60,BR 7,8
Figure 002-620


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:DJF = Dana 60---DMD = 3.54 Ratio---DMF = 4.10 Ratio									
1	1795 173	1	7		62, 65				NUT, Pinion Yoke
		1	8		62, 63, 64				
2	1795 175	1	7		62, 65				WASHER, Pinion Yoke
		1	8		62, 63, 64				
3	4164 120	1	7		62, 65				YOKE, Axle with Slinger with Slinger
		1	8		62, 63, 64				
4									SLINGER, Drive Pinion, Purchase Yoke, (NOT SERVICED) (Not Serviced)
5	4384 188	1	7		62, 65				SEAL, Drive Pinion
		1	8		62, 63, 64				
6	4746 604	1	7		62, 65				BEARING, Drive Pinion
		1	8		62, 63, 64				Bearing and Cup, Front Bearing and Cup, Front
7	4746 606	1	7		62, 65				SPACER, Drive Pinion Bearing
		1	8		62, 63, 64				Collapsible Collapsible
8	4746 603	1	7		62, 65				BEARING, Drive Pinion
		1	8		62, 63, 64				Bearing and Cup, Rear Bearing and Cup, Rear
9	4746 868	1	7		62, 65				SHIM KIT, Pinion Shaft
		1	8		62, 63, 64				
10	4762 222	1	7		62, 65				GEAR KIT, Ring And Pinion
		1	8		62, 63, 64				3.54 Ratio 3.54 Ratio

DODGE RAM STANDARD CAB (BR)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500 3,8 = 3500	62 = Reg. Cab(134 WB) 63 = Reg. Cab(138 WB) 64 = Reg. Cab(162 WB) 65 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl. ETC,ETH = 5.9L 6 Cyl. EML,EMM = 5.9L 8 Cyl. EWA = 8.0L 10 Cyl.	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDP,DDX,DDC = 5 Spd. Manual DEE = 6 Spd. Manual DDO = All 5 Speed Manual DGO = All Automatic
			EAA = All engines EAG = All gas engines	

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Differential, Front Axle,Dana Model 60,BR 7,8
Figure 002-620



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4864 966	1	7		62, 65				4.10 Ratio
		1	8		62, 63, 64				4.10 Ratio
11	4506 066	12	7		62, 65				SCREW, Hex Head Drive Gear
		12	8		62, 63, 64				Drive Gear
12	4746 605	1	7		62, 65				BEARING, Differential Consists of 2 Cups and 2 Cones
		1	8		62, 63, 64				Consists of 2 Cups and 2 Cones
13	3898 313	1	7		62, 65				SHIM, Differential Bearing
		1	8		62, 63, 64				
14									WASHER, Pinion Gear, (Purchase Center Differential Gear Kit), (NOT SERVICED) (Not Serviced)
15									WASHER, Differential Side Gear, (Purchase Center Differential Gear Kit), (NOT SERVICED) (Not Serviced)
16									SNAP RING, Axle Shaft, (Purchase Center Differential Gear Kit), (NOT SERVICED) (Not Serviced)
17	1922 276	1	7		62, 65				SHAFT, Differential
		1	8		62, 63, 64				
18	4778 711	1	7		62, 65				CASE, Differential
		1	8		62, 63, 64				
19	4778 712	1	7		62, 65				GEAR KIT, Center Differential
		1	8		62, 63, 64				
20	4883 560AA	1	7		62, 65				ROLL PIN, Differential


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500 3,8 = 3500	62 = Reg. Cab(134 WB) 63 = Reg. Cab(138 WB) 64 = Reg. Cab(162 WB) 65 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl. ETC,ETH = 5.9L 6 Cyl. EML,EMM = 5.9L 8 Cyl. EWA = 8.0L 10 Cyl.	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDP,DDX,DDC = 5 Spd. Manual DEE = 6 Spd. Manual DDO = All 5 Speed Manual DGO = All Automatic
			EAA = All engines EAG = All gas engines	

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Differential, Front Axle,Dana Model 60,BR 7,8 Figure 002-620

[illegible]


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005




Group – 003

Rear Axle



GROUP 3 - Rear Axle

Illustration Title	Group-Fig. No.
Rear Axle	
Axle Assembly,Rear,Chrysler Model 9.25,BR 1,6	Fig. 003-110
Axle Assembly,Rear,Dana Model 60,BR 2,7	Fig. 003-120
Axle Assembly,Rear,Dana Model 70,BR 2,7	Fig. 003-130
Axle Assembly,Rear,Dana Model 80,BR 2,3,7,8	Fig. 003-140
Differential and Housing	
Axle,Rear,with Differential Parts,Chrysler Model 9.25,BR 1,6	Fig. 003-210
Axle,Rear,with Differential Parts,Dana Model 60,BR 2,7	Fig. 003-220
Axle,Rear,with Differential Parts,Dana Model 70,BR 2,7	Fig. 003-230
Axle,Rear,with Differential Parts,Dana Model 80,BR 2,3,7,8	Fig. 003-240
Rear Axle Vent	
Vent, Axle	Fig. 003-310


003-100 Rear Axle	003-200 Differential and Housing	003-300 Rear Axle Vent	
			

Axle Assembly,Rear,Chrysler Model 9.25,BR 1,6
Figure 003-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: DRB = 9.25 Chrysler Axle Light Duty---DMC = 3.21 Ratio---DMD = 3.55 Ratio---DMH = 3.92 Ratio---DSA = Anti-Spin

Differential					
1	AXLE, Service Rear				
4761 950AB	1	1	61, 62	Tag# 52069566AG,[DMC-DSA]	
4761 951AB	1	1	61, 62	Tag# 52069567AG,[DMD-DSA]	
4761 952AB	1	1	61, 62	Tag# 52069568AG,[DMD+DSA]	
4761 953AB	1	1	61, 62	Tag# 52069569AG,[DMH+DSA]	
4761 954AB	1	6	61, 62	Tag# 52069570AH,[DMD-DSA]	
4761 955AB	1	6	61, 62	Tag# 52069571AH,[DMD+DSA]	
4761 956AB	1	6	61, 62	Tag# 52069572AG,[DMH+DSA]	




DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Axle Assembly,Rear,Dana Model 60,BR 2,7
Figure 003-120

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:DRC = 5500LB Axle---DRD = 6200LB. Axle---DMD = 3.54 Ratio---DMF =4.09 Ratio---DSA = Limited Slip Differential or Trac-
Lok---Check the VIN number for the 'Z' codes on the suspension.

1									AXLE, Service Rear
	4856 004AB	1	2		62, 65				Tag # 52069454AD,[DMD-DSA]
	4798 994AB	1	2		62, 65				Tag # 52069455AD,[DMF,+DSA]
	4856 063AB	1	7		62, 65				Tag # 52069456AF,[DMD-DSA]
	4856 058AB	1	7		62, 65				Tag # 52069457AF,[DMF,+DSA]



DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year


September 15, 2005

Axle Assembly,Rear,Dana Model 70,BR 2,7
Figure 003-130

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


Note:DRE =Dana 70 Rear Axle---DMD=3.54 Ratio---DMF =4.10 Ratio---DSA = Limited Slip Differential

1									AXLE, Service Rear
	4798 986AC	1	2		62, 65				Tag #52069459AE,[DMD,+DSA]
	4856 054AC	1	2		62, 65				Tag #52069458AE,[DMD,-DSA]
	4856 044AC	1	2		62, 65				Tag #52069467AE,[DMF,+DSA]
	4856 048AC	1	2		62, 65				Tag #52069460AE,[DMF,-DSA]
	4798 982AC	1	7		62, 65				Tag #52069469AG,[DMD,+DSA]
	4798 984AC	1	7		62, 65				Tag #52069468AG,[DMD,-DSA]
	4856 140AC	1	7		62, 65				Tag #52069471AG,[DMF,+DSA]
	4856 141AC	1	7		62, 65				Tag #52069470AG,[DMF,-DSA]



DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Axle Assembly,Rear,Dana Model 80,BR 2,3,7,8
Figure 003-140




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:DRL = Dana 80 Axle---DMD = 3.54 Ratio---DMF = 4.10 Ratio---DSA = Limited Slip Differential---WLA = Dual Rear Wheels									
1									AXLE, Service Rear
	4856 138AC	1	2		62, 65				Tag #52069472AD,[DMD]
	4856 133AC	1	2		62, 65				Tag #52069473AD,[DMD,DSA]
	4856 131AC	1	2		62, 65				Tag #52069474AD,[DMF]
	4856 125AC	1	2		62, 65				Tag #52069475AD,[DMF,DSA]
	4856 114AC	1	3		62				Tag #52069480AE,[DMD]
	4856 111AC	1	3		62				Tag #52069481AE,[DMD,DSA]
	4856 110AC	1	3		62				Tag #52069482AE,[DMF]
	4856 105AC	1	3		62				Tag #52069483AE,[DMF,DSA]
	4798 979AC	1	3, 8		63, 64				Tag #52069488AE,[DMD,WLA]
	4856 038AC	1	3, 8		63, 64				Tag #52069489AE,[DMD,DSA, WLA]
	4856 037AC	1	3, 8		63, 64				Tag #52069490AE,[DMF,WLA]
	4856 022AC	1	3, 8		63, 64				Tag #52069491AE,[DMF,DSA, WLA]
	4856 123AC	1	7		62, 65				Tag #52069476AF,[DMD]
	4856 119AC	1	7		62, 65				Tag #52069477AF,[DMD,DSA]
	4856 118AC	1	7		62, 65				Tag #52069478AF,[DMF]
	4856 117AC	1	7		62, 65				Tag #52069479AF,[DMF,DSA]
	4856 098AC	1	8		62				Tag #52069484AE,[DMD]
	4856 094AC	1	8		62				Tag #52069485AE,[DMD,DSA]
	4856 083AC	1	8		62				Tag #52069486AE,[DMF]
	4856 082AC	1	8		62				Tag #52069487AE,[DMF,DSA]

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Axle,Rear,with Differential Parts,Chrysler Model 9.25,BR 1,6
Figure 003-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Codes; [DMC] = Axle Ratio - 3.21 [DMD] = Axle Ratio - 3.55 [DMF] = Axle Ratio - 4.10 [DRB]= Axle - Rear, Corporate 9.25 Light Duty [DSA] = Axle - Anti-Spin Differential									
1	6028 041	1	1		61, 62				NUT, Pinion Yoke
		1	6		61, 62				
2	2070 117	1	1		61, 62				WASHER, Pinion Yoke
		1	6		61, 62				
3	3432 487AB	1	1		61, 62				YOKE, Axle
		1	6		61, 62				
4	5206 7596	1	1		61, 62				SEAL, Drive Pinion
		1	6		61, 62				
5	1820 552	1	1		61, 62				BEARING, Drive Pinion
		1	6		61, 62				Front
6	1820 551	1	1		61, 62				CUP, Drive Pinion Bearing
		1	6		61, 62				Front
7	4761 903AB	1	1		61, 62				HOUSING, Rear Axle
	4761 904AB	1	6		61, 62				
8	4137 696AB	1							BOLT, Axle Vent
9	6035 484	8	1		61, 62				STUD
		8	6		61, 62				Axle Housing to Backing Plate, Mounting
10	3507 898AB	2	1		61, 62				BEARING, Wheel
		2	6		61, 62				
11	4137 426	2	1		61, 62				SEAL, Axle Drive Shaft
		2	6		61, 62				
12									SHAFT, Axle


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Axle,Rear,with Differential Parts,Chrysler Model 9.25,BR 1,6
Figure 003-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
13	5206 7614	2	1		61, 62				Right or Left
		2	6		61, 62				Right or Left
	6034 731	10	1		61, 62				STUD, Wheel
		10	6		61, 62				
14	3432 695	4	1		61, 62				SCREW, Hex Head, .50-13x2.38
		4	6		61, 62				Carrier Bearing Cap Screws
15	5010 884AA	1	1		61, 62				SEALANT, RTV
		1	6		61, 62				
16	4384 293AC	1	1		61, 62				COVER, Differential
		1	6		61, 62				
17	6033 043	12	1		61, 62				SCREW AND WASHER, Hex Flange
		12	6		61, 62				Head, .312-18x.562
18	3723 687	1	1		61, 62				Differential, Cover
		1	6		61, 62				Differential, Cover
19	3507 723	2	1		61, 62				PLUG, Differential Cover
		2	6		61, 62				
20	3723 858	2	1		61, 62				ADJUSTER, Differential Bearing
		2	6		61, 62				
21	6023 092	2	1		61, 62				LOCK, Differential Bearing
		2	6		61, 62				
22	3723 148	2	1		61, 62				SCREW AND WASHER, Hex Head,
		2	6		61, 62				.25-20x.50, Differential Bearing
23	3723 149	2	1		61, 62				Lock
		2	6		61, 62				CUP, Differential Side Bearing
24	6036 054AA	12	1		61, 62				BEARING, Differential
		12	6		61, 62				
25									SCREW, Hex Flange Head, .437-
									20x.88
25									Ring Gear, Mounting
									Ring Gear, Mounting
25									SHAFT, Differential

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Axle,Rear,with Differential Parts,Chrysler Model 9.25,BR 1,6
Figure 003-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1633 928	1	1		61, 62				without [DSA]
		1	6		61, 62				without [DSA]
26	4384 222	1	1		61, 62				CASE, Differential
		1	6		61, 62				without [DSA]
-27									TONE RING, Sensor
	4384 227	1	1		61, 62				
		1	6		61, 62				
28									SCREW, Hex Head, .312-18x1.80
	3507 724	2	1		61, 62				Differential Shaft Lock-Without DSA
		1	6		61, 62				Differential Shaft Lock-Without DSA
29	3837 594	1	1		61, 62				GEAR PACKAGE, Ring And Pinion, [DMC]
30									GEAR KIT, Ring And Pinion
	5010 322AA	1	1		61, 62				[DMD]
	5010 321AA	1	1		61, 62				[DMH]
	5010 322AA	1	6		61, 62				[DMD]
	5010 321AA	1	6		61, 62				[DMH]
31									BEARING, Drive Pinion
	2852 731	1	1		61, 62				Rear
		1	6		61, 62				Rear
32									CUP, Drive Pinion Bearing
	2852 732	1	1		61, 62				Rear
		1	6		61, 62				Rear
33									SHIM, Drive Pinion Bearing, .020
	3432 320	AR	1		61, 62				
		AR	6		61, 62				
-34									SHIM, Drive Pinion Bearing, .021
	3432 321	AR	1		61, 62				
		AR	6		61, 62				
-35									SHIM, Drive Pinion Bearing, .022
	3432 322	AR	1		61, 62				
		AR	6		61, 62				
-36									SHIM, Drive Pinion Bearing, .023
	3432 323	AR	1		61, 62				
		AR	6		61, 62				
-37									SHIM, Drive Pinion Bearing, .024
	3432 324	AR	1		61, 62				
		AR	6		61, 62				
-38									SHIM, Drive Pinion Bearing, .025


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Axle,Rear,with Differential Parts,Chrysler Model 9.25,BR 1,6
Figure 003-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	3432 325	AR	1		61, 62				
		AR	6		61, 62				
-39	3432 326	AR	1		61, 62				SHIM, Drive Pinion Bearing, .026
		AR	6		61, 62				
-40	3432 327	AR	1		61, 62				SHIM, Drive Pinion Bearing, .027
		AR	6		61, 62				
-41	3432 328	AR	1		61, 62				SHIM, Drive Pinion Bearing, .028
		AR	6		61, 62				
-42	3432 329	AR	1		61, 62				SHIM, Drive Pinion Bearing, .029
		AR	6		61, 62				
-43	3432 330	AR	1		61, 62				SHIM, Drive Pinion Bearing, .030
		AR	6		61, 62				
-44	3432 331	AR	1		61, 62				SHIM, Drive Pinion Bearing, .031
		AR	6		61, 62				
-45	3432 332	AR	1		61, 62				SHIM, Drive Pinion Bearing, .032
		AR	6		61, 62				
-46	3432 333	AR	1		61, 62				SHIM, Drive Pinion Bearing, .033
		AR	6		61, 62				
-47	3432 334	AR	1		61, 62				SHIM, Drive Pinion Bearing, .034
		AR	6		61, 62				
-48	3432 335	AR	1		61, 62				SHIM, Drive Pinion Bearing, .035
		AR	6		61, 62				
-49	3432 336	AR	1		61, 62				SHIM, Drive Pinion Bearing, .036
		AR	6		61, 62				
-50	3432 337	AR	1		61, 62				SHIM, Drive Pinion Bearing, .037
		AR	6		61, 62				
-51	3432 338	AR	1		61, 62				SHIM, Drive Pinion Bearing, .038


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Axle,Rear,with Differential Parts,Chrysler Model 9.25,BR 1,6
Figure 003-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
			AR	6	61, 62				
52	3507 678	1	1		61, 62				SPACER, Drive Pinion Bearing Crush
		1	6		61, 62				Crush
53	4137 669	2	1		61, 62				LOCK, Drive Shaft
		2	6		61, 62				
54	3507 641	2	1		61, 62				WASHER, Pinion Thrust
		2	6		61, 62				
55									PINION, Differential, Serviced in Differential GEAR PACKAGE, (NOT SERVICED) (Not Serviced)
56	4798 912	1	1		61, 62				GEAR PACKAGE, Differential
		1	6		61, 62				
57									GEAR, Differential, Serviced in Differential GEAR PACKAGE, (NOT SERVICED) (Not Serviced)
58									WASHER PACKAGE, Side Gear Thrust
	4131 294	1	1		61, 62				
		1	6		61, 62				
59	5206 8450	1	1		61, 62				CASE, Differential with [DSA] with Internal Parts
		1	6		61, 62				with [DSA] with Internal Parts

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Axle,Rear,with Differential Parts,Dana Model 60,BR 2,7
Figure 003-220




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Codes;									
[DMD] = Axle Ratio - 3.55									
[DMF] = Axle Ratio - 4.10									
[DRD]= Axle - Rear, Dana M60 Heavy Duty									
[DSA] = Axle - Anti-Spin Differentiall									
1	3507 543	2	2		62, 65				WASHER
		1	7		62, 65				Differential Pinion Gear Thrust
2	2961 848	1	2		62, 65				WASHER
		2	7		62, 65				Differential Side Gear Thrust
3	3898 313AB	1	2		62, 65				SHIM, Differential Bearing
		1	7		62, 65				
4	4746 605	1	2		62, 65				BEARING, Differential
		1	7		62, 65				Bearing and Cup
5	4746 603	1	2		62, 65				BEARING, Drive Pinion
		1	7		62, 65				Bearing and Cup, Rear
6	4746 868	1	2		62, 65				SHIM KIT, Pinion Shaft
		1	7		62, 65				
7	4798 993AB	1	2		62, 65				HOUSING, Rear Axle
	4856 057AB	1	7		62, 65				
8	2952 474	10	2		62, 65				BOLT, Hex Flange Head
		10	7		62, 65				Cover, Mounting
9	3640 792	1	2		62, 65				PLUG, Differential Cover
		1	7		62, 65				
10	5010 884AA	1	2		62, 65				SEALANT, RTV
		1	7		62, 65				
11	4773 402	1	2		62, 65				COVER, Differential
	4773 403	1	7		62, 65				
12	4137 696AB	1							BOLT, Axle Vent
13									SPACER, Drive Pinion Bearing

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Axle,Rear,with Differential Parts,Dana Model 60,BR 2,7
Figure 003-220




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
14	4746 606	1	2		62, 65				Crush
		1	7		62, 65				Crush
	4746 604	1	2		62, 65				BEARING, Drive Pinion
		1	7		62, 65				Bearing and Cup, Front
15	4746 867	1	2		62, 65				SLINGER, Drive Pinion
		1	7		62, 65				
16	4384 188AB	1	2		62, 65				SEAL, Drive Pinion
		1	7		62, 65				
17	4746 029	1	2		62, 65				YOKE, Axle
		1	7		62, 65				
18	2070 117	1	2		62, 65				WASHER, Pinion Yoke
		1	7		62, 65				
19	1795 173	1	2		62, 65				NUT, Pinion Yoke
		1	7		62, 65				
20	4506 060	1	2		62, 65				DISC AND PLATE KIT, Differential
		1	7		62, 65				
21	4506 066	12	2		62, 65				SCREW, Hex Head
		12	7		62, 65				Ring Gear, Mounting
22	4762 222	1	2		62, 65				Ring Gear, Mounting
	4864 966	1	2		62, 65				GEAR KIT, Ring And Pinion
	4762 222	1	7		62, 65				[DMD]
	4864 966	1	7		62, 65				[DMF]
23	4746 024AB	1	2		62, 65				CASE, Differential
	4506 058AB	1	2		62, 65				without [DSA]
	4746 024AB	1	7		62, 65				with [DSA]
	4506 058AB	1	7		62, 65				without [DSA]
24	4746 027	1	2		62, 65				GEAR KIT, Center Differential
		1	7		62, 65				
25									GEAR KIT, Center Differential

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Axle,Rear,with Differential Parts,Dana Model 60,BR 2,7
Figure 003-220




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
26	4506 059	1	2		62, 65				SCREW, Round Head, .50-20x1.25 Axle Housing to Backing Plate, Mounting
		1	7		62, 65				
	1664 518	8	2		62, 65				
27		8	7		62, 65				Axle Housing to Backing Plate, Mounting GASKET, Axle Shaft Axle Shaft to Hub Mounting, Mounting
	4384 186	2	2		62, 65				
		2	7		62, 65				
28									SHAFT, Axle Right or Left Right or Left TONE RING, Sensor
	4746 601	2	2		62, 65				
		1	7		62, 65				
29	4506 057	1	2		62, 65				ROLL PIN, Differential
		1	7		62, 65				
	4883 560AA	1	2		62, 65				
30		1	7		62, 65				SHAFT, Differential
	1922 276	1	2		62, 65				
		1	7		62, 65				
31									BOLT, Differential
	5003 648AA	4	2		62, 65				
		4	7		62, 65				

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Axle,Rear,with Differential Parts,Dana Model 70,BR 2,7
Figure 003-230



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Sales Codes;
[DMD] = Axle Ratio - 3.55
[DMF] = Axle Ratio - 4.10
[DRE]= Axle - Rear, Dana M70
[DSA] = Axle - Anti-Spin Differential


1									WASHER, (NOT SERVICED) (Not Serviced)
2									WASHER, (NOT SERVICED) (Not Serviced)
3	3898 313AB	1	2		62, 65				SHIM, Differential Bearing Adjusting
		1	7		62, 65				SHIM, Differential Bearing Adjusting
4									BEARING, Differential
	4746 605	1	2		62, 65				Bearing and Cup
		1	7		62, 65				Bearing and Cup
5									BEARING, Drive Pinion
	4746 617	1	2		62, 65				Bearing and Cup, Rear
		1	7		62, 65				Bearing and Cup, Rear
6									SHIM KIT, Pinion Shaft
	4746 616	1	2		62, 65				
		1	7		62, 65				
7									HOUSING, Rear Axle
	4798 985	1	2		62, 65				
	4798 981	1	7		62, 65				
8									BOLT, Hex Flange Head
	2952 474	10	2		62, 65				Cover, Mounting
		10	7		62, 65				Cover, Mounting
9									PLUG, Differential Cover
	3640 792	1	2		62, 65				
		1	7		62, 65				
10									SEALANT, RTV
	5010 884AA	1	2		62, 65				
		1	7		62, 65				
11									COVER, Differential
	4773 401	1	2		62, 65				
	4773 400	1	7		62, 65				
12	4137 696AB	1							BOLT, Axle Vent
13									SPACER, Drive Pinion Bearing
	4773 913	1	2		62, 65				
		1	7		62, 65				
14									BEARING, Drive Pinion

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Axle,Rear,with Differential Parts,Dana Model 70,BR 2,7
Figure 003-230




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
15	4746 604	1	2		62, 65				Bearing and Cup, Front
		1	7		62, 65				Bearing and Cup, Front
	4746 867	1	2		62, 65				SLINGER, Drive Pinion
		1	7		62, 65				
16	4384 188AB	1	2		62, 65				SEAL, Drive Pinion
		1	7		62, 65				
17	4746 029	1	2		62, 65				YOKE, Axle
		1	7		62, 65				
18	2070 117	1	2		62, 65				WASHER, Pinion Yoke
		1	7		62, 65				
19	1795 173	1	2		62, 65				NUT, Pinion Yoke
		1	7		62, 65				
20	4506 072	1	2		62, 65				DISC AND PLATE KIT, Differential
		1	7		62, 65				
21	4506 066	12	2		62, 65				SCREW, Hex Head
		12	7		62, 65				
22	4746 618AB	1	2		62, 65				Ring Gear, Mounting
	4746 624AB	1	2		62, 65				Ring Gear, Mounting
	4746 618AB	1	7		62, 65				GEAR KIT, Ring And Pinion
	4746 624AB	1	7		62, 65				[DMD]
23	4746 621AB	1	2		62, 65				[DMF]
	4638 254AB	1	2		62, 65				[DMD]
	4746 621AB	1	7		62, 65				[DMF]
	4638 254AB	1	7		62, 65				[DMF]
24	4746 622	1	2		62, 65				CASE, Differential
		1	7		62, 65				without [DSA]
									with [DSA]
									without [DSA]
25	4638 255	1	2		62, 65				with [DSA]
		1	7		62, 65				
26									GEAR KIT, Center Differential

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Axle,Rear,with Differential Parts,Dana Model 70,BR 2,7
Figure 003-230




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1664 518	8	2		62, 65				Axle Housing to Backing Plate, Mounting
		8	7		62, 65				Axle Housing to Backing Plate, Mounting
27									GASKET, Axle Shaft
	4384 186	2	2		62, 65				Axle Shaft to Hub, Mounting
		2	7		62, 65				Axle Shaft to Hub, Mounting
28									SHAFT, Axle
	4746 620	2	2		62, 65				Right or Left
		2	7		62, 65				Right or Left
29									RING, Tone
	4506 069	1	2		62, 65				
		1	7		62, 65				
30									ROLL PIN, Differential, (NOT SERVICED) (Not Serviced)
31									SHAFT, Differential, (NOT SERVICED) (Not Serviced)
32									BOLT, Differential
	5003 648AA	4	2		62, 65				
		4	7		62, 65				

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Axle,Rear,with Differential Parts,Dana Model 80,BR 2,3,7,8
Figure 003-240



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Codes;									
[DMD] = Axle Ratio - 3.55									
[DMF] = Axle Ratio - 4.10									
[DRL]= Axle - Rear, Dana M80									
[DSA] = Axle - Anti-Spin Differential									
1									WASHER, (NOT SERVICED) (Not Serviced)
2									WASHER, (NOT SERVICED) (Not Serviced)
3									CASE, Differential
	4778 763AB	1	2		62, 65				[DMD,DSA] Includes 4,5,22,23,27
	4778 772AB	1	2		62, 65				[DMF,DSA] Includes 4,5,22,23,27
	4778 763AB	1	3		62				[DMD,DSA] Includes 4,5,22,23,27
	4778 772AB	1	3		62				[DMF,DSA] Includes 4,5,22,23,27
	4778 763AB	1	3, 8		63, 64				[DMD,DSA] Includes 4,5,22,23,27
	4778 772AB	1	3, 8		63, 64				[DMF,DSA] Includes 4,5,22,23,27
	4778 763AB	1	7		62, 65				[DMD,DSA] Includes 4,5,22,23,27
	4778 772AB	1	7		62, 65				[DMF,DSA] Includes 4,5,22,23,27
	4778 763AB	1	8		62				[DMD,DSA] Includes 4,5,22,23,27
	4778 772AB	1	8		62				[DMF,DSA] Includes 4,5,22,23,27
4									SHIM KIT, Differential
	4746 982AB	1	2		62, 65				
		1	3		62				
		1	3, 8		63, 64				
		1	7		62, 65				
		1	8		62				
5									BEARING, Differential
	4746 981	1	2		62, 65				Consists of 2 Bearings and 2 Cups
		1	7		62, 65				Consists of 2 Bearings and 2 Cups
		1	3		62				Consists of 2 Bearings and 2 Cups
		1	8		62				Consists of 2 Bearings and 2 Cups
		1	3, 8		63, 64				Consists of 2 Bearings and 2 Cups
6									SPACER KIT, differential
	4746 984	1	2		62, 65				Consists of 2 Flat Spacers
		1	3		62				Consists of 2 Flat Spacers
		1	3, 8		63, 64				Consists of 2 Flat Spacers
		1	7		62, 65				Consists of 2 Flat Spacers
		1	8		62				Consists of 2 Flat Spacers
7									BEARING, Drive Pinion
	4746 978	1	2		62, 65				Bearing and Cup, Rear


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Axle,Rear,with Differential Parts,Dana Model 80,BR 2,3,7,8
Figure 003-240



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	3		62				Bearing and Cup, Rear
		1	3, 8		63, 64				Bearing and Cup, Rear
		1	7		62, 65				Bearing and Cup, Rear
		1	8		62				Bearing and Cup, Rear
8									SHIM KIT, Pinion Shaft
	4746 983	1	2		62, 65				Front and Rear
		1	3		62				Front and Rear
		1	3, 8		63, 64				Front and Rear
		1	7		62, 65				Front and Rear
		1	8		62				Front and Rear
									HOUSING, Rear Axle
	4856 124AB	1	2		62, 65				[DMD]
	4864 742AB	1	2		62, 65				[DMF]
	4856 104AB	1	3		62				[DMD]
	4864 740AB	1	3		62				[DMF]
	4798 978AB	1	3, 8		63, 64				[DMD,WLA]
	4864 741AB	1	3, 8		63, 64				[DMF,WLA]
	4856 116AB	1	7		62, 65				[DMD]
	4864 743AB	1	7		62, 65				[DMF]
	4856 081AB	1	8		62				[DMD]
	4864 737AB	1	8		62				[DMF]
	2952 474	10	2		62, 65				BOLT, Differential Cover
		10	3		62				Mounting
		10	3, 8		63, 64				Mounting
		10	7		62, 65				Mounting
		10	8		62				Mounting
									PLUG, Differential Cover
	3640 792	1	2		62, 65				
		1	3		62				
		1	3, 8		63, 64				
		1	7		62, 65				
		1	8		62				
	5010 884AA	1	2		62, 65				SEALANT, RTV
		1	3		62				
		1	3, 8		63, 64				
		1	7		62, 65				
		1	8		62				
									COVER, Differential


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Axle,Rear,with Differential Parts,Dana Model 80,BR 2,3,7,8
Figure 003-240




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4746 985	1	2		62, 65				
		1	3		62				
		1	3, 8		63, 64				
	4746 989	1	7		62, 65				
		1	8		62				
14	4137 696AB	1							BOLT, Axle Vent
15									SPACER, Drive Pinion
	4773 230	1	2		62, 65				
		1	7		62, 65				
		1	3		62				
		1	8		62				
		1	3, 8		63, 64				
16									BEARING, Drive Pinion
	4746 979	1	2		62, 65				Bearing and Cup, Front
		1	3		62				Bearing and Cup, Front
		1	3, 8		63, 64				Bearing and Cup, Front
		1	7		62, 65				Bearing and Cup, Front
		1	8		62				Bearing and Cup, Front
17									SLINGER, Drive Pinion, Order Yoke Assembly, (NOT SERVICED) (Not Serviced)
18									SEAL, Drive Pinion
	4773 237	1	2		62, 65				
		1	3		62				
		1	3, 8		63, 64				
		1	7		62, 65				
		1	8		62				
19									YOKE, Axle
	4856 840	1	2		62, 65				
		1	3		62				
		1	3, 8		63, 64				
		1	7		62, 65				
		1	8		62				
20									WASHER, Pinion Yoke
	4773 240	1	2		62, 65				
		1	7		62, 65				
		1	3		62				
		1	8		62				
		1	3, 8		63, 64				
21									NUT, Pinion Yoke

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Axle,Rear,with Differential Parts,Dana Model 80,BR 2,3,7,8
Figure 003-240




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4773 239	1	2		62, 65				
		1	3		62				
		1	3, 8		63, 64				
		1	7		62, 65				
		1	8		62				
22	4778 767	1	2		62, 65				DISC AND PLATE KIT, Differential
		1	3		62				With [DSA]
		1	3, 8		63, 64				With [DSA]
		1	7		62, 65				With [DSA]
		1	8		62				With [DSA]
23	4773 238	12	2		62, 65				BOLT, Ring Gear Mounting
		12	3		62				Mounting
		12	3, 8		63, 64				Mounting
		12	7		62, 65				Mounting
		12	8		62				Mounting
24									GEAR KIT, Ring And Pinion
	4746 976	1	2		62, 65				[DMD]
	4746 992	1	2		62, 65				[DMF]
	4746 976	1	3		62				[DMD]
	4746 992	1	3		62				[DMF]
	4746 976	1	3, 8		63, 64				[DMD]
	4746 992	1	3, 8		63, 64				[DMF]
	4746 976	1	7		62, 65				[DMD]
	4746 992	1	7		62, 65				[DMF]
	4746 976	1	8		62				[DMD]
	4746 992	1	8		62				[DMF]
25									CASE, Differential
	4746 977AB	1	2		62, 65				[DMD] Without [DSA] Includes 4,26
	4746 993AB	1	2		62, 65				[DMF] Without [DSA] Includes 4,26
	4746 977AB	1	3		62				[DMD] Without [DSA] Includes 4,26
	4746 993AB	1	3		62				[DMF] Without [DSA] Includes 4,26
	4746 977AB	1	3, 8		63, 64				[DMD] Without [DSA] Includes 4,26
	4746 993AB	1	3, 8		63, 64				[DMF] Without [DSA] Includes 4,26
	4746 977AB	1	7		62, 65				[DMD] Without [DSA] Includes 4,26
	4746 993AB	1	7		62, 65				[DMF] Without [DSA] Includes 4,26
	4746 977AB	1	8		62				[DMD] Without [DSA] Includes 4,26
	4746 993AB	1	8		62				[DMF] Without [DSA] Includes 4,26
26									GEAR KIT, Center Differential

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Axle,Rear,with Differential Parts,Dana Model 80,BR 2,3,7,8
Figure 003-240




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4746 980	1	2		62, 65				Without [DSA]
		1	3		62				Without [DSA]
		1	3, 8		63, 64				Without [DSA]
		1	7		62, 65				Without [DSA]
		1	8		62				Without [DSA]
27	4778 766	1	2		62, 65				GEAR KIT, Center Differential
		1	3		62				With [DSA] Includes 22
		1	3, 8		63, 64				With [DSA] Includes 22
		1	7		62, 65				With [DSA] Includes 22
		1	8		62				With [DSA] Includes 22
28	1664 518	8	2		62, 65				SCREW, Round Head, .50-20x1.25
		8	3		62				Axle Housing to Backing Plate,
		8	3, 8		63, 64				Mounting
		8	7		62, 65				Axle Housing to Backing Plate,
		8	8		62				Mounting
-29	0152 349	8	2		62, 65				Mounting
		8	3		62				NUT, Hex, .50-20
		8	3, 8		63, 64				Axle Housing to Backing Plate,
		8	7		62, 65				Mounting
		8	8		62				Axle Housing to Backing Plate,
30	4384 186	2	2		62, 65				GASKET, Axle Shaft
		2	3		62				Axle Shaft to Hub, Mounting
		2	3, 8		63, 64				Axle Shaft to Hub, Mounting
		2	7		62, 65				Axle Shaft to Hub, Mounting
		2	8		62				Axle Shaft to Hub
31									SHAFT, Axle

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Axle,Rear,with Differential Parts,Dana Model 80,BR 2,3,7,8
Figure 003-240




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4746 995	2	2		62, 65				Right or Left
	4746 967	2	3		62				
	4746 990	2	3, 8		63, 64				
	4746 995	2	7		62, 65				
	4746 967	1	8		62				
32	4761 653	1	2		62, 65				RING, Tone
		1	3		62				ABS Sensor
		1	3, 8		63, 64				ABS Sensor
		1	7		62, 65				ABS Sensor
		1	8		62				ABS Sensor
33									ROLL PIN, Differential, (NOT SERVICED) (Not Serviced)
34									SHAFT, Differential, (NOT SERVICED) (Not Serviced)
35									BOLT, Differential
	5003 648AA	4	2		62, 65				Carrier Cap, Mounting
		4	3		62				Carrier Cap, Mounting
		4	3, 8		63, 64				Carrier Cap, Mounting
		4	7		62, 65				Carrier Cap, Mounting
		4	8		62				Carrier Cap, Mounting

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

**Vent, Axle
Figure 003-310**

[illegible]

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – 004

Parking Brake


GROUP 4 - Parking Brake


Illustration Title

Group-Fig. No.


Parking Brake Lever and Cables

Parking Brake Lever	Fig. 004-110
Parking Brake Cables	Fig. 004-120



<div>004-100</div> <div>Parking Brake Lever and Cables</div> <div></div>			
---	--	--	--

Parking Brake Lever
Figure 004-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	52009 758AA	1							LEVER, Park Brake
2	5013 819AA	1							SWITCH, Parking Brake
3	3420 1711	2							NUT, Hex Flange, M8x1.25, Park Brake Lever Attaching
4	5200 8462	1							CABLE, Parking Brake
5	J400 4642	1							SCREW, Round Head, .164-18x.560
6	0120 524	2							CLIP, Cable
7	J322 0433	1							PAD, Parking Brake Lever
8	J400 4642	1							SCREW, Round Head, .164-18x.560
9	4658 677	1							CLIP, Latch Link, Park Brake Release Handle to Rod Attaching
10	RU38 LAZAA	1							RELEASE, Parking Brake Agate
	RU38 RC8AA	1							Cirrus
	RU38 VK9AA	1							Suede
11	52009 750AC	1							ROD, Parking Brake Release
12	6101 787	1							SCREW, Tapping, M8x20, Parking Brake Lever Attaching
13	4184 244	1							CLIP, Lever Link, Parking Brake Release Rod to Lever Attaching

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Parking Brake Cables Figure 004-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: DRL=Dana 80 Rear Axle									
1	6500 274	1							LOCK NUT, M6x1.0x6, Clip Mounting
2	0152 472	1							NUT, Hex Flange Lock, .312-18, Clip Mounting
3	6503 291	1							CLIP, Brake Cable, 23x45x.76
4									CABLE, Parking Brake
	5200 9017	1	1, 6		61, 62				Right
	5201 0022	1	2, 3, 7, 8		62, 65				Right
	5201 0029	1	3, 8		63, 64				Right
5	5200 9060	1	2, 3, 7, 8		62, 63, 64, 65				GUIDE, Parking Brake Cable
6	6101 787	1							SCREW, Tapping, M8x20
7									CLAMP, Parking Brake Cable
	5200 8751	1			61, 62, 65				[-DRL]
	5200 8754	1			61, 62, 65				[+DRL]
8									CABLE, Parking Brake
	5201 0007	1	1, 6		61, 62				Left
	5201 0021	1	2, 3, 7, 8		62, 65				Left
	5201 0028	1	3, 8		63, 64				Left
9	J400 4692	1			61, 62, 65				SCREW AND WASHER, Hex Head, .327-9x1.50
10	6502 282	1	2, 3, 7, 8		62, 63, 64, 65				SCREW, Hex Head, M8x1.25x30, Cable Guide Mounting
11	5200 8943	1	2, 3, 7, 8		62, 63, 64, 65				GUIDE, Parking Brake Cable, Routing
12									BRACKET, Parking Brake Cable
	5200 9066	1	1, 6		61, 62				
	5200 8537	1	2, 3, 7, 8		62, 63, 64, 65				Rear Reaction
13	5200 8437	1							TENSIONER, Parking Brake Cable, Adjust
14									CABLE, Parking Brake Extension
	5200 8461	1	1, 6		62				
	5200 8463	1	3, 8		64				
15									BRACKET, Parking Brake Cable, (NOT REQUIRED)
16	5200 8462	1							CABLE, Parking Brake
17	5200 8587	1							BRACKET, Parking Brake Cable

DODGE RAM STANDARD CAB (BR)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Parking Brake Cables
Figure 004-120

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
18	6101 445	3							NUT AND WASHER, Hex Nut-Coned Washer, M8 x 1.25, Parking Brake Cable Bracket Mounting
19									LOCK NUT, M6x1.0x6, (NOT REQUIRED)
20	6101 445	1							NUT AND WASHER, Hex Nut-Coned Washer, M8 x 1.25, Rear Parking Brake Reaction Bracket and Cable Routing Guide Mounting



DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – 005

Service Brakes

GROUP 5 - Service Brakes

Illustration Title
Group-Fig. No.

Front Brakes

Brakes,Front,BR 1,2,3	Fig. 005-110
Brakes,Front,BR3 (with Z3B),BR 6,7,8	Fig. 005-120

Rear Brakes

Brakes,Rear,11 Inches X 2 Inches,BR 1,6	Fig. 005-210
Brakes,Rear,13 Inches X 2.5 Inches,13 Inches X 3.5 Inches,BR 2,3,7,8	Fig. 005-220
Drums And Bearing, Rear Brake,13 Inches X 2.5 Inches,13 Inches X 3.5 Inches,BR 2,3,7,8	Fig. 005-230

Power Brake Booster

Booster--Power Brake and Hydro	Fig. 005-310
--------------------------------	--------------

Brake Master Cylinder

Master Cylinder--Brake,All Bodies	Fig. 005-410
Hydraulic Control Unit,Brake,R.W.A.L. and A.W.A.L.	Fig. 005-420

Brake Lines and Hoses


Rear Height Sensing System with Z7B Suspension	Fig. 005-510
Lines And Hoses,Brake,Front and Chassis	Fig. 005-520
Lines and Hoses,Brake Rear	Fig. 005-530








Brake Pedals

Pedal.Brake	Fig. 005-610
-------------	--------------

Vacuum Pump


Vacuum Pump, Brake,BR 2,3,7,8	Fig. 005-710
-------------------------------	--------------



005-100 Front Brakes 	005-200 Rear Brakes 	005-300 Power Brake Booster 	005-400 Brake Master Cylinder 
005-500 Brake Lines and Hoses 	005-600 Brake Pedals 	005-700 Vacuum Pump 	

Brakes,Front,BR 1,2,3

Figure 005-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SHIELD, Brake
	5200 8420	1	1		61, 62				Right
	5200 8421	1	1		61, 62				Left
	5200 8422	1	2, 3		62, 65				Right
	5200 8423	1	2, 3		62, 65				Left
2									SEAL, Hub
	5200 7658	2	1		61, 62				
	5200 7661	2	2, 3		62, 65				
3									BEARING, Wheel
	5200 7659	2	1		61, 62				Inner
	1937 771	2	2, 3		62, 65				Inner
4									CUP, Wheel Bearing
	4746 921	1	1		61, 62				Inner
	1937 770	1	2		62, 65				Inner
		2	3		62				Inner
5									HUB AND ROTOR, Brake
	5200 8218	2	1		61, 62				
	5200 7929	2	2		62, 65				
	5201 0013	2	3		62				
6									STUD, Hub
	4746 920	5	1		61, 62				Wheel
	4746 917	8	2		62, 65				Wheel
	4773 407	8	3		62				Wheel
7									CUP, Wheel Bearing
	4746 922	1	1		61, 62				Outer
	1139 293	1	2		62, 65				Outer
		2	3		62				Outer
8									BEARING, Wheel
	5200 7899	2	1		61, 62				Outer
	1790 546	2	2, 3		62, 65				Outer
9									WASHER, Thrust
	0600 194	2	1		61, 62				
	6029 984	2	2, 3		62, 65				
10									NUT, Wheel Bearing Adjusting
	6029 692	2	1		61, 62				
	6029 985	2	2, 3		62, 65				
11									PIN, Cotter
	0120 123	3							
12									LOCK, Wheel Bearing Adj Nut
	1673 324	2	1		61, 62				
	6029 986	2	2, 3		62, 65				
13									CAP, Wheel Hub Grease


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Brakes,Front,BR 1,2,3 Figure 005-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
14	5200 7906	2	1		61, 62				PAD KIT, Front Disc Brake
	3634 741	2	2, 3		62, 65				
	5013 814AA	1	1		61, 62				
	5003 163AB	1	2		62, 65				
15	4886 279AB	1	3		63, 64				PISTON, Brake
	4746 370	1	1		61, 62				
	4746 363	1	2		62, 65				
16	4746 351	1	3		62				SEAL KIT, Caliper
	4746 365	1	1		61, 62				
	4746 353	1	2		62, 65				
17	4746 343	1	3		62				CALIPER, Disc Brake Right Left Right Left Right Left
	4746 366	1	1		61, 62				
	4746 367	1	1		61, 62				
	4746 354	1	2		62, 65				
	4746 355	1	2		62, 65				
	4746 344	1	3		62				
	4746 345	1	3		62				
18	4746 350	1	1		61, 62				BLEEDER SCREW, Brake
		1	2		62, 65				
		1	3		62				
19	4761 543	1	1		61, 62				CAP, Bleeder
		1	2		62, 65				
		1	3		62				
20	4746 356	2	1		61, 62				BUSHING, Caliper
		2	2		62, 65				
		2	3		62				
21	4746 357	2	1		61, 62				BOLT AND SLEEVE, Brake Caliper
		2	2		62, 65				
		1	3		62				
22	4746 358	2	1		61, 62				COVER, Bolt
		2	2		62, 65				


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Brakes,Front,BR 1,2,3
Figure 005-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
23									SCREW, Hex, M8x1.25x22.00, (NOT SERVICED) (Not Serviced)
24	56028 152AB	1	1, 2, 3						SENSOR, Anti-Lock Brake Right
	56028 151AB	1	1, 2, 3		61, 62, 65				Left

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Brakes,Front,BR3 (with Z3B),BR 6,7,8
Figure 005-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:DJC=Dana 44 Front Axle---DJF=Dana 60 Front Axle---BGJ=Rear Wheel Anti-Lock---BGK=All Wheel Anti-Lock									
1									COVER, Bolt, (NOT REQUIRED)
2	4746 347	1	3		63, 64				BOLT AND SLEEVE, Brake Caliper
		1	7		62, 65				
		1	8		62, 63, 64				
3	4746 346	2	3		63, 64				BUSHING, Caliper
		2	7		62, 65				
		2	8		62, 63, 64				
4									CALIPER, Disc Brake
	4746 344	1	3		63, 64				Right
	4746 345	1	3		63, 64				Left
	4746 344	1	7		62, 65				Right
	4746 345	1	7		62, 65				Left
	4746 344	1	8		62, 63, 64				Right
	4746 345	1	8		62, 63, 64				Left
5									SEAL KIT, Caliper
	4746 343	1	3		63, 64				
		1	7		62, 65				
		1	8		62, 63, 64				
6	4886 279AB	1	3		63, 64				PAD KIT, Front Disc Brake
		1	7		62, 65				Contains 4 Pads
		1	8		62, 63, 64				Contains 4 Pads
7									PISTON, Brake
	4746 351	1	3		63, 64				
		1	7		62, 65				
		1	8		62, 63, 64				
8									BLEEDER SCREW, Brake
	4746 350	1	3		63, 64				
		1	7		62, 65				


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Brakes,Front,BR3 (with Z3B),BR 6,7,8
Figure 005-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
9	4761 543	1	8		62, 63, 64				CAP, Bleeder
		1	3		63, 64				
		1	7		62, 65				
10	5010 256AA	1	8		62, 63, 64				SENSOR, Anti-Lock Brakes
		1	3		63, 64				
		1	3		63, 64				
		1	6		61, 62				
		1	6		61, 62				
		1	7		62, 65				
		1	7		62, 65				
		1	8		62, 63, 64				
11	5003 052AA	2	3		63, 64				SHIELD, Brake
		2	6		61, 62				
		2	6		61, 62				
		2	7		62, 65				
		2	7		62, 65				
		2	8		62, 63, 64				
12	5003 053AA	1	3		63, 64				SPACER, Wheel Hub
		2	6		61, 62				
		2	6		61, 62				
		2	7		62, 65				
		2	7		62, 65				
		2	8		62, 63, 64				
13	5073 536AA	1	3		63, 64				HUB AND BEARING, Brake
		1	3		63, 64				
		2	6		61, 62				
		1	6		61, 62				
		1	6		61, 62				
		1	6		61, 62				


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Brakes,Front,BR3 (with Z3B),BR 6,7,8
Figure 005-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5010 020AA	1	7		62, 65				[BGJ]
	5073 536AA	1	8		62, 63, 64				[BGK], Right
	5073 537AA	1	8		62, 63, 64				[BGK], Left
14	5200 8207	2	7		62, 65				HUB AND ROTOR, Brake [BGJ]
	52069 876AA	1	7		62, 65				[BGK], Right
	52069 877AA	1	7		62, 65				[BGK], Left
15	4798 314	1	3		63, 64				ROTOR, Brake
	5200 8219	2	6		61, 62				
	4798 314	1	7		62, 65				
		1	8		62, 63, 64				
16	4746 898	8	3		63, 64				STUD, Hub Wheel, Mounting
	4773 408	5	6		61, 62				Wheel, Mounting
	4746 897	8	7		62, 65				Wheel, Mounting
	4746 898	8	8		62, 63, 64				Wheel, Mounting
17	J013 7214	1	3		63, 64				PIN, Cotter
		2	6		61, 62				
		2	7		62, 65				
		2	8		62, 63, 64				
18	4746 773	2	3		63, 64				NUT, Axle Hub Adjusting
		2	6		61, 62				Adjusting
		2	7		62, 65				Adjusting
		2	8		62, 63, 64				Adjusting
19	4746 811	2	3		63, 64				WASHER, Flat Thrust
		2	6		61, 62				Thrust
		2	7		62, 65				Thrust
		2	8		62, 63, 64				Thrust
20									NUT


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Brakes,Front,BR3 (with Z3B),BR 6,7,8
Figure 005-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4746 899	8	3		63, 64				Hub Stud to Wheel House
		8	8		62, 63, 64				Extension, Mounting
21	52069 878AA	1	3		63, 64				Hub Stud to Wheel House
	52069 879AA	1	3		63, 64				Extension, Mounting
	52069 878AA	1	8		62, 63, 64				HUB AND ROTOR, Brake
	52069 879AA	1	8		62, 63, 64				with Wheel House Extension, Right
									with Wheel House Extension, Left
									with Wheel House Extension, Right
22	52069 879AA	1	8		62, 63, 64				with Wheel House Extension, Left
	4746 810	8	3		63, 64				BOLT, Hub
									Hub Stud to Wheel House
	4746 775	6	6		61, 62				Extension, Mounting
	4746 810	8	7		62, 65				Hub to Rotor, Mounting
		8	8		62, 63, 64				Hub Stud to Wheel House
23	4746 358	2	6		61, 62				Extension, Mounting
24	4746 357	2	6		61, 62				COVER, Bolt
25	4746 356	2	6		61, 62				BOLT AND SLEEVE, Brake Caliper
26									BUSHING, Caliper
	4746 366	1	6		61, 62				CALIPER, Disc Brake
	4746 367	1	6		61, 62				Right
27	4746 365	1	6		61, 62				Left
28	4874 866	1	6		61, 62				SEAL KIT, Caliper
29	4746 370	1	6		61, 62				PAD KIT, Front Disc Brake, Contains 4 Pads
30	4746 350	1	6		61, 62				PISTON, Brake
31	4761 543	1	6		61, 62				BLEEDER SCREW, Brake
									CAP, Bleeder



DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Brakes,Rear,11 Inches X 2 Inches,BR 1,6
Figure 005-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	J812 9725	1	1		61, 62				BLEEDER SCREW, Brake
		1	6		61, 62				
2	4761 606	2	1		61, 62				LINK, Brake Wheel Cylinder
		2	6		61, 62				
3	5200 8315	2	1		61, 62				DRUM, Brake
		2	6		61, 62				
4	4761 578	1	1		61, 62				SCREW, Brake Adjusting
	4761 579	1	1		61, 62				Right
	4761 578	1	6		61, 62				Left
	4761 579	1	6		61, 62				Right
5	4761 609	1	1		61, 62				Left
		1	6		61, 62				SPRING, Lever
6	0152 345	8	1		61, 62				NUT, Hex Flange Lock
		8	6		61, 62				
7	4761 544	1	1		61, 62				SUPPORT, Rear Wheel Brake
		1	6		61, 62				
8	4761 584	1	1		61, 62				PLUG, Brake Adjusting Hole
		1	6		61, 62				
9	6034 558	8							STUD, .375-24x1.060
10	4761 608	2	1		61, 62				BOLT, Wheel Cylinder
		2	6		61, 62				
11	4761 597	1	1		61, 62				PLATE, Brake Shoe Guide
		1	6		61, 62				
12	4761 602	1	1		61, 62				CYLINDER, Wheel
		1	6		61, 62				
13	4761 562	1	1		61, 62				LEVER, Park Brake Adjusting
	4761 563	1	1		61, 62				Right
	4761 562	1	6		61, 62				Left
									Right



DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

**Brakes,Rear,11 Inches X 2 Inches,BR 1,6
Figure 005-210**





ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
14	4761 563	1	6		61, 62				Left
									LEVER, Park Brake Adjusting
	4761 561	1	1		61, 62				
15		1	6		61, 62				
									SPRING, Brake Shoe Return
	4761 555	1	1		61, 62				
16		1	6		61, 62				
									SHOE KIT, Brake
	4761 599	1	1		61, 62				
17		1	6		61, 62				
									SPRING KIT, Brake Shoe Hold Down
	4761 557	1	1		61, 62				
18		1	6		61, 62				
									REPAIR KIT, Wheel Cylinder
	4761 604	1	1		61, 62				
		1	6		61, 62				

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500 3,8 = 3500	62 = Reg. Cab(134 WB) 63 = Reg. Cab(138 WB) 64 = Reg. Cab(162 WB) 65 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl. ETC,ETH = 5.9L 6 Cyl. EML,EMM = 5.9L 8 Cyl. EWA = 8.0L 10 Cyl. EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDP,DDX,DDC = 5 Spd. Manual DEE = 6 Spd. Manual DDO = All 5 Speed Manual DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Brakes,Rear,13 Inches X 2.5 Inches,13 Inches X 3.5 Inches,BR 2,3,7,8
Figure 005-220





ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	1664 518	8	2		62, 65				SCREW, Round Head, .50-20x1.25
		8	3		62				
		8	3, 8		63, 64				
		8	7		62, 65				
		8	8		62				
2	4761 554 4761 545	1	2		62, 65				SUPPORT, Rear Wheel Brake
		1	3		62				
		1	3, 8		63, 64				
		1	7		62, 65				
		1	8		62				
3	4761 608	2	2		62, 65				BOLT, Wheel Cylinder
		2	3		62				
		2	3, 8		63, 64				
		2	7		62, 65				
		2	8		62				
4	J812 9725	1	2		62, 65				BLEEDER SCREW, Brake
		1	3		62				
		1	3, 8		63, 64				
		1	7		62, 65				
		1	8		62				
5	4761 598	1	2		62, 65				PLATE, Brake Shoe Guide
		1	3		62				
		1	3, 8		63, 64				
		1	7		62, 65				
		1	8		62				
6	4897 526AA	1	2		62, 65				CLIP, Parking Brake Pin Lever
		1	3		62				
		1	3, 8		63, 64				
		1	7		62, 65				
		1	8		62				
7	4761 607	2	2		62, 65				LINK, Brake Wheel Cylinder
		2	3		62				
		2	3, 8		63, 64				

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Brakes,Rear,13 Inches X 2.5 Inches,13 Inches X 3.5 Inches,BR 2,3,7,8
Figure 005-220





ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
8		2	7		62, 65				
		2	8		62				
	4761 580	1	2		62, 65				SCREW, Brake Adjusting Right
	4761 581	1	2		62, 65				Left
	4761 580	1	3		62				Right
	4761 581	1	3		62				Left
	4761 580	1	3, 8		63, 64				Right
	4761 581	1	3, 8		63, 64				Left
	4761 580	1	7		62, 65				Right
	4761 581	1	7		62, 65				Left
9	4761 580	1	8		62				Right
	4761 581	1	8		62				Left
									SPRING, Lever
	4761 610	1	2		62, 65				
		1	3		62				
10		1	3, 8		63, 64				
		1	7		62, 65				
		1	8		62				
	0152 349	8	2		62, 65				NUT, Hex, .50-20
		8	3		62				
11		8	3, 8		63, 64				
		8	7		62, 65				
		8	8		62				
	4761 584	1	2		62, 65				PLUG, Brake Adjusting Hole
		1	3		62				
12		1	3, 8		63, 64				
		1	7		62, 65				
		1	8		62				
	4761 602	1	2		62, 65				CYLINDER, Wheel
	4761 603	1	3		62				
13		1	3, 8		63, 64				
		1	7		62, 65				
		1	8		62				
	4761 564	1	2		62, 65				LEVER, Park Brake Adjusting Right
	4761 565	1	2		62, 65				Left

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

**Brakes,Rear,13 Inches X 2.5 Inches,13 Inches X 3.5 Inches,BR 2,3,7,8
Figure 005-220**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4761 564	1	3		62				Right
	4761 565	1	3		62				Left
	4761 564	1	3, 8		63, 64				Right
	4761 565	1	3, 8		63, 64				Left
	4761 564	1	7		62, 65				Right
	4761 565	1	7		62, 65				Left
	4761 564	1	8		62				Right
	4761 565	1	8		62				Left
14									LEVER, Park Brake Adjusting
	4761 585	1	2		62, 65				
	4761 586	1	3		62				
		1	3, 8		63, 64				
	4761 585	1	7		62, 65				
	4761 586	1	8		62				
15									SPRING, Brake Shoe Return
	4761 556	1	2		62, 65				
		1	3		62				
		1	3, 8		63, 64				
		1	7		62, 65				
		1	8		62				
16									SHOE KIT, Brake
	4761 600	1	2		62, 65				
	4886 328AA	1	3		62				
		1	3, 8		63, 64				
	4761 600	1	7		62, 65				
	4886 328AA	1	8		62				
17									SPRING KIT, Brake Shoe Hold Down
	4761 560	1	2		62, 65				
		1	3		62				
		1	3, 8		63, 64				
		1	7		62, 65				
		1	8		62				
18									REPAIR KIT, Wheel Cylinder
	4761 605	1	2		62, 65				
		1	3		62				
		1	3, 8		63, 64				
		1	7		62, 65				
		1	8		62				

DODGE RAM STANDARD CAB (BR)

SERIES

E = WS RAM 1500

L = RAM 1500, 2500,

3500

5555

LINE

$$1,6 = 15$$
 $2,7 = 25$ $3.8 = 3.8$

5,5 — 5,5

BODY

$$61 = R$$
 $62 = R$ $63 = R$ $64 = R$

65 = R

88 — 10

ENGINE

EHC = 3.

ELF = 5.2

ETC.ETH

EML,EMI

EWA = 8

$$EAA = A$$
$$EAA = A$$
$$EAG = A$$
$$EAC = A$$

TRANSMISSION

DGK = 42RE 4 Spd. Auto.

DGP = 47RE 4 Spd. Auto.

DGT = 46RE 4 Spd. Auto.

DDP,DDX,DDC = 5 Spd. Manual


DEE = 6 Spd. Manual

DDO = All 5 Speed Manual

DGO = All Automatic

ECC = All Automatic

Drums And Bearing, Rear Brake,13 Inches X 2.5 Inches,13 Inches X 3.5 Inches,BR 2,3,7,8
Figure 005-230



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SEAL, Wheel Bearing
	5003 464AA	2	2		62, 65				
	2954 738	2	3		62				
		2	3, 8		63, 64				
	5003 464AA	2	7		62, 65				
	2954 738	2	8		62				
2									BEARING, Wheel
	0927 017	2	2		62, 65				Inner
	2959 942	2	3		62				Inner
		2	3, 8		63, 64				Inner
	0927 017	2	7		62, 65				Inner
	2959 942	2	8		62				Inner
3									CUP, Wheel Bearing
	4746 918	2	2		62, 65				Inner
	4746 919	2	3		62				Inner
		2	3, 8		63, 64				Inner
	4746 918	2	7		62, 65				Inner
	4746 919	2	8		62				Inner
4									HUB, Wheel
	5200 7911	2	2		62, 65				
	5200 7912	2	3		62				
		2	3, 8		63, 64				
	5200 7911	2	7		62, 65				
	5200 7912	2	8		62				
5									CUP, Wheel Bearing
	2955 374	1	2		62, 65				Outer
		2	3		62				Outer
		2	3, 8		63, 64				Outer
		2	7		62, 65				Outer
		2	8		62				Outer
6									BEARING, Wheel
	2852 729	2	2		62, 65				Outer
		2	3		62				Outer
		2	3, 8		63, 64				Outer
		2	7		62, 65				Outer
		2	8		62				Outer
7									LOCK, Wheel Bearing Adj Nut
	4797 126	2	2		62, 65				
		2	3		62				
		2	3, 8		63, 64				


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Drums And Bearing, Rear Brake,13 Inches X 2.5 Inches,13 Inches X 3.5 Inches,BR 2,3,7,8
Figure 005-230





ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
8	5206 9306	2	7		62, 65				NUT, Bearing Adjusting
		2	8		62				
		2	2		62, 65				
		2	3		62				
9	4384 186	2	3, 8		63, 64				GASKET, Axle Shaft
		2	7		62, 65				
		2	8		62				
		2	2		62, 65				
10	5200 7905	2	3		62				Axle Shaft to Hub Mounting
		2	3, 8		63, 64				
		2	7		62, 65				
		2	8		62				
11	5003 466AA	2	2		62, 65				Axle Shaft to Hub Mounting
		2	3		62				
		2	3, 8		63, 64				
		2	7		62, 65				
12	4746 915	1	7		62, 65				BOLT
		2	8		62				
		16	2		62, 65				
		16	3		62				
13	4746 916	16	3, 8		63, 64				STUD, Hub
		16	7		62, 65				
		16	8		62				
		16	2		62, 65				
14	4746 915	16	3		62				Wheel
		16	3, 8		63, 64				
		16	7		62, 65				
		16	8		62				

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Booster--Power Brake and Hydro
 Figure 005-310





ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:EH0=3.9L V-6 Gas Engine---EL0=5.2L V-8 Gas Engine---EM0=5.9L Gas Engine---EW0=8.0L Gas Engine									
1									GROMMET, Brake Booster Check Valve
	4723 640	1	1, 6		61, 62				
		1	2, 7		62, 65				
2	52008 111AE	1							HOSE, Brake Booster
-3	2448 761	1							CLAMP, Hose
-4	6016 020	1							STRAP, Tie, Booster Hose to Breather Hose
5									VALVE, Brake Booster Check
	4723 391	1	1, 6		61, 62				
		1	2, 7		62, 65				
6									BOOSTER, Power Brake
	4882 866	1	1, 6		61, 62				
	4882 867	1	2, 7		62, 65				
-7	6503 269	4							NUT, Hex, M10-1.5, Booster to Dash Mounting
8									CLIP, Brake Tube
	52009 651AA	2	2, 7		62, 65				Hydroboost Tube Support
		2	3, 8		62, 63, 64				Hydroboost Tube Support
9									TUBE, Brake
	52009 645AA	1	2, 7		62, 65				Hydroboost Pump Port
		1	3, 8		62, 63, 64				Hydroboost Pump Port
10									CLIP, Brake Tube
	52009 651AA	2	2, 7		62, 65				Hydroboost Tube Support
		2	3, 8		62, 63, 64				Hydroboost Tube Support
11									TUBE, Brake
	52009 650AB	1	2, 7		62, 65				H;ydroboost Gear Port
		1	3, 8		62, 63, 64				H;ydroboost Gear Port
12									BRACKET, Brake Booster
	52009 652AA	1	2, 7		62, 65				Manifold Support
		1	3, 8		62, 63, 64				Manifold Support
13									SPACER, Brake Booster
	5134 380AA	1	2, 7		62, 65				

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Booster--Power Brake and Hydro Figure 005-310




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
14		1	3, 8		62, 63, 64				HYDRO-BOOSTER, Power Brake
	5003 330AC	1	2, 7		62, 65				
		1	3, 8		62, 63, 64				

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Master Cylinder--Brake,All Bodies
Figure 005-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									MASTER CYLINDER, Brake
	5011 256AB	1	1, 6		61, 62				
		1	2, 7		62, 65				
		1	3, 8		62, 63, 64				
2									CAP, Master Cylinder Reservoir
	4683 656	1	1, 6		61, 62				
		1	2, 7		62, 65				
		1	3, 8		62, 63, 64				
3									RESERVOIR, Brake Master Cylinder
	4882 865	1	1, 6		61, 62				Includes 2,4,5,6
		1	2, 7		62, 65				Includes 2,4,5,6
		1	3, 8		62, 63, 64				Includes 2,4,5,6
4									PIN, Master Cylinder Reservoir
	4723 394	2	1, 6		61, 62				Mounting
		2	2, 7		62, 65				Mounting
5									GROMMET, Master Cylinder
	4723 389	2	1, 6		61, 62				Reservoir
		2	2, 7		62, 65				Mounting
6									SEAL, Master Cylinder To Booster
	4723 395	1	1, 6		61, 62				Mounting
		1	2, 7		62, 65				Mounting
		1	3, 8		62, 63, 64				Mounting
7									NUT
	4897 209AA	2	1, 6		61, 62				Master Cylinder to Booster,
		2	2, 7		62, 65				Mounting
		2	3, 8		62, 63, 64				Master Cylinder to Booster,
									Mounting

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Hydraulic Control Unit,Brake,R.W.A.L. and A.W.A.L. Figure 005-420



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:--BGJ=Rear Wheel Antilock Brakes----BGK=All Wheel Antilock Brakes									
1	5013 919AA	1	1, 6		61, 62				MODULE, Anti-lock Brakes
	5013 920AA	1	2		62, 65				
		1	7		62, 65				
2	5003 312AA	1	1, 6		61, 62				VALVE, Brake Pressure Limit R.W.A.L. R.W.A.L. R.W.A.L.
		1	2		62, 65				
		1	7		62, 65				
3	5003 310AA	1	1, 6		61, 62				TUBE, Brake Module Jumper Module Jumper Module Jumper
		1	2		62, 65				
		1	7		62, 65				
4	3420 1711	2							NUT, Hex Flange, M8x1.25, Hydraulic Control Unit to Stud Plate Mounting
5	6100 841	2							PUSH NUT, M8, Stud Plate Mounting to Fender
6	52008 038AB	1							STUD PLATE, Hydraulic Control Unit, Mounting
7	5003 306AA	1	1, 6		61, 62				VALVE, Combination with Switch with Switch with Switch
	5003 309AA	1	2		62, 65				
		1	7		62, 65				
8	5003 311AA	1	1, 6		61, 62				BRACKET, Anti-Lock Brake Module Mounting Mounting Mounting
		1	2		62, 65				
		1	7		62, 65				
9	6100 583	1							BOLT AND CONED WASHER, Hex Head, M8x25x20, Hydraulic Control Unit to Stud Plate
10	3420 1711	2							NUT, Hex Flange, M8x1.25, Hydraulic Control Unit to Stud Plate Mounting
11	5013 901AA	1	1, 6		61, 62				MODULE, Anti-lock Brakes
	5013 902AA	1	2		62, 65				
	5003 102AB	1	3, 8		62, 63, 64				
	5013 902AA	1	7		62, 65				NUT, Hex Flange, M8x1.25, Hydraulic Control Unit to Stud Plate Mounting
12	3420 1711	2							


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Hydraulic Control Unit,Brake,R.W.A.L. and A.W.A.L. Figure 005-420



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
13	6100 841	2							PUSH NUT, M8, Hydraulic Control Unit to Stud Plate Mounting
14	52008 038AB	1							STUD PLATE, Hydraulic Control Unit, Mounting
15									VALVE, Combination
	5003 306AA	1	1, 6		61, 62				with Switch
	5003 309AA	1	2		62, 65				with Switch
		1	3, 8		62, 63, 64				with Switch
16		1	7		62, 65				with Switch
	5003 305AA	1	1, 6		61, 62				BRACKET, Anti-Lock Brake Module Mounting
		1	2		62, 65				Mounting
		1	3, 8		62, 63, 64				Mounting
17		1	7		62, 65				Mounting
									SCREW AND WASHER, Hex Head, M8x1.25x33, (NOT SERVICED) (Not Serviced)
18									HYDRAULIC CONTROL UNIT, Anti-Lock Brake System
	5096 264AA	1	1, 6		61, 62				
		1	7		62, 65				
		1	2		62, 65				
		1	3, 8		62, 63, 64				
-19									TUBE, Brake
	5003 307AA-	1	1, 6		61, 62				Module Jumper Front
		1	2		62, 65				Module Jumper Front
		1	3, 8		62, 63, 64				Module Jumper Front
		1	7		62, 65				Module Jumper Front
-20									TUBE, Brake
	5003 308AA-	1	1, 6		61, 62				Module Jumper Rear
		1	2		62, 65				Module Jumper Rear
		1	3, 8		62, 63, 64				Module Jumper Rear
		1	7		62, 65				Module Jumper Rear


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year


September 15, 2005

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	52009 783AA	1	7		62, 65				VALVE, Height Sensing Brake
2	52009 642AA	1	7		62, 65				TUBE, Brake
3	52009 641AA	1	7		62, 65				ADAPTER, Brake Hose
4	6100 296	1							BOLT, Hex Head
5	1843 251	AR							TUBE, Steel, .187 25 Foot Roll
6	5200 8966	1							BRACKET, Brake Hose
7	52009 636AA	1	7		62, 65				LINKAGE, Height Sensing
8	4137 696AB	1							BOLT, Axle Vent
9	52009 640AB	1	7		62, 65				HOSE, Brake
10	6502 696	3	7		62, 65				NUT, Hex Flange Lock, M10x1.5
11	52009 639AA	1	7		62, 65				BRACKET, Anti-Lock Brake Sensor
12	6101 695	2	7		62, 65				NUT, Hex Flange Lock, M8x1.25



AR = Use as required - = Non illustrated part # = New this model year

Lines And Hoses,Brake,Front and Chassis
Figure 005-520




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
BGJ = R.W.A.L.-Rear Wheel Anti-Lock Brakes									
BGK = A.W.A.L.-All Wheel Anti-Lock Brakes									
EH0 = All 3.9L V6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
ET0 = All 5.9L Turbo Diesel Engines									
EW0 = All 8.0L Gas Engines									
HCU = Hydraulic Control Unit									
1	5200 8866	1	1, 2, 3		61, 62, 65				HOSE, Brake [BGJ], Right
	5200 8891	1	1, 2, 3		61, 62, 65				[BGJ] With Junction Block, Left
	5200 8868	1	1, 2, 3		61, 62, 65				[BGK], Right
	5200 8923	1	1, 2, 3		61, 62, 65				[BGK] With Junction Block, Left
	5200 8870	1	3						[BGJ,BGK] With [Z3B] Suspension, Right
	5200 8895	1	3						[BGJ] With [Z3B] Suspension With Junction Block, Left
	5200 8897	1	3						[BGK] With [Z3B] Suspension With Junction Block, Left
	5200 8870	1	6, 7, 8						[BGJ,BGK], Right
	5200 8895	1	6, 7, 8						[BGJ] With Junction Block, Left
	5200 8897	1	6, 7, 8						[BGK] With Junction Block, Left
-2	J420 0304	1	1, 2, 3						BOLT, Hex Head, M10x1.5x23
		1	6, 7, 8						Hose to Caliper, Mounting
-3	J420 0303	1	1, 2, 3						WASHER, Brake Hose
		1	6, 7, 8						
4	3420 1888	3							SCREW, Hex Head, Clip to Frame, Mounting
5	5200 9165	4	6, 7, 8						CLIP, Brake Line to Frame and Crossmember
		4	3		63, 64				to Frame and Crossmember
		5	1, 2, 3		61, 62, 65				to Frame and Crossmember

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Lines And Hoses,Brake,Front and Chassis
Figure 005-520



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
6	3420 1888	3							SCREW, Hex Head, Clip to Frame, Mounting
7									TUBE, Brake
	5200 9176	1	1, 2, 3						BGK-Junction to Right Front Hose
	5200 9177	1	3, 6, 7, 8						BGK-Junction to Right Front Hose
	5200 9194	1	1, 2, 3						BGJ-Junction to Right Front Hose
	5200 9195	1	6, 7, 8						BGJ-Junction to Right Front Hose
8	5200 8940	2							CLIP, Brake Line
9									TUBE, Brake
	52009 760AB	1	1, 2, 6, 7		61, 62, 65				EH0,EL0,EM0,EW0-Front
	52009 761AB	1	1, 2, 6, 7		61, 62, 65				EH0,EL0,EM0,EW0-Rear
	52009 763AB	1							ET0-Primary
	52009 764AB	1							ET0-Secondary
10	6502 282	1							SCREW, Hex Head, M8x1.25x30, Junction Strip to Frame, Mounting
11									CLIP, Brake Line
	5200 9165	5	1, 2, 3		61, 62, 65				to Frame and Crossmember
		4	3		63, 64				to Frame and Crossmember
		4	6, 7, 8						to Frame and Crossmember
12									TUBE, Brake
	52009 380AB	1							BGJ-Combination Valve to Junction Front
	52009 390AB	1							BGK-HCU to Junction Left Hose
	52009 399AB	1							BGK-HCU to Junction Right Hose
13									TUBE, Brake
	52009 706AB	1							BGJ-HCU to Junction Rear
		1							BGK-HCU to Junction Rear
14									JUNCTION BLOCK, Brake Tube
	5200 9143	1	1, 2, 3						[BGJ]
		1	6, 7, 8						[BGJ]
	5200 9155	1	1, 2, 3						[BGK]
		1	6, 7, 8						[BGK]
-15									CLIP, Brake Line
	5200 8940	2							2 Way
	5200 9163	1							2 Way
-16	5200 9437	1							CLIP, 3 Way
17	1843 251	AR							TUBE, Steel, .187 25 Foot Roll
-18	3879 283	AR							COVER, Brake Tube Wire, .18


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Lines And Hoses,Brake,Front and Chassis
Figure 005-520



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
19									SCREW AND WASHER, Hex Head, M8x1.25x20
	6101 452	2	3		63, 64				Front Brake Hose to Axle, Mounting
		2	6, 7, 8						Front Brake Hose to Axle, Mounting
20	1843 251	AR							TUBE, Steel, .187 25 Foot Roll
21	5200 7914	2							CLIP, Brake Line, Tube to Rear of Frame
22									CLIP, Fuel Line
	52102 371AB	2	1, 6		61, 62				EH0,ELF,EM0,EW0
		2	2, 3, 7, 8		62, 65				EH0,ELF,EM0,EW0
	52102 373AC	3	3, 8		63, 64				ET0
		2	2, 3, 7, 8		62, 65				ET0
23	3420 1888	3							SCREW, Hex Head, Clip to Frame, Mounting
24									CLIP, Fuel Line
	52102 371AB	2	1, 6		61, 62				EH0,ELF,EM0,EW0
		2	2, 3, 7, 8		62, 65				EH0,ELF,EM0,EW0
		3	3, 8		63, 64				EH0,ELF,EM0,EW0
	52102 373AC	3	3, 8		63, 64				ET0
		2	2, 3, 7, 8		62, 65				ET0
25	3420 1888	3							SCREW, Hex Head
26	5200 8053	1							CLIP, Brake Line, Brake Tube Line, Mounting
27									SHIELD, Fuel and Brake Bundle
	52008 962AB	1	2, 3, 7, 8		62, 65				
	52008 964AC	1	3, 8		63, 64				
28	6502 282	1							SCREW, Hex Head, M8x1.25x30, Fuel and Brake Line Shield, Mounting


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Lines and Hoses,Brake Rear
Figure 005-530



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

DRB = Corporate 9.25 LD

DRD = Dana M60 HD/248MM RBI

DRE = Dana M70/267MM RBI

DRL = Dana 80 (Hybrid)

1	52009 575AB	1							HOSE, Brake, with Tee, Rear
2	5200 8966	1							BRACKET, Brake Hose, Rear
3	1843 251	AR							TUBE, Steel, .187 25 Foot Roll
4	52009 641AA	1	7		62, 65				ADAPTER, Brake Hose
5	4137 696AB	1							BOLT, Axle Vent
6	5200 9154	1	3, 8		63, 64				CLIP, Cable Routing
7									TUBE, Brake
	5200 7920	1	1, 6		61, 62				DRB, Right
	5200 7984	1	2, 7		62, 65				DRL, Right
	5200 7986	1	3, 8		62				DRL, Right
	5200 8198	1	3, 8		63, 64				DRL, Right
	5200 9042	1							DRD,DRE, Right
8	6101 715	1							SCREW
9									SHIELD, Brake Line
	5200 8668	1	1, 2, 6, 7		61, 62, 65				-DRL
	5200 8670	1	2, 3, 7, 8		62, 63, 64, 65				+DRL
10	6500 274	1							LOCK NUT, M6x1.0x6
11	5200 8755	1							SLEEVE, Brake Line
12									TUBE, Brake
	52007 921AB	1	1, 6		61, 62				DRB, Left
	52007 985AB	1	2, 7		62, 65				DRL, Left
	52007 987AB	1	3, 8		62				DRL, Left
	52008 199AB	1	3, 8		63, 64				DRL, Left
	52009 043AB	1							DRD,DRE, Left


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Pedal.Brake
Figure 005-610




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:DBB= All Manual Transmissions---DG0=All Automatic Transmissions									
1	6101 712	1							NUT, U, M6x1, Brake Switch Mounting
2	56045 044AB	1							BRACKET, Brake Lamp Switch
3	6101 718	2							SCREW AND WASHER, Oval Head, M6x1x25, Brake Switch Bracket Mounting
4	4103 262	2							RETAINER, Shaft, Pivot
5	5207 7902	1			61, 62, 63, 64				SHAFT, Pedal, Brake and Clutch
6	55351 014AD	1							BRACKET, Steering Column, Clutch and Brake Pedal
7									SCREW AND WASHER, Hex Head, M10x1.5x30, Brake Pedal Bracket to Support Mounting, (NOT SERVICED) (Not Serviced)
8	4294 639	4							BUSHING, Clutch and Brake Pedal
9	5200 9582	1							WASHER, Brake Pedal Spring
10	5200 9423	1							PEDAL AND PAD, Brake DG0
	5200 9570	1			61, 62, 63, 64				DBB
11	5207 9345	1							PAD, Pedal DG0
	5200 9562	1			61, 62, 63, 64				DBB
12	56045 043AC	1							SWITCH, Stop Lamp
-13	4294 036	1							CLIP, Master Cylinder Push Rod to Brake Pedal Pin Mounting

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Vacuum Pump, Brake, BR 2,3,7,8
Figure 005-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: ETB=5.9L Inline 6 Cylinder Cummins Turbo Diesel---ETC=5.9L 24 Valve Cummins Diesel Engine									
1	4883 960AA	1							PUMP, Power Steering
2	5003 637AA	1							NIPPLE, Pump
3	5011 428AA	1							HOSE, Vacuum Pump
4	5011 799AA	1							BRACKET, Vacuum Pump
5	4429 862	1							NUT, Hex Flange, M10x1.5
6	4429 862	1							NUT, Hex Flange, M10x1.5
7	4429 637	1							SCREW, Hex Head, m12X1.75X.35
8	5011 617AA	1							CHECK VALVE, Vacuum Pump
9	4638 531	1							GASKET, Hydraulic Pump
10	5011 797AA	1							GEAR, Accessory Drive
11	5011 796AA	1							PUMP, Vacuum
12	5011 421AA	1							SCREW
13	4728 162	1							HUB, Hydraulic Brake Pump
14	4761 972	4							STUD

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Group – 006





Clutch

GROUP 6 - Clutch


Illustration Title Group-Fig. No.

Clutch	
Clutch	Fig. 006-110
Clutch Housing	
Housing and Pan, Clutch	Fig. 006-220
Clutch Controls	
Controls, Hydraulic Clutch	Fig. 006-320
Clutch Pedals	
Pedal, Clutch	Fig. 006-420



006-100 Clutch	006-200 Clutch Housing	006-300 Clutch Controls	006-400 Clutch Pedals
			

Clutch
Figure 006-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes
[DBB] = All Manual Transmissions
[DDC] = 5 Speed Heavy Duty Manual Transmission
[EH0] = All 3.9L V6 Gas Engines
[EL0] = All 5.2L 8 Cylinder Gas Engines
[EM0] = All 5.9L 8 Cylinder Gas Engines
[ET0] = All 5.9L Turbo Diesel Engines
[EW0] = All 8.0L Gas Engines


1									DISC, Clutch
	5210 7586	1				EH0	DDC		
	5210 7587	1				EL0, EM0	DBB		
	5210 7611	1				EW0	DBB		
2	0123 920	6				ET0 EH0, EL0, EM0	DBB		WASHER, Lock, .375x.691x.115
3	0314 926	6				EH0, EL0, EM0	DBB		SCREW, Clutch Cover, .375-16x1
4									CLUTCH KIT, Manual Transmission
	4762 857	1				EL0, EM0	DBB		
	4762 858	1				EH0	DDC		
5									CLUTCH PACKAGE
	4897 532AA	1				ET0	DBB		
		1				EW0	DBB		
6									SCREW, Flange Head, .312-18x1.125
	6034 555	8				EW0	DBB		
		8				ET0	DBB		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Housing and Pan, Clutch
Figure 006-220




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DBB] = All Manual Transmissions									
[DDP] = 5 Speed Manual Transmission									
[DDX] = 5 Speed Heavy Duty Manual Transmission									
[EH0] = All 3.9L V6 Gas Engines									
[EL0] = All 5.2L 8 Cylinder Gas Engines									
[EM0] = All 5.9L 8 Cylinder Gas Engines									
[ET0] = All 5.9L Turbo Diesel Engines									
[EW0] = All 8.0L Gas Engines									
1	5211 7772	1				EL0, EM0	DDP		STRUT, Transmission to Block, Right
2	6032 878	2					DBB		STUD, .312-18x2.00
3	6022 266	5				EH0, EL0, EM0	DBB		SCREW, Hex Head, .375-16x1.5
		4				EW0	DBB		
-4	6024 487	8				ET0	DBB		SCREW AND WASHER, Hex Head, .375-16x1.75
-5	6024 473	2				EW0	DBB		SCREW AND WASHER, Hex Head, .437-14x2.00
-6									BOLT, 7/16-14x3.50, (NOT SERVICED) (Not Serviced)
7	5211 7614	1				EW0	DBB		COVER, Transmission Case
	5210 7542	1				EH0, EL0, EM0	DBB		
-8	5300 5474	1				EL0, EM0	DDP		SHIELD, Clutch Housing Vent
		1				ET0, EW0	DBB		
9	6023 092	2				EH0, EL0, EM0, EW0	DBB		SCREW AND WASHER, Hex Head, .25-20x.50
-10									SCREW, 10-24x.50, (NOT SERVICED) (Not Serviced)

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Housing and Pan, Clutch
Figure 006-220




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-11									SCREW, 7/16-14x1.375, w/NVG 3500, 4500, (NOT SERVICED) (Not Serviced)
12	0152 474	2				EW0	DBB		NUT, Hex Flange Lock, .375-16
13	6022 266	2				EW0	DBB		SCREW, Hex Head, .375-16x1.5, 10- 24x.50
14	5210 7540	1				EL0, EM0	DDP		HOUSING, Clutch
	5300 6513	1				ET0, EW0	DBB		
15	5211 7709	1				EH0, EL0, EM0			GROMMET, Timing Probe
16	0152 472	2					DBB		NUT, Hex Flange Lock, .312-18
17	6024 055	4					DDP, DDX		SCREW AND WASHER
-18	6028 758	2				EH0, EL0, EM0	DBB		WASHER, Coned, .480x.885x.121
-19									WASHER, 3/8 I.D., (NOT SERVICED) (Not Serviced)

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Controls, Hydraulic Clutch
Figure 006-320



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DBB] = All Manual Transmissions									
[DDP] = 5 Speed Manual Transmission									
[DDX] = 5 Speed Heavy Duty Manual Transmission									
[EH0] = All 3.9L V6 Gas Engines									
[EL0] = All 5.2L 8 Cylinder Gas Engines									
[EM0] = All 5.9L 8 Cylinder Gas Engines									
[ET0] = All 5.9L Turbo Diesel Engines									
[EW0] = All 8.0L Gas Engines									
1	5210 7555	1				EH0, EL0, EM0	DBB		FORK, Clutch Release
2	5208 7515	1				ET0, EW0	DBB		LEVER, Clutch Release
3	5300 8342	1				EH0, EL0, EM0	DBB		BEARING, Clutch Release
	5208 7514	1				ET0, EW0	DDX, DEE		
4	5208 7542	1				EL0, EM0 ET0, EW0	DDP DBB		PIVOT, Clutch Release
5	4338 855	1					DBB		SPRING, Clutch Release
6	52107 620AB	1				EH0, EL0, EM0	DBB		LINKAGE, Hydraulic Clutch
	52107 721AB	1				ET0 EW0	DBB DBB		
-7	6032 878	2	1, 2, 3				DBB		STUD, .312-18x2.00, Slave Cylinder to Clutch Housing Mount
-8	0152 472	2					DBB		NUT, Hex Flange Lock, .312-18, Hydraulic Clutch Linkage to Clutch Housing
9	52107 588AC	1					DBB		CLIP
10									SWITCH, Clutch Starter Interlock


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Controls, Hydraulic Clutch
Figure 006-320

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	53007 944AB	1				EH0, EL0, EM0	DBB		
		1				ET0, EW0	DBB		
11	5015 960AA	1				EH0, EL0, EM0	DBB		COVER, Switch




DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Pedal, Clutch
Figure 006-420



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes


[DBB] = All Manual Transmissions








1	5200 9562	1					DBB		PAD, Pedal
2	52009 557AB	1					DBB		PEDAL, Clutch
3	4294 639	2					DBB		BUSHING, Clutch and Brake Pedal
4	0120 395	1							WASHER, Flat, Flat 7/16x.937
5	4294 036	1							CLIP, M/Cylinder Push Rod Pin Clutch Pedal
6	6503 761	2							STUD, M6x1.00mmx48.80mm
7	5207 7902	1							SHAFT, Pedal
8	4103 262	2							RETAINER, Shaft, Pivot Shaft

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Group – 007
Cooling




007-100 Radiator and Related Parts 	007-200 Water Pump and Related Parts 	007-300 Tank, Coolant Engine 	007-400 Pulleys and Related Parts 
007-500 Drive Belts 	007-600 Lines, Transmission Oil Cooler 	007-700 Grilles 	

GROUP 7 - Cooling

Illustration Title	Group-Fig. No.
Radiator and Related Parts	
Radiator And Related Parts Gas Engines	Fig. 007-125
Radiator And Related Parts Diesel Engine	Fig. 007-130
Water Pump and Related Parts	
Water Pump 3.9, 5.2 And 5.9 Engine	Fig. 007-210
Water Pump Diesel Engine	Fig. 007-225
Water Pump 8.0 Engine	Fig. 007-230
Tank, Coolant Engine	
Coolant Tank	Fig. 007-320
Pulleys and Related Parts	
Drive Pulleys 3.9, 5.2, 5.9 Ld And 8.0 Engine	Fig. 007-410
Drive Pulleys 5.9 Hd Engine	Fig. 007-420
Drive Pulleys Diesel Engine	Fig. 007-440
Drive Belts	
Drive Belts 3.9L,5.2L And 5.9Ld Engine	Fig. 007-520
Drive Belts Diesel Engine	Fig. 007-530
Drive Belts 5.9 Hd Engine	Fig. 007-540
Drive Belts 8.0 Engine	Fig. 007-550
Lines, Transmission Oil Cooler	
Oil Cooler And Lines Gas Engines	Fig. 007-615
Oil Cooler And Lines Diesel Engine	Fig. 007-620
Auxiliary Oil Cooler 5.2, 5.9 And 8.0 Engine	Fig. 007-650
Auxiliary Oil Cooler Diesel Engine	Fig. 007-660
Grilles	
Grille And Related Parts	Fig. 007-720

Radiator And Related Parts Gas Engines
Figure 007-125



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DBB = All Manual Transmissions									
DG0 = All Automatic Transmissions									
EH0 = All 3.9L V6 Gas Engines									
ELF = Magnum 5.2L SMPI V8 Engine									
ELO = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
EW0 = All 8.0L Gas Engines									
1	5503 6415	1				EW0			HOSE AND TUBE, Thermostat
2	6502 017	6				EH0, ELF, EM0			CLAMP, Heater Hose
		8				EW0			
3	5503 5944	1				EH0, ELO, EM0			NIPPLE, Heater Inlet
4	6034 506	6				EW0			BOLT AND CONED WASHER, Hex Head, .312-18x1.56
5	53006 047AB	1				EW0			HOUSING, Thermostat
6	53005 868AB	1				EW0			GASKET, Thermostat
7	5304 1078	1				EW0			THERMOSTAT, 195 Degrees
8	5301 0047	1				EW0			SEAL, Thermostat
9	6034 549	18				ELO, EM0			SCREW, Hex Head, .312-18x.94
		14				EH0			
10	5302 0115	1				EH0, ELO, EM0			HOUSING, Thermostat
11	5202 8185	1				EH0, ELO, EM0			THERMOSTAT, 195 Degrees
12	5302 1051	1				EH0, ELO, EM0			GASKET, Thermostat
13						EM0			RADIATOR, Engine Cooling

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Radiator And Related Parts Gas Engines
Figure 007-125

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	52028 057AF	1				EH0, EL0	DG0		
	52006 491AC	1				EH0, EL0, EM0	DBB		
	52029 189AB	1				EM0	DG0		
	52029 176AA	1				EW0	DG0		
	52029 177AB	1				EW0	DBB		
-14									DRAINCOCK, Radiator
	5202 8466	1				EH0, EL0, EM0	DBB		
		1				EH0, EL0	DG0		
		1				EM0	DG0		
	52028 466AB-	1				EW0	DG0		
		1				EW0	DBB		
15									CAP, Radiator
	5200 6926	1				EW0	DG0		
		1				EW0	DBB		
	4592 098	1				EH0, EL0	DBB		
		1				EH0, EL0	DG0		
		1				EM0	DG0		
16									HOSE, Radiator
	52029 018AB	1				EH0	Upper		
	52028 643AB	1				EL0, EM0	Upper		
						EW0			Upper
17									HOSE, Radiator
	52028 641AB	1				EH0	Lower		
	52028 752AB	1				EL0, EML	Lower		
	52028 896AA	1				EW0			
							Lower		
18									CLAMP, Radiator
	52006 484AB	1				EH0, EL0, EM0			
	6032 277	1							

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005




Radiator And Related Parts Gas Engines
Figure 007-125

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
19	5200 6750	1				EW0			CLAMP, Radiator
	6032 277	1				EH0, EL0, EM0			
20	5200 6750	1				EW0			BOLT, (NOT SERVICED) (Not Serviced)
21	6101 718	4							SCREW AND WASHER, Oval Head, M6x1x25
22	5202 8004	1				EH0			SHROUD, Fan
	5202 8002	1				EL0, EM0			
23	5200 6486	1				EW0			FAN, Cooling
	5202 7846	1				EH0, EL0			
24	5202 7999	1				EM0			SCREW AND WASHER, Hex Head, .312-18x.75
	5202 7709	1				EW0			
	6034 256	6				EH0, EL0, EM0			
25	5202 7884	1				EH0			DRIVE, Fan
	5202 7883	1				EL0			
	52027 710AB	1				EM0			
	52027 882AB	1				EM0			
	5202 7885	1				EW0			
	52028 837AA	1				EM0			
26	4401 950	2				EH0, EL0, EM0	DBB		[AHD] ISOLATOR, Radiator
						EH0, EL0	DG0		
						EM0	DG0		
						EW0	DBB		
27		2				EW0	DG0		ISOLATOR, Radiator


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Radiator And Related Parts Gas Engines Figure 007-125

[illegible]


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500 3,8 = 3500	62 = Reg. Cab(134 WB) 63 = Reg. Cab(138 WB) 64 = Reg. Cab(162 WB) 65 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl. ETC,ETH = 5.9L 6 Cyl. EML,EMM = 5.9L 8 Cyl. EWA = 8.0L 10 Cyl. EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDP,DDX,DDC = 5 Spd. Manual DEE = 6 Spd. Manual DDO = All 5 Speed Manual DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Radiator And Related Parts Diesel Engine

Figure 007-130



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DBB = All Manual Transmissions									
DGO = All Automatic Transmissions									
ETC = 5.9L Cummins 24V Diesel Engine									
ET0 = All 5.9L Turbo Diesel Engines									
1	4546 145	2				ET0			CLIP, Radiator Fan Shroud, Fan Shroud Mtg.
2	4546 145	2				ET0			CLIP, Radiator Fan Shroud
3	52030 191AB	1				ET0			RADIATOR, Engine Cooling
4	6032 277	1				ET0			CLAMP, Radiator, Radiator Hose, Inlet
5	5202 8715	1				ETC			HOSE, Radiator, Inlet,Upper
6	5202 8003	1				ET0			SHROUD, Fan, Radiator Fan
7	52006 482AB	1				ET0			HOSE, Radiator, Outlet,Lower
8	6032 277	1				ET0			CLAMP, Radiator
9									ISOLATOR, Radiator
	5202 7827	2				ETC			Upper
	5202 7828	2				ET0			Lower
10	5200 6926	2				ET0			CAP, Radiator
11	52028 774AA	1				ETC			FAN, Cooling
12	52028 615AB	1				ETC			DRIVE, Fan
13	6022 225	4							SCREW AND WASHER, Hex Head, .312-18x.75
14	4429 460	3				ET0			SCREW, Water Inlet, M10x1.5x25
15									CONNECTOR, Water Inlet
	5011 928AA	1				ET0	DBB		
		1				ET0	DGO		
16	4429 484	2				ET0			PIN, Roll
17	5011 903AA	1				ET0			PLUG, Pipe
18	4761 269	3				ET0			SCREW, Hex Flange Head
19									HOUSING, Thermostat
	5011 929AA	1				ET0	DBB		
		1				ET0	DGO		
20									THERMOSTAT, Engine Coolant
	5011 456AA	1				ET0	DBB		
		1				ET0	DGO		
-21	52028 466AB-	1				ET0			DRAINCOCK, Radiator


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Water Pump 3.9, 5.2 And 5.9 Engine
Figure 007-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:
EH0 = All 3.9L V6 Gas Engines
ELO = All 5.2L 8 Cyl Gas Engines
EM0 = All 5.9L 8 Cyl Gas Engines


1									PUMP, Water, with Pulley
	53021 018AB	1				EH0, ELO EM0			
2	4483 757	1				EH0, ELO, EM0			GASKET, Water Pump
3	5300 8654	1				EH0, ELO, EM0			HOSE, Water Pump Bypass
4	4401 436	2				EH0, ELO, EM0			CLAMP, Radiator
5	5302 0185	1				EH0, ELO EM0			NIPPLE, By-Pass
6	6034 279	2				EH0, ELO, EM0			SCREW AND WASHER, Hex Head Lock, .375-16x1.75

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Water Pump Diesel Engine
Figure 007-225




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:
DBB = All Manual Transmissions
DGO = All Automatic Transmissions
ETO = All 5.9L Turbo Diesel Engines

1									SEAL, Water Pump To Front Cover
	4429 698	1				ETO	DBB		
		1				ETO	DGO		
2									PUMP, Water
	5010 964AA	1				ETO	DBB		
		1				ETO	DGO		
3	5003 666AA	2				ETO			SCREW, Cap

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic


Water Pump 8.0 Engine Figure 007-230



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EW0 = All 8.0L Gas Engines									
1	53021 074AC	1				EW0			PUMP, Water
2	5302 1072	1				EW0			O RING, Water Pump, Pump
3	6034 279	2				EW0			SCREW AND WASHER, Hex Head
4	6034 076	4				EW0			Lock, .375-16x1.75 SCREW AND WASHER, Hex Head
5	5300 5879	1				EW0			Lock, .375-16x4.45 HOSE, Water Pump Bypass, By-
6	4401 438	2				EW0			Pass CLAMP, Radiator
7	5300 6046	1				EW0			NIPPLE, By-Pass, By-Pass Hose
8	5304 1101	1				EW0			ELBOW, .375-18 Straight

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Coolant Tank
Figure 007-320




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0 = All 3.9L V6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
ET0 = All 5.9L Turbo Diesel Engines									
EW0 = All 8.0L Gas Engines									
1	5202 8147	1				EH0, EL0, EM0, ET0			HOSE, Coolant Reserve Tank
2	2448 761	1				EW0 EH0, EL0, EM0, ET0			CLAMP, Hose
3	5202 7778	1				EH0, EL0, EM0, ET0			TANK, Coolant Reserve
4	5202 8624	1				EW0			CAP, Coolant Reserve Tank
	5202 8612	1				EW0 EH0, EL0, EM0, ET0			
5									SCREW, (NOT SERVICED) (Not Serviced)
6									BRACKET, Serviced in Radiator Shroud, (NOT SERVICED) (Not Serviced)
7	4026 148	1				EW0			HOSE, Coolant Reserve Tank Rolled Stock
	5202 8147	1				EH0, EL0, EM0, ET0			

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Drive Pulleys 3.9, 5.2, 5.9 Ld And 8.0 Engine
 Figure 007-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: DDP = 5 Speed Manual Transmission EH0 = All 3.9L V6 Gas Engines EL0 = All 5.2L 8 Cyl Gas Engines EML = Magnum 5.9L SMPI V8 Engine EM0 = All 5.9L 8 Cyl Gas Engines ET0 = All 5.9L Turbo Diesel Engines EW0 = All 8.0L Gas Engines									
1									PULLEY, Water Pump, Serviced with Pump, (NOT SERVICED) (Not Serviced)
2	5301 0222	1				EH0, EL0, EM0			PULLEY, Crankshaft
-3 4	53021 284AA-	1				EM0			DAMPER, Crankshaft SCREW, (NOT SERVICED) (Not Serviced)
5	0181 088	10	1, 2, 3			EL0, EM0 ET0,	DDP		BOLT, Hex Head, .312-18x1.00
6	5300 8614	1				EW0 EH0, EL0, EM0			BRACKET, Alternator And Compressor
7	6034 247	1				EH0, EL0, EM0			BOLT, Hex Head, .375-16x.25
8	5300 9508	1				EW0			PULLEY, Idler
9	3300 2201	1				EH0, EL0, EM0 EW0			BUSHING, Idler Pulley
		1				EW0			

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Drive Pulleys 3.9, 5.2, 5.9 Ld And 8.0 Engine
 Figure 007-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
10									BOLT, (NOT SERVICED) (Not Serviced)
11									BOLT, (NOT SERVICED) (Not Serviced)
12	6034 246	1				EH0, EL0, EM0			BOLT, Hex Head, .375-16x.75
13	5300 8618	1				EH0, EL0, EM0			BRACKET, Alternator, w/o A/C
14	5301 0158	1				EH0, EL0, EML EW0			TENSIONER, Belt
	5301 0240	1				EW0			without Calif.
	5301 0255	1				EW0			with Calif.
15									SCREW, Torx Socket Head Cap, .375-16x2.75
	6035 198	1				EMM			Tensioner to Bracket
		1				EW0			Tensioner to Bracket

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Drive Pulleys 5.9 Hd Engine
Figure 007-420



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DG0 = All Automatic Transmissions									
EH0 = All 3.9L V6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EMM = Magnum 5.9L SMPI V8 Engine									
EM0 = All 5.9L 8 Cyl Gas Engines									
1									PULLEY, Water Pump, (NOT SERVICED) (Not Serviced)
2	5301 0222	1				EH0, EL0, EM0			PULLEY, Crankshaft, Drive
-3	53021 284AA-	1				EM0			DAMPER, Crankshaft
4	0181 112	1					DG0		SCREW AND WASHER, .375-16x1.00
5	5300 8614	1				EH0, EL0, EM0			BRACKET, Alternator And Compressor, Idler Pulley
6	5300 8344	1				EMM			BRACKET, Air Pump And Tensioner
7	5301 0240	1				EMM			TENSIONER, Belt
8	6034 246	3				EMM			BOLT, Hex Head, .375-16x.75
9									SCREW, (NOT SERVICED) (Not Serviced)
10	6501 714	3				EMM			SCREW AND WASHER, Hex Head, M6x1x18
11	5300 8638	1				EMM			PULLEY, Air Pump

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year


September 15, 2005

Drive Pulleys Diesel Engine
Figure 007-440

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:
DBB = All Manual Transmissions
DGO = All Automatic Transmissions
ETO = All 5.9L Turbo Diesel Engines

1	4429 445	1				ETO			BOLT, Hex Head, M8
2	4429 114	3				ETO			SCREW, Hex Flange Head
3	4429 639	1				ETO			BEARING, Idler Pulley
4	4429 660	1				ETO	DBB		SUPPORT, Fan
		1				ETO	DGO		
5	4429 661	1				ETO	DBB		HUB, Fan
		1				ETO	DGO		
6	4882 043	1				ETO	DBB		RETAINER, Fan Hub
		1				ETO	DGO		
7	4429 668	6				ETO			SCREW, Cap
8	4429 946	1				ETO	DBB		PULLEY, Fan
		1				ETO	DGO		
9	4429 779	1				ETO			BOLT, Hex Head
10	4429 254	1				ETO	DBB		TENSIONER, Belt
		1				ETO	DGO		



DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Drive Belts 3.9L,5.2L And 5.9Ld Engine
Figure 007-520

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

EH0 = All 3.9L V6 Gas Engines

EL0 = All 5.2L 8 Cyl Gas Engines

EML = Magnum 5.9L SMPI V8 Engine

1	5301 0304	1				EH0, EL0, EML			BELT, Accessory Drive, Serpentine, w/o Air Cond.
2	5301 0303	1				EH0, EL0, EML			BELT, Accessory Drive, Serpentine, w/Air Cond.
-3	5300 8745	1				EH0, EL0, EML			LABEL, Belt Routing



DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Drive Belts Diesel Engine
Figure 007-530



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

ET0 = All 5.9L Turbo Diesel Engines

1	5304 0171	1				ET0			BELT, Accessory Drive with Air Conditioning
	5304 0172	1				ET0			without Air Conditioning
-2	5301 0177	1				ET0			LABEL, Belt Routing
-3	5304 0076	2				ET0			LABEL, Battery Jump Start



DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Drive Belts 5.9 Hd Engine
Figure 007-540



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:



EMM = Magnum 5.9L SMPI V8 Engine

1	5304 1115	1				EMM			BELT, Accessory Drive, w/Air Conditioning
2	5301 0308	1				EMM			BELT, Accessory Drive, w/o Air Conditioning
-3	5300 8747	1				EMM			LABEL, Belt Routing

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Drive Belts 8.0 Engine
Figure 007-550



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

EW0 = All 8.0L Gas Engines

1	5304 1115	1				EW0			BELT, Accessory Drive, with Air Conditioning
2									BELT, Accessory Drive
	5304 1116	1				EW0			Federal, Hi Altitude, Without Air
	5304 1118	1				EW0			California Without Air
-3	5300 8747	1				EW0			LABEL, Belt Routing


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Oil Cooler And Lines Gas Engines
Figure 007-615




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DGK = 4 Speed Automatic Transmission 42RE									
DGP = 4 Speed Automatic Transmission 47RE									
DGT = 4 Speed Automatic Transmission 46RE									
DGO = All Automatic Transmissions									
EH0 = All 3.9L V6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
EW0 = All 8.0L Gas Engines									
1	J400 6001	2				EH0, EL0, EM0	DGO		NUT, Hex Flange, .375-16
2									TUBE AND HOSE, Oil Cooler
	52028 767AD	1				EH0	DGK		Pressure
	52028 868AC	1				EH0	DGK		Return
	52028 670AD	1				EL0, EM0	DGT		Pressure
	52028 769AC	1				EL0, EM0	DGT		Return
	52028 671AD	1				EW0	DGP		Pressure
	52028 672AD	1				EW0	DGP		Return
3									BRACKET, Cooler Line
	4140 414	AR				EH0			
	5211 8483	1				EL0, EM0	DGT		
	5211 8484	2				EW0	DGP		
-4	0180 077	1				EW0	DGP		BOLT, Hex Head, 5/16x18x3/4
5	5300 6015	1				EH0, EL0, EM0	DGO		BRACKET, Oil Cooler Tube
6									CONNECTOR, Oil Cooler Line, .375
	52028 625AC	1				EL0, EM0	DGT		
7	J400 6001	2				EH0 EH0, EL0, EM0	DGK DGO		NUT, Hex Flange, .375-16
8									CLIP, (NOT SERVICED) (Not Serviced)
9									SCREW, (NOT SERVICED) (Not Serviced)

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Oil Cooler And Lines Gas Engines Figure 007-615




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
10	52117 663AB	1					DGK,		BRACKET, Oil Cooler Tube
11	5300 6015	1				EH0, EL0, EM0	DGT DG0		BRACKET, Oil Cooler Tube
-12	4810 001AB-	1				EH0	DGK		VALVE, Oil Cooler Pressure
		1				EL0, EM0	DGT		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Oil Cooler And Lines Diesel Engine
Figure 007-620




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4429 630	2				ET0			BOLT, Hex Head
2	5011 918AA	1				ET0	DG0		TUBE, Oil Cooler
3	6504 180	2				ET0	DG0		CLAMP, Hose
4	5014 171AA	1				ET0	DG0		TUBE, Oil Cooler
5	4429 812	1				ET0	DG0		ELBOW, Oil Cooler Hose
6	4882 114	1				ET0			NUT, Lock
7	5014 861AA	1				ET0	DG0		COOLER, Torque Converter
8	4883 885AA	1				ET0	DG0		COUPLING, Hose
9	5202 7991	2				EL0,	DG0		BRACKET, Oil Cooler
						EM0			
10	4882 110	1				ET0			SCREW, Hex Head, M8x1.25x16
11	5014 861AA	1				ET0	DG0		COOLER, Torque Converter
12	52028 723AA	1				ET0	DG0		CONNECTOR, Oil Cooler
13	5202 7991	2				EL0,	DG0		BRACKET, Oil Cooler
						EM0			
14	4882 110	1				ET0			SCREW, Hex Head, M8x1.25x16

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Auxiliary Oil Cooler 5.2, 5.9 And 8.0 Engine
Figure 007-650




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:
DGK = 4 Speed Automatic Transmission 42RE
DGT = 4 Speed Automatic Transmission 46RE
DG0 = All Automatic Transmissions
EH0 = All 3.9L V6 Gas Engines
EL0 = All 5.2L 8 Cyl Gas Engines
EM0 = All 5.9L 8 Cyl Gas Engines
EW0 = All 8.0L Gas Engines

1									COOLER, Transmission Oil
	4863 834	1				EW0	DG0		
	52027 525AB	1				EL0, EM0	DG0		
2									SCREW, Tapping, M6x1x20
	6502 064	3				EW0	DG0		Cooler Attaching
		1				EL0, EM0	DG0		
3	5202 7991	2				EL0, EM0	DG0		BRACKET, Oil Cooler
4									TUBE AND HOSE, Oil Cooler
	4863 830AC	1				EW0	DG0		
	52028 868AE	1				EH0	DGK		
	4883 317AB	1				EL0, EM0	DG0		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Auxiliary Oil Cooler Diesel Engine Figure 007-660



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

DGP = 4 Speed Automatic Transmission 47RE

DG0 = All Automatic Transmissions

ETC = 5.9L Cummins 24V Diesel Engine

ET0 = All 5.9L Turbo Diesel Engines


1	52028 574AB	1	ET0	DG0	COOLER, Transmission Oil
2	52028 732AC	1	ETC	DGP	TUBE, Oil Cooler, Pressure
3	5202 8673	1	ET0	DGP	TUBE AND HOSE, Oil Cooler
4	52028 467AB	2	ET0	DG0	CONNECTOR, Oil Cooler Tube, .50
					Toc
5	5202 8633	1	ETC	DGP	TUBE, Oil Cooler, Return
6					HOSE AND CONNECTOR, Oil
					Cooler
	4798 875AB	1	ET0	DG0	Return
	4798 876AB	1	ET0	DG0	Pressure
7	5202 8680	2	ET0	DGP	CLIP

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Grille And Related Parts
Figure 007-720




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CLOSURE, Radiator
	55275 412AB	1							Upper
	55275 413AB	1							Lower
-2	5523 5112	1							TAPPING PLATE, Hood Latch, Closure Tapping
3									SCREW, (NOT SERVICED) (Not Serviced)
4	5523 4644	1							CROSS BRACE, Radiator, Radiator Opening, Diagonal
5									BRACKET, Radiator Grille with Chrome Grille
	55076 476AB	1							without Chrome Grille
	55076 867AB	1							
6									SCREW AND WASHER, Hex Head, (NOT SERVICED) (Not Serviced)
7									GRILLE, Radiator
	QR33 DX8AD	1							Black
	QR33 GW7AD	1							White
	QR33 PR4AD	1							Red
	QR33 SG8AD	1							Green
	QR33 VB3AD	1							Blue
	QR33 VYHAD	1							Yellow
	55076 550AB	1							Chrome
8	5529 5240	1							MEDALLION, Hood, Rams Head, Medallion Insert

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – 008
Electrical




008-100 Starters	008-200 Alternators	008-300 Distributor	008-400 Modules
008-500 Relays	008-600 Sensors	008-700 Single Board Engine Controllers	008-800 Switches

Group – 008
Electrical

008-900 Horns	008-1000 Battery Tray and Cables	008-1100 Lamps – Front, Rear and Courtesy	008-1200 Wiring-Engine & Related Parts
008-1300 Wiring-Headlamp to Dash	008-1400 Wiring-Instrument Panel	008-1500 Wiring-Body & Accessories	008-1600 Wiring Repair
008-1900 Spark Plugs-Cables-Coils			

GROUP 8 - Electrical		GROUP 8 - Electrical	
Illustration Title	Group-Fig. No.	Illustration Title	Group-Fig. No.
Starters		Wiring-Instrument Panel	
Starter & Mounting Gas Engines	Fig. 008-105	Wiring--Instrument Panel	Fig. 008-1420
Starter & Mountings Diesel Engines	Fig. 008-110	Wiring-Body & Accessories	
Alternators		Wiring--Body & Accessory	Fig. 008-1520
Alternator & Mounting 3.9L / 5.2L & 5.9L Engines	Fig. 008-205	Wiring Repair	
Alternator & Mounting 8.0L Engine	Fig. 008-215	Wiring Repair Package	Fig. 008-1605
Alternator & Mounting 5.9L Diesel Engine	Fig. 008-220	Spark Plugs-Cables-Coils	
Distributor		Spark Plugs--cables--Coils	Fig. 008-1905
Distributors	Fig. 008-305		
Modules			
Modules	Fig. 008-420		
Relays			
Junction Block Relays and Fuses	Fig. 008-520		
Sensors			
Sensors	Fig. 008-630		
Single Board Engine Controllers			
Single Board Engine Controllers (JTEC Module)	Fig. 008-720		
Switches			
Switches	Fig. 008-820		
Horns			
Horn & Mounting	Fig. 008-910		
Battery Tray and Cables			
Battery Tray & Cables	Fig. 008-1020		
Lamps - Front, Rear and Courtesy			
Lamps--Front End	Fig. 008-1160		
Lamps--Rear End	Fig. 008-1170		
Lamps--Dome-Courtesy-Reading	Fig. 008-1180		
Bulbs & Sockets	Fig. 008-1195		
Wiring-Engine & Related Parts			
Wiring--Engine	Fig. 008-1220		
Wiring--Engine-Front End & Related Parts Diesel	Fig. 008-1225		
Wiring-Headlamp to Dash			
Wiring--headlamp & Dash	Fig. 008-1320		

Starter & Mounting Gas Engines
Figure 008-105



V6–V8–V10

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

DBB=ALL Manual
 EH0=ALL 3.9L V6 Gas
 EL0=ALL 5.2L 8 Cyl Gas
 EM0=ALL 5.9L 8 Cyl Gas
 ET0=ALL 5.9L Turbo Diesels
 EW0=ALL 8.0L Gas

1									STARTER
	56027 703AC	1				EW0			
	56027 702AB	1				EH0,			
						EL0,			
						EM0			
2	6035 606	1				EH0,			STUD, .437-14/.437-20x2.00
						EL0,			
						EM0			
3	0271 506	1				EH0,			NUT, Hex, .42-20
						EL0,			
						EM0			
4									WASHER, (NOT SERVICED) (Not Serviced)
5	6035 604	2				EW0			SCREW AND WASHER, Hex Head, .437-14x1.50
6	5011 794AA	1				ET0	DBB		BRACKET, Oil Cooler Lines (See Cooling Section)

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic


AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Starter & Mountings Diesel Engines
 Figure 008-110


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

DBB=ALL Manual									
ET0=ALL 5.9L Turbo Diesels									
1	R474 1012	1				ET0	DBB		STARTER
2	4429 834	3				ET0	DBB		SCREW, Starter Motor



DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Alternator & Mounting 3.9L / 5.2L & 5.9L Engines
Figure 008-205



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
EH0=ALL 3.9L V6 Gas EL0=ALL 5.2L 8 Cyl Gas EM0=ALL 5.9L 8 Cyl Gas EW0=ALL 8.0L Gas									
1									ALTERNATOR
	56027 221AB	1				ET0			117 AMP
	56027 912AB	1				EH0, EL0, EM0			
	56027 913AC	1				EH0, EL0, EM0, EW0			136 AMP
2									NUT, 3/8-16, (NOT SERVICED) (Not Serviced)
3	5300 8614	1				EH0, EL0, EM0			BRACKET, Alternator And Compressor, Alternator and A/C Compressor Mounting
4									SCREW AND WASHER, Hex Head, 3/8-16x2.0, (NOT SERVICED) (Not Serviced)
5	6034 246	1				EH0, EL0, EM0			BOLT, Hex Head, .375-16x.75, Hex Head, .375-16x2.75
6	6034 247	1				EH0, EL0, EM0			BOLT, Hex Head, .375-16x.25, Hex Head .375-16x4.25
7	5300 8618	1				EH0, EL0, EM0			BRACKET, Alternator, Alternator

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Alternator & Mounting 8.0L Engine
Figure 008-215


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
EH0=ALL 3.9L V6 Gas									
EL0=ALL 5.2L 8 Cyl Gas									
EM0=ALL 5.9L 8 Cyl Gas									
EMM=5.9L SMPI V8									
EW0=ALL 8.0L Gas									
1	56027 913AC	1				EH0, EL0, EM0, EW0			ALTERNATOR, 136 AMP
2									NUT, .375-16, (NOT SERVICED) (Not Serviced)
3	5300 8344	1				EMM			BRACKET, Air Pump And Tensioner
	53005 621AB	1				EW0			
4	6034 247	1				EH0, EL0, EM0			BOLT, Hex Head, .375-16x.25 Hex Head, .375-16x4.25
		4				EW0			Hex Head, .375-16x4.25
5									BOLT, .375-16x5.0, (NOT SERVICED) (Not Serviced)
6									BOLT, .375-16x2.0, (NOT SERVICED) (Not Serviced)
-7	53010 013AB-	1				EW0			BRACE, Alternator
-8	53041 112AB-	1				EW0			BRACKET, Tensioner

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Alternator & Mounting 5.9L Diesel Engine
Figure 008-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

DBB=ALL Manual
EH0=ALL 3.9L V6 Gas
EL0=ALL 5.2L 8 Cyl Gas
EM0=ALL 5.9L 8 Cyl Gas
ET0=ALL 5.9L Turbo Diesels


1	56027 221AB	1				ET0			ALTERNATOR
-2	5011 801AA-	1				ET0	DBB		BRACKET, Alternator, Brace
3	4429 363	1				ET0	DBB		SCREW, Hex Head
4	6502 337	1				ET0			NUT, M10x1.5
5	4638 696	1				ET0			BOLT, Hex Flange Head, M10x1.50x45
6	6100 949	1				ET0			SCREW, Hex Head
7	5011 802AA	1				ET0	DBB		BRACKET, Alternator

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Distributors
Figure 008-305




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
EH0=ALL 3.9L V6 Gas									
EL0=ALL 5.2L 8 Cyl Gas									
EM0=ALL 5.9L 8 Cyl Gas									
1	4740 338	1				EH0			DISTRIBUTOR, Engine
	4740 339	1				EL0, EM0			
2	5602 6706	2				EH0			SCREW, Hex Head, M5x0.8x27
		2				EL0, EM0			
3	5300 8767	1				EL0, EM0			CAP, Distributor
	5602 6702	1				EH0			
4	5300 8778	1				EH0			ROTOR, Distributor
		1				EL0, EM0			
5	5602 8143	1				EH0			SWITCH, Distributor Pick-Up
		1				EL0, EM0			
6	6028 606	1				EH0, EL0, EM0			SCREW AND WASHER, Hex Head Lock, .312-18x1.00
7	4343 950	1				EH0, EL0, EM0			CLAMP, Distributor
8	2875 923	1				EH0, EL0, EM0			O RING, Distributor

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Modules Figure 008-420



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	56020 157AC	1							MODULE, Timing and Control
	56045 183AD	1							Without Keyless Entry
	56021 561AC	1							With Keyless Entry
2	56021 561AC	1							MODULE, Daytime Running Lamp
3	56043 128AE	1							MODULE, Air Bag Control
4	5013 919AB	1	1, 6		61, 62				MODULE, Anti-lock Brakes
	5013 920AB	1	7		62, 65				
		1	2		62, 65				
	5003 102AC	1	3, 8		62, 63, 64				
5	5003 101AB	1	1, 6		61, 62				MODULE, Anti-lock Brakes
		1	7		62, 65				Model 1500
		1	2		62, 65				Model 1500
	5013 902AA	1	7		62, 65				Model 2500
		1	2		62, 65				Model 2500
	5003 102AC	1	3, 8		62, 63, 64				
-6	5003 305AA-	1	1, 6		61, 62				BRACKET, Anti-Lock Brake Module
		1	7		62, 65				
		1	2		62, 65				
7	5GE24 LAZAA	1							AIR BAG, Passenger
	5GE24 RC8AA	1							Agate
	5GE24 VK9AA	1							Cirrus
									Suede

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Junction Block Relays and Fuses
Figure 008-520


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	56045 391AB	1							JUNCTION BLOCK, Relay
2	5600 6846	1							RELAY, Electrical
3	5600 7348	1							FLASHER
4	4604 235	2							BREAKER, Circuit
5	6101 135	1							FUSE, Standard, 10 AMP, Red
6	6101 136	1							FUSE, Standard, 15 AMP, Light Blue
7	6101 484	1							FUSE, Mini, 5 Amp, Tan
8	00AT M10	1							FUSE, Mini, 10 AMP, Red
9	00AT M20	1							FUSE, Mini, 20 AMP, Yellow
10	4687 835	1							FUSE, Mini, 25 Amp, Natural
-11	4897 895AA-	1							HOLDER, Fuse, I.O.D. Fuse
-12	4897 906AA-	2							HOLDER, Fuse, Airbag Fuse
-13	4671 168	1							RELAY, Mini, Foglamp
-14	6101 757	AR							FUSIBLE LINK, 140 AMP
-15	5602 6842	1				ET0			RELAY, Electrical, Air Intake Heater

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Sensors Figure 008-630



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
DBB=ALL Manual DDC=5-Speed HD Manual DDP=5-Speed Manual DG0=ALL Automatic DGK=4-Speed Automatic,42RE EH0=ALL 3.9L V6 Gas EL0=ALL 5.2L 8 Cyl Gas EM0=ALL 5.9L 8 Cyl Gas EML=5.9L SMPI V8 ET0=ALL 5.9L Turbo Diesels EW0=ALL 8.0L Gas									
1	5010 254AA	1	6		61, 62				SENSOR, Anti-Lock Brakes Right
	5010 255AA	1	6		61, 62				Left
	5010 256AA	1	8		62, 63, 64				Right
		1	3		63, 64				Right
		1	7		62, 65				Right
	5010 257AA	1	7		62, 65				Left
		1	8		62, 63, 64				Left
		1	3		63, 64				Left
-2	56028 151AB-	1	1, 2, 3		61, 62, 65				SENSOR, Anti-Lock Brakes Front Wheel Speed Sensor, Left
	56028 152AB-	1	1, 2, 3		61, 62, 65				Front Wheel Speed Sensor, Right
3	5602 7864	1				EW0			SENSOR, Crankshaft Position
	5602 7870	1				EH0, EL0, EM0	DG0		
	5602 7871	1				EH0, EL0, EM0	DBB		
-4	5011 855AA-	1				ET0	DBB		SENSOR, Crankshaft Federal Emissions
		1				ET0	DG0		Federal Emissions
		1				ET0	DBB		California Emissions
		1				ET0	DG0		California Emissions


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Sensors
Figure 008-630




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
5	5602 7860	1				EW0			SENSOR, D.I.S. Camshaft Reference, 8.0L Engine, (Cam Sync.) (Mtg. Screw 180020) (SPACER 5252229)
6	56041 212AF	1				EH0, EL0, EML EW0			SENSOR, Oxygen After Catalyst with 18' Pigtail (Federal/California Emissions)
		1							After Catalyst with 18' Pigtail (California Emissions)
	56041 213AF	1				EL0, EML EMM	DDP DGO		Before Catalyst with 12' Pigtail (Federal/California Emissions) Before Catalyst with 12' Pigtail (Federal Emissions)
		1							Before Catalyst with 12' Pigtail (Federal Emissions)
		2	1, 2, 3			EMM	DDP		Before Catalyst with 12' Pigtail (Federal Emissions)
	56041 212AE	1				EH0, EL0, EML EMM	DDC, DGO DGO		Before Catalyst with 18' Pigtail (Federal/California Emissions) Before Catalyst with 18' Pigtail (Federal Emissions)
		1							Before Catalyst with 18' Pigtail (Federal Emissions)
		2	6, 7, 8			EMM	DDP		Before Catalyst with 18' Pigtail (Federal Emissions)
		2				EW0			Before Catalyst with 18' Pigtail (Federal/California Emissions)
7 8	5515 5039	1							SENSOR, Washer Fluid Level SENSOR, Air Bag, Serviced in Module, (NOT SERVICED) (Not Serviced)
-9	5211 8181	1				ET0			CLIP
-10	J420 0413	2				EH0, EL0, EML			PLUG, Cylinder Block Oil Hole, Oxygen Sensor
-11	6034 057	2				EH0, EL0, EML			WASHER, Flat, .721x.990 Copper, Oxygen Sensor
-12	4688 733	1							INSULATOR, 4 Way Female
-13	4606 130	1				EW0			SENSOR, Map

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Sensors
Figure 008-630




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5602 9405	1				EH0, EL0, EM0 EW0			SENSOR, Throttle Position
-14	4882 219	1							SENSOR, Ambient Temperature
-15	4688 204	1							BRACKET, Ambient Temperature Sensor
-16	56021 433AC-	1							SENDING UNIT, Oil Pressure
-17	5603 1005	1				EW0			
		1				EH0, EL0, EM0 EH0,			SENSOR, Coolant Temperature
-18	5600 4815	1				EL0, EM0			
-19	5602 7332	1							SENSOR, Battery Temperature, Battery Temperature
-20	5003 576AA-	1				EH0, EL0, EM0			GASKET, Battery Temperature Sensor, Battery Temperature Sensor
-21	5011 620AA-	1				ET0	DBB		SENSOR, Fuel/Water
-22	5600 7348	1							FLASHER
-23	5011 852AA-	1				ET0	DBB		SENSOR, Temperature Sending Unit
-24	5003 604AA-	2				ET0	DBB		O RING
-25									SENSOR, Camshaft
	5014 994AA-	1				ET0	DBB		
		1				ET0	DG0		
-26	5014 197AA-	1				ET0	DBB		SENSOR, Air Temperature
		1				ET0	DG0		
	5602 7872	1				EH0, EL0, EM0			
		1				EW0			
-27	5012 801AA-	1				ET0	DBB		SENSOR, Turbo Boost Pressure Map Sensor
		1				ET0	DG0		Map Sensor
-28									SENSOR, Wheel Speed

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Sensors
Figure 008-630




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	56028 187AD-	1				EH0, EL0, EM0, EW0	DBB		Without ABS, Rear Wheel
		1				ET0			With or without ABS, Rear Wheel
		1	1, 2, 3			EH0, EL0, EM0, EW0	DBB		With ABS, Rear Wheel
		1				EH0, EL0, EM0, EW0	DG0		With or without ABS, Rear Wheel
	56028 229AB-	1	6, 7, 8			EH0, EL0, EM0, EW0	DBB		With ABS, Rear Wheel
-29	5012 991AA-	1				ET0	DBB		SENSOR, Oil Pressure w/Federal Emissions
		1				ET0	DG0		w/Federal Emissions
		1				ET0	DBB		w/California Emissions
-30		1				ET0	DG0		w/California Emissions SENSOR, Transmission Output Speed
	4800 879	1	1, 2, 3			EH0	DGK		
		1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Single Board Engine Controllers (JTEC Module)
Figure 008-720



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


DBB=ALL Manual
DG0=ALL Automatic
EH0=ALL 3.9L V6 Gas
EL0=ALL 5.2L 8 Cyl Gas
EM0=ALL 5.9L 8 Cyl Gas
EMM=5.9L SMPI V8
ET0=ALL 5.9L Turbo Diesels
EW0=ALL 8.0L Gas
NOTE: For Diesel Engine Controllers on the Engine Block must contact STAR Service Center.

1									MODULE, Powertrain Control, See NOTE:
	56040 028AA	1				EH0	DBB		w/Federal Emission
	56040 029AA	1				EH0	DBB		w/California Emission
	56040 060AA	1				EH0	DG0		w/Federal Emission
	56040 061AA	1				EH0	DG0		w/California Emission
	56040 081AA	1				EL0	DBB		w/Federal Emission
	56040 082AA	1				EL0	DBB		w/California Emission
	56040 111AA	1				EL0	DG0		w/Federal Emission
	56040 114AA	1				EL0	DG0		w/California Emission
	56040 137AA	1				EML	DBB		w/Federal Emission
	56040 140AA	1				EM0	DBB		w/California Emission
	56040 141AA	1				EMM	DBB		w/Federal Emission
	56040 142AA	1				EM0	DBB		w/Leaded Fuel
	56040 150AA	1				EML	DG0		w/Federal Emission
	56040 151AA	1				EML	DG0		w/California Emission
	56040 152AA	1				EMM	DG0		w/Federal Emission
	56040 153AA	1				EM0	DG0		w/Leaded Fuel
	56040 155AA	1				EW0	DBB		w/California Emission
	56040 156AA	1				EW0	DG0		w/California Emission
	56040 157AA	1				EW0	DG0		w/Federal Emission
	56040 197AA	1				ET0	DBB		w/Federal Emission
	56040 198AA	1				ET0	DBB		w/California Emission
	56040 199AA	1				ET0	DG0		w/Federal Emission
	56040 200AA	1				ET0	DG0		w/California Emission
2									SCREW, Tapping, M4x8, SCREW, Mounting M4.8x1.59x45.00, (NOT SERVICED) (Not Serviced)
3									NUT, NUT (M6x1.00) Not Serviced ***, (NOT SERVICED) (Not Serviced)
4	56028 207AA	1							BRACKET, Module, JTEC Module

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic


Single Board Engine Controllers (JTEC Module)
Figure 008-720

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-5									MODULE, Engine Controller
	5083 996AA-	1				ET0	DG0		
		1				ET0	DBB		



DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Switches
Figure 008-820



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
DBB=ALL Manual									
DG0=ALL Automatic									
DGK=4-Speed Automatic,42RE									
EH0=ALL 3.9L V6 Gas									
ELO=ALL 5.2L 8 Cyl Gas									
EM0=ALL 5.9L 8 Cyl Gas									
1	5602 0394	1							SWITCH, 2 Gang, 2 Gang, Front Door Right
-2	56021 912AA-	1							SWITCH, Window and Door Lock, 3 Gang, Front Door Left
3									BEZEL, Power Window/Door Lock Switch
	56020 390AB	1							2-Gang
	56045 302AA	1							3-Gang
-4	4796 652	1							CLIP, Bezel, Bezel Mounting
5	5602 1346	1					DG0		SWITCH, Ignition
-6									SCREW, Ignition Switch
	6503 845	5					DG0		
		5					DBB		
7	4565 022	1							SWITCH AND LAMP, Glove Box
8	56028 181AB	1	1, 2, 3			EH0	DGK		SWITCH, Neutral, Safety, Back Up
-9	5602 1048	1					DG0		SWITCH, Overdrive Lockout
10	5013 875AA	1							BEZEL, Instrument Panel Switch
11	5602 1311	1							SWITCH, Mirror, Power Mirror (Knob 56007040) (Mtg. Nut 6503107)
-12	6503 107	1							NUT, Plastic, Mirror Mounting
13									SWITCH, Headlamp
	56021 673AC	1							with Cargo Lamp & without Foglamps
	56021 674AB	1							without Cargo Lamp & Foglamps
	56021 675AD	1							with Cargo Lamp & Foglamps
14	5016 294AA	1							SWITCH PACKAGE, Stop Lamp
15	5269 377	1					DG0		SWITCH, Multifunction
-16	4289 880	1	6			61, 62			SWITCH, Hub Lock Indicator
17	4687 558	2							SWITCH, Door Ajar
-18	4373 666	1							SWITCH, Seat
-19	5269 430	1							SWITCH, Fog Lamp
-20	53007 944AB-	1				EH0, ELO, EM0	DBB		SWITCH, Clutch Starter Interlock
-21									SWITCH, Remote Radio

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic


AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Switches
Figure 008-820

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

4685 619AB-	1								Right
4685 632AB-	1								Left




DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Horn & Mounting
Figure 008-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

DBB=ALL Manual									
ET0=ALL 5.9L Turbo Diesels									
1	5602 0086	1							HORN AND BRACKET, High Note
-2	56020 085AB-	1							HORN, Low Note
3	5011 794AA	1				ET0	DBB		BRACKET, Horn Mounting
-4	6502 734	1							SCREW, M6x1x20

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic


Battery Tray & Cables
Figure 008-1020

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0 = All 3.9L V6 Gas Engines									
ELF = Magnum 5.2L SMPI V8 Engine									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
ET0 = All 5.9L Turbo Diesel Engines									
EW0 = All 8.0L Gas Engines									
1	55275 126AD	1				ET0			TRAY, Battery
	55275 127AD	1							
-2	5523 5050	1				ET0			STUD PLATE, Battery Tray, Weld Stud Battery Tray to Wheelhouse
3	6101 712	40	3, 8		62				NUT, U, M6x1
4	5527 5220	1							STRAP, Battery
		1				ET0			Battery Hold Down
									Battery Hold Down
5	5523 5142	2							STUD, Battery Hold Down
		2				ET0			Battery Hold Down
6	5523 5051	1			61, 62, 63, 64				PLATE, Battery Tray
-7									NUT AND WASHER, Hex Nut-Coned Washer, .25-20
	6033 560	4				EW0			
		1				EL0,			
						EM0			
8	56017 788AB	1				ET0			WIRING, Battery Positive
	5602 0664	1				ET0	DBB		Right
		1				ET0	DG0		Left
	56021 878AC	1				EH0,			Left
						EL0,			
						EM0,			
						EW0			
9	56020 663AB	1				EH0,			WIRING, Battery Negative
						EL0,			(Alternator Wiring Included)
						EM0,			
	56020 688AC	1				EW0			
						ET0			Left

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic


AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Battery Tray & Cables

Figure 008-1020


[illegible]

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Lamps--Front End Figure 008-1160



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0 = All 3.9L V6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
EW0 = All 8.0L Gas Engines									
1	55076 749AD	1							LAMP, Headlamp Park And Turn Left
	55076 748AD	1							Right
	55077 024AC	1							w/Quad H/Lamp, Right
	55077 025AC	1							w/Quad H/Lamp, Left
-2	0154 882AA-	1							BULB, Headlamp Quad Headlamps
	0154 824	1							9004LL
-3	55054 780AF-	1							HEADLAMP Right
	55054 781AF-	1							Left
	55077 042AC-	1							w/Quad H/Lamp, Right
	55077 043AC-	1							w/Quad H/Lamp, Left
-4	55076 674AC-	1							CARRIER, Headlamp Right
	55076 675AC-	1							Left
	55077 034AC-	1							w/Quad H/Lamp, Right
	55077 035AC-	1							w/Quad H/Lamp, Left
-5	6033 375AB-	2							SCREW, Special Head, .218-28x2.44
-6	55054 856AB-	1							SCREW, Aero Headlamp
-7	5507 6746	1							WELT, Headlamp To Grille Right
	5507 6747	1							Left
-8	4805 147	1							VENT, Headlamp
-9	J400 4262	3							PIN, Push, .15x.41
10	6502 776AB	2							CLIP, Lamp, Headlamp Mounting
-11	6033 376	3							CLIP, Lamp
-12	55077 046AA-	1							RETAINER, Headlamp Bulb
13	6504 289	6							SCREW, Hex Head, H/Lamp Mounting
14	0154 525	2							BULB, 3157A, Park & Turn Signal
15	5602 1441	1							LAMP, Underhood, Lamp & Switch
-16	4897 446AA-	1							LENS, Lamp Module
17	L000 0561	1							BULB, 561


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Lamps--Front End
Figure 008-1160



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-18	0154 554	2				EH0, EL0, EM0, EW0			SCREW, Self Piercing, .25-14x.625
19									LAMP, Park, Turn, Side Marker
	5505 4772	1							Right
	5505 4773	1							Left
	55077 032AB	1							w/Quad H/Lamp, Right
	55077 033AB	1							w/Quad H/Lamp, Left
-20									LAMP, Fog, [For 2 1/2' Dia. See Mopar Accessories Catalog]
	55076 940AA-	1							Right
	55076 941AA-	1							Left
	55076 942AA-	2							Frt Fog
-21	4418 098	2							CLIP, Tube
-22	6035 422	4							BOLT, Square Head, .312-18x.875
-23	6035 423	4							NUT AND WASHER, Hex Coned, .312-18
-24	L000 0896	1							BULB, 896, Fog lamp

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Lamps--Rear End
Figure 008-1170

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DBB = All Manual Transmissions									
ET0 = All 5.9L Turbo Diesel Engines									
1									LAMP, Tail Stop Turn
	55055 264AC	1			61, 62				w/o Sport Package, Right
	55055 265AC	1			61, 62				w/o Sport Package, Left
	5505 5270	1	2, 3, 7, 8		63, 64,				Right
					65				
	5505 5271	1	2, 3, 7, 8		63, 64,				Left
					65				
	5EK44 DX8AC	1							w/Sport Package (Black), Right
	5EK44 GW7AC	1							w/Sport Package (White), Right
	5EK44 PR4AC	1							w/Sport Package (Red), Right
	5EK44 SG8AC	1							w/Sport Package (Green), Right
	5EK44 VB3AC	1							w/Sport Package (Blue), Right
	5EK44 VYHAC	1							w/Sport Package (Yellow), Right
	5EK45 DX8AC	1							w/Sport Package (Black), Left
	5EK45 GW7AC	1							w/Sport Package (White), Left
	5EK45 PR4AC	1							w/Sport Package (Red), Left
	5EK45 SG8AC	1							w/Sport Package (Green), Left
	5EK45 VB3AC	1							w/Sport Package (Blue), Left
	5EK45 VYHAC	1							w/Sport Package (Yellow), Left
2	6035 455	4			61, 62				SCREW, Tapping, .19-16x.625
3	6502 831	4							CLIP, Lamp
4	L000 3157	4			61, 62				BULB, 3157
5	5602 1369	2			61, 62				WIRING, Turn Signal and Back Up
6	6035 081	4	2, 3, 7, 8		63, 64,				NUT, .25-20
					65				
7									GROMMET, GROMMET (Not
									Serviced) ***, (NOT SERVICED)
									(Not Serviced)
8	3635 219	4	2, 3, 7, 8		63, 64,				BRACKET, Tail Lamp
					65				
9	0181 116	4	2, 3, 7, 8		63, 64,				BOLT, Hex Head, .375-16x1.50
					65				
10	5507 6850	1			61, 62				PANEL, License Plate
11	5601 8807	2			61, 62				WIRING, Liscense Lamp, [MBF,
									MBD,MBQ]
12	4362 133	1			61, 62				SOCKET AND CABLE, License
									Lamp, [-MBD,MBF,MBQ,MBV]

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Lamps--Rear End
Figure 008-1170

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
13	6025 020	4	2, 3, 7, 8		63, 64, 65				NUT AND WASHER, Hex Nut-Coned Washer, .375-16
-14	5505 4891	2			61, 62				LENS, License Lamp
15									SCREW, SCREW (Not Serviced) ***, (NOT SERVICED) (Not Serviced)
16	5505 4823	1							LAMP BAR, Tailgate
17	5505 4821	2	3, 8		62				HOUSING, Clearance Lamp
-18	L000 0168	2			61, 62				BULB, 168
-19	5601 8807	2			61, 62				WIRING, Liscense Lamp
-20	6504 118	8							U-NUT, M6 x 1.00, M6x1.00
21	5505 4824	1							WIRING, Tailgate
22									SCREW, (NOT SERVICED) (Not Serviced)
23	5507 6688	1							LAMP, High Mounted Stop
	5507 6689	1							Hi-Mtd. Stop, w/Cargo Lamp
24									Hi-Mtd. Stop, w/o Cargo Lamp
	5505 4852	1							SEAL, High Mounted Stop Lamp
		1							Hi-Mtd. Stop, w/Cargo Lamp
25									Hi-Mtd. Stop, w/o Cargo Lamp
									HOUSING, CHMSL, HOUSING, Serv. Assy., (NOT SERVICED)
									(Not Serviced)
26									LENS, CHMSL, LENS, Serv. Assy., (NOT SERVICED) (Not Serviced)
27									LENS, CHMSL, LENS, Hi-Mtd. Stop, Serv. Assy., (NOT SERVICED) (Not Serviced)
28	5505 4893	1							WIRING, High Mounted Stop Lamp, Hi-Mtd. Stop, w/Cargo Lamp
29	0154 883AA	2							BULB, 921
30	5505 4956	2	3, 8		62				LAMP, Fender Marker
	5505 4958	2	3, 8		62				Red
									Yellow
31	5011 794AA	1				ET0	DBB		BRACKET, BRACKET, Fender Lamp (Serviced w/Housing Assembly)
32	5505 4960	2	3, 8		62				WIRING, Clearance Lamp Jumper
33	5505 4819	3							LAMP, Red clearance, Tailgate
34	5505 4820	2	3, 8		62				LENS, Clearance Lamp, Yellow

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Lamps--Dome-Courtesy-Reading
Figure 008-1180


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	55077 067AA	5							LAMP, Cab, (Clearence Lamp w/ Gasket, Base, Screws & washers)
2	L000 0194	5							BULB, 194
3									SCREW, (NOT SERVICED) (Not Serviced)
-4	J400 0141	10							NUT, Square, .286x.355
5	JV76 TL2	1							LAMP, Dome, Beige
6	L000 0579	1							BULB, 579
7									BEZEL, Dome Lamp, Serviced w/ Dome Lamp, (NOT SERVICED) (Not Serviced)
8									SCREW, Dome Lamp Mtg., (NOT SERVICED) (Not Serviced)
9	5507 6688	1							LAMP, High Mounted Stop Hi-Mtd. & Cargo w/Cargo Lamp
	5507 6689	1							Hi-Mtd. Stop Lamp w/o Cargo Lamp
10	5505 4852	1							SEAL, High Mounted Stop Lamp, Hi- Mtd. Stop Lamp
11	5017 192AA	1							WIRING, High Mounted Stop Lamp Hi-Mtd. Stop Lamp w/Cargo Lamp
	5017 193AA	1							Hi-Mtd. Stop Lamp w/o Cargo Lamp

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Bulbs & Sockets
Figure 008-1195



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:
DD0 = All 5 Speed Manual Transmissions
EH0 = All 3.9L V6 Gas Engines
EL0 = All 5.2L 8 Cyl Gas Engines
EM0 = All 5.9L 8 Cyl Gas Engines


1	L000 PC74	8				EH0, EL0, EM0			BULB, PC74
-2	L000 3157	4			61, 62				BULB, 3157
-3	L000 0194	5							BULB, 194
-4	L000 1156	1	2, 3, 7, 8		63, 64, 65				BULB, 1156
-5	0154 883AA-	2							BULB, 921, #921
-6	L000 0168	1			61, 62				BULB, 168
-7	L000 0074	1					DD0		BULB, 74
-8	5015 731AA-	1							BULB AND SOCKET, Indicator Lamp
-9	5015 732AA-	1							BULB AND SOCKET, Indicator Lamp

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year



September 15, 2005

Wiring--Engine
Figure 008-1220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
DBB=ALL Manual									
DDC=5-Speed HD Maual									
DDP=5-Speed Manual									
DG0=ALL Automatic									
EH0=ALL 3.9L V6 Gas									
EL0=ALL 5.2L 8 Cyl Gas									
EM0=ALL 5.9L 8 Cyl Gas									
EML=Magnum 5.9L SMPI V8									
EMM=5.9L SMPI V8									
EW0=ALL 8.0L Gas									
1									WIRING, Engine
	56045 045AB	1				EH0	DBB		
	56045 046AB	1				EH0	DG0		
	56045 047AB	1				EL0,	DDP		
						EML			
	56045 048AB	1				EL0,	DG0		
						EML			
	56045 050AB	1				EMM	DBB		
	56045 051AB	1				EMM	DG0		
	56045 052AB	1				EW0	DBB		
	56045 053AB	1				EW0	DG0		
	56045 473AB	1				EL0	DDC		
	56045 480AC	1				ET0	DBB		
	56045 481AC	1				ET0	DG0		
-2	5601 9829	1	6, 7, 8						WIRING, Indicator Lamp, 4x4
									Indicator
-3	4856 792	1							STRAP, Ground, Radio Ground

Wiring--Engine-Front End & Related Parts Diesel
Figure 008-1225




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:
DBB = All Manual Transmissions
DGO = All Automatic Transmissions
ETO = All 5.9L Turbo Diesel Engines

1									WIRING, Engine
	5014 177AA	1				ETO	DBB		
		1				ETO	DGO		
-2	56021 908AC-	1				ETO			WIRING, Jumper, Air Heater Jumper

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Wiring--headlamp & Dash
Figure 008-1320




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
EH0=ALL 3.9L V6 Gas									
EL0=ALL 5.2L 8 Cyl Gas									
EM0=ALL 5.9L 8 Cyl Gas									
EMM=5.9L SMPI V8									
ET0=ALL 5.9L Turbo Diesels									
EW0=ALL 8.0L Gas									
1	56045 056AF	1			61, 62	EH0, EL0,			WIRING, Headlamp to Dash w/RWAL
	56045 057AF	1			61, 62	EM0, EW0 EH0, EL0,			w/RWAL & Overhead Console Type II
	56045 058AF	1			61, 62	EM0, EW0 EH0, EL0,			w/RWAL & Trailer Tow
		1	2, 3, 7, 8		63, 64, 65	EM0, EW0 EH0, EL0,			w/RWAL
	56045 059AF	1				EM0, EW0 EH0, EL0,			w/ABS
	56045 060AF	1				EM0, EW0 EH0, EL0,			w/RWAL (Canada)
	56045 061AF	1				EM0, EW0 ET0			w/o Daytime Running Lamps & w/o Quad Headlamps
	56045 062AF	1				ET0			w/Daytime Running Lamps & w/o Quad Headlamps (Canada)
	56045 264AF	1				EH0, EL0,			w/Quad Headlamps & w/o Daytime Running Lamps
	56045 265AF	1				EM0, EW0 ET0			w/Quad Headlamps & w/o Daytime Running Lamps

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Wiring--headlamp & Dash
Figure 008-1320




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	56045 266AF	1				EH0, EL0, EM0, EW0			w/Daytime Running Lamps & Quad Headlamps (Canada)
	56045 267AF	1				ET0			w/Daytime Running Lamps & Quad Headlamps (Canada)
-2 -3	5601 7713	1							PULLER, Fuse, Fuse COVER, Power Distribution Center Lower
	5602 1167	AR							Upper
-4	6102 075AA-	AR							FUSE CARTRIDGE, 20 Amp
-5	6102 076AA-	AR							FUSE CARTRIDGE, 30 Amp
-6	6102 077AA-	AR							FUSE CARTRIDGE, 40 Amp
-7	6102 078AA-	AR							FUSE CARTRIDGE, 50 Amp
-8	6101 757	AR							FUSIBLE LINK, 140 AMP
-9	56021 863AB-	1							WIRING, Fog Lamp Jumper w/o Sport Package
	56045 212AC-	1							w/Sport Package
-10	5601 9405	1				ET0			WIRING, Air Intake Heater
-11	56045 327AB-	1				ET0			BRACKET, Wiring

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Wiring--Instrument Panel
Figure 008-1420




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									WIRING, Instrument Panel
	56021 870AE	1							w/Infinity Stereo, Keyless Entry, Power Seats & w/o Steering Wheel Mounted Audio Control
	56021 871AE	1							w/Keyless Entry & w/o Infinity Stereo & w/o Power Seats
	56021 872AE	1							w/Infinity Stereo & w/o Keyless Entry
	56021 873AE	1							Base Model
	56045 900AA	1							w/Infinity Stereo, Keyless Entry, Power Seats & Steering Wheel Mounted Audio Control
2	00AT M10	1							FUSE, Mini, 10 AMP, Red
3	00AT M15	1							FUSE, Mini, 15 AMP, Light Blue
4	00AT M20	1							FUSE, Mini, 20 AMP, Yellow
5	6101 484	1							FUSE, Mini, 5 Amp, Tan
6	6101 135	1							FUSE, Standard, 10 AMP, Red
7	6101 136	1							FUSE, Standard, 15 AMP, Light Blue
8	4687 835	1							FUSE, Mini, 25 Amp, Natural
-9	4897 895AA-	1							HOLDER, Fuse (I.O.D.) Fuse
	4897 906AA-	2							(Airbag Fuse)
-10	56021 922AA-	AR							PULLER, Fuse
-11	4604 235	2							BREAKER, Circuit
-12	5600 7348	1							FLASHER

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

Wiring--Body & Accessory
Figure 008-1520




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: ET0 = All 5.9L Turbo Diesel Engines									
1	56045 128AE	1							WIRING, Body w/o Power Seats, Windows or Locks
	56045 129AE	1							w/Power Seats
	56045 130AE	1							w/Keyless Entry & w/o Infinity Sound System
	56045 131AE	1							w/o Keyless Entry & w/Infinity Sound System
	56045 132AE	1							w/Keyless Entry & w/Infinity Sound System
2									WIRING, Chassis
	56045 466AB	1			62				w/o Trailer Tow
	56045 467AB	1	1, 6		61				w/o Trailer Tow
	56045 468AB	1	2, 3, 7, 8		63, 64, 65				
	56045 469AB	1			61, 62				w/Trailer Tow
3									WIRING, Overhead Console
	56021 864AE	1							Type II & w/Roof Lamps
	56021 865AD	1							Type I & w/Roof Lamps
	56021 866AE	1							Type II & w/o Roof Lamps
	56021 867AE	1							Type I & w/o Roof Lamps
4									WIRING, High Mounted Stop Lamp
	5017 192AA	1							w/Cargo Lamp
	5017 193AA	1							w/o Cargo Lamp
5									WIRING, Door
	56045 136AB	1							w/o Power Windows, Locks, Mirrors & w/o Infinity Stereo, Right
	56045 238AB	1							w/Power Mirrors, Right
	56045 244AB	1							w/Power Windows, Right
	56045 245AB	1							w/Power Windows &Infinity Stereo, Right
6									WIRING, Door
	56045 137AB	1							w/o Power Windows, Locks, Mirrors & w/o Infinity Stereo, Left
	56045 238AB	1							w/Power Mirrors, Left
	56045 240AB	1							w/Power Windows, Left
	56045 241AB	1							w/Power Windows &Infinity Stereo, Left

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Wiring--Body & Accessory
Figure 008-1520



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
7	5601 8807	2			61, 62				WIRING, Liscense Lamp
8	56020 143AD	1			61, 62				WIRING, Trailer Tow, Contains Jumper for Electric Brake
-9	56038 366AB-	1							CONNECTOR, 7 Way
10	5602 1369	2			61, 62				WIRING, Turn Signal and Back Up
11	5602 0190	2							WIRING, Mirror Jumper, w/ Illuminated Visor Mirror
-12	5505 4824	1							WIRING, Tailgate, Tailgate Lamp Bar
-13	5601 6895	1			61, 62				WIRING, Fender Lamp, w/Dual Rear Wheels (Jumper for Tailgate Lamp Bar Included)
-14	56021 863AB-	1							WIRING, Fog Lamp Jumper w/o Sport Package
	56045 212AC-	1							w/Sport Package
-15	56017 840AB-	1							WIRING, Power Seat
-16	56045 178AA-	1							WIRING, Instrument Panel Jumper
-17	56021 994AB-	1							WIRING, Temperature Sensor Jumper
-18	56021 908AC-	1				ET0			WIRING, Jumper
-19	5601 9405	1				ET0			WIRING, Air Intake Heater, Diesel Engine

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Wiring Repair Package
Figure 008-1605


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-1	5013 930AA-	1							WIRING PACKAGE, Underhood Connector Repair, For Electrical Connector Repair Information visit the World Wide Web at http://dto.vftis.com/mopar/disclaimer.asp
-2	4641 780	1							STRAP, Tie
-3	4773 905	AR							SOCKET AND WIRING, Turn Signal Lamp

For Electrical Connector Repair Information visit
the World Wide Web at

<http://dto.vftis.com/mopar/disclaimer.asp>

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Spark Plugs--cables--Coils
Figure 008-1905



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

EH0 = All 3.9L V6 Gas Engines
EL0 = All 5.2L 8 Cyl Gas Engines
EML = Magnum 5.9L SMPI V8 Engine
EMM = Magnum 5.9L SMPI V8 Engine
EM0 = All 5.9L 8 Cyl Gas Engines
EW0 = All 8.0L Gas Engines

1	4728 037AC	1				EH0			CABLE PACKAGE, Ignition
2									CABLE PACKAGE, Ignition
	4728 039	1				EMM			[NAA,NAE]
	4728 038	1				EL0, EM0			
3	4796 500	1				EW0	DBB		CABLE PACKAGE, Ignition
4									SPARK PLUG
	SP0RC 12LC4	6 8				EH0 EL0, EM0			
5	5602 8179	10				EW0			SPARK PLUG, RC-9-MC4
6									SEPERATOR, Ignition Cable
	5602 8186	1				EH0, EL0,			1-Wire
						EML			
	5602 6850	3				EMM			1-Wire
	56041 333AA	2				EW0			2-Wire
						EH0,			5-Wire
						EL0, EM0			
-7									TRAY, Ignition Cable
	5602 6852	1				EW0			Lower
	5602 6853	1				EW0			Upper
8									CABLE, Ignition Coil
	5602 7045	1				EH0			
	5602 7055	1				EMM			[NAB]
		1				EL0, EML			
	5602 7056	1				EMM			[NAA,NAE]
9									CABLE, Ignition
	56028 255AA	1				EH0			[#1]
	56028 256AA	1				EH0			[#2]
	56028 257AA	1				EH0			[#3]

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Spark Plugs--cables--Coils
Figure 008-1905

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
10	56028 258AA	1				EH0			[#4]
	56028 259AA	1				EH0			[#5]
	56028 277AA	1				EH0			[#6]
	56028 256AA	3				EL0,			CABLE, Ignition
						EM0			[#1,2,4]
	56028 279AA	1				EL0,			[#3]
	56028 280AA	2				EM0			[#5,7]
11	56028 404AA	1				EL0,			[#8]
	56028 255AA	1				EM0			[#6]
						EM0			CABLE, Ignition
	5300 6568	1				EW0			[#2]
	5300 6571	1				EW0			[#5]
	5602 6844	1				EW0			[#6]
	5602 6845	1				EW0			[#7]
12	5602 6847	1				EW0			[#9]
	5602 6848	1				EW0			[#10]
	5602 7823	2				EW0			[#4,8]
	5603 2520	1				EW0			COIL, Ignition
	5603 2521	1				EW0			6 Tower
	5602 8172	1				EH0,			4 Tower
						EL0,			
13						EML			
						EMM			
	5300 8980	1				EMM			BRACKET, Ignition Coil
-14	5602 6891	1				EH0,			[NAA,NAE]
						EL0,			
						EML			
-14						EMM			[NAB]
	5304 0054	1				EW0			BRACKET, Coil Mount and Plenum

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic


AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – 08A


Instrument Panel and Radios and Consoles

Illustration Title	Group-Fig. No.
Instrument Panel	
Instrument Panel	Fig. 08A-130
Instrument Panel Cluster	
Instrument Cluster	Fig. 08A-230
Radio, Antenna, and Speakers	
Radio	Fig. 08A-330
Speaker	Fig. 08A-334
Antenna	Fig. 08A-335
Consoles	
Overhead Console	Fig. 08A-430
Floor Console	Fig. 08A-435



08A-100 Instrument Panel	08A-200 Instrument Panel Cluster	08A-300 Radio, Antenna, and Speakers	08A-400 Consoles

Instrument Panel Figure 08A-130




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Instrument, With/Lower I/
									Panel
	5GK31 1AZAB	1							Agate
	5GK31 1C8AB	1							Cirrus
	5GK31 1K9AB	1							Suede
-2									FILLER, I/P To A Pillar
	RV72 LAZAA-	1							Agate, Right
	RV72 RC8AA-	1							Cirrus, Right
	RV72 VK9AA-	1							Suede, Right
	RV73 LAZAA-	1							Agate, Left
	RV73 RC8AA-	1							Cirrus, Left
	RV73 VK9AA-	1							Suede, Left
-3									COVER, Instrument Panel Opening,
									Glove Box Opening Trim
	RU58 LAZAA-	1							Agate
	RU58 RC8AA-	1							Cirrus
	RU58 VK9AA-	1							Suede
-4	5505 5689	1							DUCT, Defroster, Defroster w/Grille
									Cover
-5	55055 725AB-	1							BRACKET, Instrument Panel to Cowl
-6	6101 786	2							SCREW, Self Tapping, M6x1x15
-7									PANEL, Instrument Upper
	5GK45 LAZAB-	1							Agate
	5GK45 RC8AB-	1							Cirrus
	5GK45 VK9AB-	1							Suede
-8	5602 1449	1							BRACKET, Instrument Panel Wiring
9									DOOR, Fuse Acess, Label Serviced
									w/Door Only
	RU36 LAZAA	1							Agate
	RU36 RC8AA	1							Cirrus
	RU36 VK9AA	1							Suede
-10	56021 922AA-	AR							PULLER, Fuse
11									SWITCH, Headlamp
	5602 1673	1							
	56021 673AB	1							w/o Foglamps
	56021 675AB	1							w/Foglamps
12									BEZEL, Headlamp Switch, Serviced
									w/Switch Assembly, (NOT
									SERVICED) (Not Serviced)
13	6101 946	6	1, 2, 3						SCREW, Tapping

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Instrument Panel
Figure 08A-130



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
14									KNOB AND SHAFT, Headlamp Switch, Serviced w/Switch Assembly, (NOT SERVICED) (Not Serviced)
15	4372 399	1							COVER, Radio Opening
16	0154 629	2							SCREW, Hex Flange Head, .25-14x. 75
17									CLUSTER
	56020 600AD	1							120 MPH w/Tach Diesel Engine
	56020 615AD	1							120 MPH w/Tach 8.0L Engine
	56020 616AD	1							200 KPH w/Tach Diesel Engine
	56020 617AD	1							200 KPH w/Tach 8.0L Engine
	56020 618AD	1							120 MPH w/Tach 3.9L / 5.2L & 5.9L Engines
	56020 619AE	1							120 MPH w/o Tach 3.9L / 5.2L / 5.9L & 8.0L Engines
	56020 620AD	1							200 KPH w/Tach 3.9L / 5.2L & 5.9L Engines
	56020 621AD	1							200 KPH w/o Tach 3.9L / 5.2L / 5.9L & 8.0L Engines
18									RELEASE, Parking Brake
	RU38 LAZAA	1							Agate
	RU38 RC8AA	1							Cirrus
	RU38 VK9AA	1							Suede
19	5269 430	1							SWITCH, Fog Lamp
20	56045 177AB	1							SWITCH, Passenger Airbag Disarm
21									BEZEL, Instrument Panel Switch
	5013 874AA	1							English Graphics
	5013 875AA	1							French / English Graphics
22	4685 164	1							COVER, Glove Box Lamp Hole
23									GLOVE BOX, Instrument Panel, Latch/Bin & Bumper Serviced in Assembly
	5FR47 1AZAB	1							Agate
	5FR47 1C8AB	1							Cirrus
	5FR47 1K9AB	1							Suede
-24	5010 362AA-	1							BIN, Glove box, Black
25	4565 022	1							SWITCH AND LAMP, Glove Box

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic


Instrument Panel
Figure 08A-130



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
26									LATCH, Glovebox, Latch Assembly, Glove Box (Serviced in Glove Box Assembly), (NOT SERVICED) (Not Serviced)
27									BEZEL, Instrument Cluster, Air Conditioning & Heater Outlets Included
	5GK51 DX9AA	1							Black
	5GK52 AAAAA	1							Woodgrain (Argent)
-28	6504 067	13							CLIP, Hood
29	5014 842AA	1							OUTLET, Air Conditioning & Heater, Driver Side, Left
30									OUTLET, Air Conditioning & Heater, Outlet, Air Conditioning & Heater (Center)
	5014 840AA	1							Center, Right
	5014 841AA	1							Center, Left
31	4793 555	1							RING, Cigar Lighter Mounting
32	4685 590	1							BASE, Cigar Lighter
33	4685 536	1							KNOB AND ELEMENT, Cigar Lighter
34									KNOB, Knob, Cigar Lighter (Serviced in Assembly), (NOT SERVICED) (Not Serviced)
35									COVER, Steering Column Opening
	5EU13 LAZAB	1							Agate
	5EU13 RC8AB	1							Cirrus
	5EU13 VK9AB	1							Suede
36									POWER OUTLET, (NOT REQUIRED)
-37	4793 555	1							RING, Cigar Lighter Mounting
38									CUPHOLDER, Instrument Panel
	5FR42 1AZAB	1							Agate
	5FR42 1C8AB	1							Cirrus
	5FR42 1K9AB	1							Suede
39									COVER, Instrument Panel Opening, Access Cup Holder w/Lamp Hood & Attaching Parts
	5GD95 DX9AA	1							w/Manual Transmission (Black)
	5GD98 DX9AA	1							w/Automatic Transmission (Black)
40									ASH RECEIVER, Instrument Panel, With/2 Bumpers

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Instrument Panel
Figure 08A-130




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5FR4 51AZ	1							Agate
	5FR4 51C8	1							Cirrus
	5FR4 51K9	1							Suede
-41	55055 853AD-	1							SHIELD, Ash Tray
-42	6032 723	2							SCREW, Self Tapping, M4.2x1.
									69x19.05
43									LABEL, Air Bag Warning
	4595 748AA	1							English
	4595 749AA	1							Bilingual
	55350 848AA	2							Sun Visor (English/French)
44	5010 358AA	1							STRIKER, Glove Box Door Latch
45									SCREW, Console, Screw, I/Panel to Cowl Bar (M4x8x1.59x32.00) Not Serviced, (NOT SERVICED) (Not Serviced)
46	6503 538	8							SCREW AND WASHER, Hex Head, M8x1.25x30, Screw & Washer
									Assembly, I/Panel End Support to Body (M8x1.25x30.00)
47	6504 485AB	4							NUT, Plastic Snap-in
48									BIN, Instrument Panel
	5FM16 1AZAB	1							Agate
	5FM16 1C8AB	1							Cirrus
	5FM16 1K9AB	1							Suede
49									COVER, Control Unit
	5GJ24 LAZAA	1							Agate
	5GJ24 RC8AA	1							Cirrus
	5GJ24 VK9AA	1							Suede
50									GRILLE, Instrument Panel Demister
	RU34 LAZAA	1							Agate, Right
	RU34 RC8AA	1							Cirrus, Right
	RU34 VK9AA	1							Suede, Right
	RU35 LAZAA	1							Agate, Left
	RU35 RC8AA	1							Cirrus, Left
	RU35 VK9AA	1							Suede, Left
51									AIR BAG, Passenger, Cover & air/Heat Outlet Included
	5GE24 LAZAA	1							Agate
	5GE24 RC8AA	1							Cirrus
	5GE24 VK9AA	1							Suede

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Instrument Panel
Figure 08A-130



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
52									OUTLET, Air Conditioning & Heater, Passenger Air Bag Module
	RU48 LAZAA	1							Agate, Right
	RU48 RC8AA	1							Cirrus, Right
	RU48 VK9AA	1							Suede, Right
	RU49 LAZAA	1							Agate, Left
	RU49 RC8AA	1							Cirrus, Left
	RU49 VK9AA	1							Suede, Left
-53	5012 954AA-	4							RETAINER, Air Outlet

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Instrument Cluster
Figure 08A-230




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CLUSTER
	56020 600AE	1							120 MPH w/Tach (5.9L Diesel Engine)
	56020 615AE	1							120 MPH w/Tach (8.0L Engine)
	56020 616AE	1							200 KPH w/Tach (5.9L Diesel Engine)
	56020 617AE	1							200 KPH w/Tach (8.0L Engine)
	56020 618AE	1							120 MPH w/Tach (3.9L/5.2L & 5.9L Engines)
	56020 619AE	1							120 MPH w/o Tach (3.9L/5.2L/5.9L & 8.0L Engines)
	56020 620AE	1							200 KPH w/Tach (3.9L/5.2L & 5.9L Engines)
	56020 621AE	1							200 KPH w/o Tach (3.9L/5.2L/5.9L & 8.0L Engines)
2	6032 723	2							SCREW, Self Tapping, M4.2x1.69x19.05, Cluster mounting & PRNDL Plug Attaching
3	5602 0162	1							MASK, Instrument Cluster
		1							3.9L/5.2L/5.9L & 8.0L Engines
									5.9L Diesel Engine
4	5602 0161	1							LENS, Cluster
		1							3.9L/5.2L/5.9L & 8.0L Engines
									5.9L Diesel Engine
5									KNOB, KNOB, Trip Odometer
									(Serviced w/Cluster Assembly),
									(NOT SERVICED) (Not Serviced)
6	5602 0622	1							INDICATOR, PRNDL
7	L00P C194	7							LAMP, Bulb And Socket
8	5602 1790	1							BRACKET, Gear Selector, w/ Automatic Transmission
9	6101 946	2							SCREW, Tapping
		3							
-10	5600 7476	1							PLUG, w/Manual Transmission

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Radio
Figure 08A-330



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

RAS= AM/FM Cassette
RAZ=AM/FM w/CD & Cassette
RBA=AM/FM w/Cassette & CD Changer Control (Australia, Europe, Middle East & Taiwan
RBN=AM/FM w/ Cassette & CD Changer Control
RBR=AM/FM w/CD & Equalizer

1	4858 556AD	1							RADIO, AM/FM Cassette, RAS
2	4704 383AF	1							RADIO, AM/FM with CD and Cassette, RAZ
3	4704 392AD	1							RADIO, AM/FM with CD, RBA
4	4704 386AC	1							RADIO, AM/FM Cassette with CD Control, RBN
5	4704 373AD	1							RADIO, AM/FM with CD and Equalizer, RBR
-6									STRAP, Ground
	5604 3033	1							
	4372 040	1			61, 62				Cab to box

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Speaker
Figure 08A-334


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
RCD = Speakers - Four									
RCE = Speakers - Infinity									
1	56043 123AB	2							SPEAKER, Door, Lower Door Infinity (RCE)
	5602 0370	2							Standard 6x9 (RCD)
2	5FV66 LAZAB	1							SPEAKER, Front Tweeter, 'A' Pillar Agate (RCE)
	5FV66 RC3AB	1							Gray (RCE)
	5FV66 RK5AB	1							Tan/Agate (RCE)
3	5602 0372	2							SPEAKER, 5.25", Rear Standard 5.25 (RCD)
	5604 3856	2							Infinity (RCE)
-4	56009 941AA-	1							CHOKE, Speaker, Choke & Relay (RCE)
5	6032 723	3							SCREW, Self Tapping, M4.2x1. 69x19.05
-6	6034 715	8							CLIP, Speaker

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Antenna


[illegible]

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Overhead Console
Figure 08A-430



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	SN94 TL2AA	1							HOUSING, Overhead Console, Beige
2	5013 618AA	1							LENS, Maplamp Right
	5013 619AA	1							Left
3	L002 1202	2							BULB, 212-2
4	55350 003AD	1							MODULE, Compass Temperature w/Security
	55350 660AD	1							w/o Security
5	SN93 TL2AA	1							COVER, Module, Cover, Module (w/o Compass & Temperture Module) Beige
6	5013 608AA	1							WIRING, Overhead Console w/Temperture Compass
	5013 609AA	1							w/o Temperture Compass
7	5013 612AA	1							LENS, Message Center w/o Security L.E.D.
	5013 613AA	1							w/Security L.E.D.
8	SN96 TL2AA	1							DOOR, Sunglass Bin, (Beige) Liner Included
9	SN97 TL2AA	1							BUTTON, Door Lock, Door Lock
10	SN98 TL2AA	1							DOOR, Garage Door Opener, w/ Snap-off Spacers/Adapters (Beige)
11	5013 606AA	1							HOUSING, Bulb, (Bulb Reflectors & Storage Door Detent Spring Included)
-12	4746 232	AR							CLIP, Console, Front (rear serviced in item 1)


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Floor Console
Figure 08A-435

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5EZ5 4LAZ	1							CONSOLE, Floor, Agate
2	5GA43 DX9AA	1							MAT, Console Cup Holder, Console Storage Bin (Black)
3	55055 630AB	1							BRACKET, Console, Floor Console to Floor Pan
4									SCREW, Self Drilling, .190-16x5.00, (NOT SERVICED) (Not Serviced)
5	5EZ5 3LAZ	1	1, 2, 3						CUPHOLDER, Console, Agate
6	5GA44 DX9AA	1							PAD, Console Storage Bin, MAT, Console Cup Holder (Black)
7									BEZEL, Transfer Case
	5FB39 LAZAB	1	6, 7, 8						Agate
	5FB39 RC8AB	1	6, 7, 8						Cirrus
	5FB39 VK9AB	1	6, 7, 8						Suede



DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – 009

Engine Mounting


GROUP 9 - Engine Mounting


Illustration Title

Group-Fig. No.

Engine Mounting

Engine Mounting, Front 3.9L (EHC), 5.2L (ELF), 5.9L (EML), 5.9L (EMM), 5.9L (ETB), 5.9L (ETC), 8.0L (EWA) Engine	Fig. 009-110
Engine Mounting, Rear, 2WD 3.9L (EHC), 5.2L (ELF), 5.9L (EML), 5.9L (EMM), 5.9L (ETB), 5.9L (ETC), 8.0L (EWA) Engine	Fig. 009-120
Engine Mounting, Rear, 4WD 3.9L (EHC), 5.2L (ELF), 5.9L (EML), 5.9L (EMM), 5.9L (ETB), 5.9L (ETC,ETH), 8.0L (EWA) Engine	Fig. 009-130



<div>009-100</div> <div>Engine Mounting</div> <div></div>			
--	--	--	--

Engine Mounting, Front 3.9L (EHC), 5.2L (ELF), 5.9L (EML), 5.9L (EMM), 5.9L (ETB), 5.9L (ETC), 8.0L (EWA) Engine
Figure 009-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

DBB = All Manual Transmissions
 DG0 = All Automatic Transmissions
 EH0 = All 3.9L V6 Gas Engines
 EL0 = All 5.2L 8 Cyl Gas Engines
 EM0 = All 5.9L 8 Cyl Gas Engines
 ETB = 5.9L I-6 Cummins Turbo Diesel Engine
 ETC = 5.9L Cummins 24V Diesel Engine
 ET0 = All 5.9L Turbo Diesel Engines
 EW0 = All 8.0L Gas Engines

1	5205 8238	1				EH0, EL0, EM0,			SHIELD, Exhaust Manifold, Right
-2	5700 8125	1				EW0 EH0, EL0, EM0, EW0			SHIELD, Engine Mount, Left
3									SCREW AND WASHER, Hex Head, M12x1.75x155
	6502 960	2				EH0, EL0, EM0, EW0 ET0			
4									INSULATOR, Engine Mount
	5201 8235	1				EW0 EL0, EM0			Left
		1	2, 3, 7, 8						Left
	5202 0229	1				EH0			Left
	5202 0228	1				EH0			Right
		1	6			EL0, EM0			Right
	5202 0326	1	1			EL0, EM0			Right
	5202 0229	1	6			EL0, EM0			Left
	5205 8804	1				EW0			Right
		1	2, 3, 7, 8			EL0, EM0			Right


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Engine Mounting, Front 3.9L (EHC), 5.2L (ELF), 5.9L (EML), 5.9L (EMM), 5.9L (ETB), 5.9L (ETC), 8.0L (EWA) Engine
Figure 009-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5202 0327	1	1			EL0, EM0			Left
-5	5011 804AA-	1				ET0	DG0		SUPPORT, Engine Mount Left
		1				ET0	DBB		Left
	5011 805AA-	1				ET0	DG0		Right
		1				ET0	DBB		Right
6	5201 9982	1	1			EL0, EM0			RESTRICTOR, Engine Mount Small
		1				EH0			Small
		1	6			EL0, EM0			Small
7	5205 8447	2	2, 3, 7, 8						Large NUT, [M12x1.75], (NOT SERVICED) (Not Serviced)
8	6035 212	6				EH0, EL0, EM0, EW0 ET0			SCREW, Hex Flange Head, .375- 16x1.125
-9	4864 516	8							BOLT, Hex Flange Head
10									SCREW, [.190x.625], (NOT SERVICED) (Not Serviced)

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Engine Mounting, Rear, 2WD 3.9L (EHC), 5.2L (ELF), 5.9L (EML), 5.9L (EMM), 5.9L (ETB), 5.9L (ETC), 8.0L (EWA) Engine
Figure 009-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note;

EH0 = All 3.9L V6 Gas Engines

EL0 = All 5.2 Gas Engines

EM0 = All 5.9 Gas Engines

ET0 = All Diesel Engines

EW0 = All 8.0 Gas Engines

DDC = NV3500 Manual Transmission

DDP = NV4500 Manual Transmission

DDX = NV4500 Heavy Duty Transmission

DG0 = All Automatic Transmissions

1	5201 9641	1	6			EL0, EM0	DDC		BRACKET, Transmission Mount
		1					DDP, DDX		
	5201 9637	1	1, 2, 3			EH0, EL0, EM0	DG0		
	5201 9639	1	1			EH0, EL0, EM0	DDC		
	5205 8695	1	1, 2, 3			ET0, EW0	DG0		
2	6033 358	2					DDP, DDX		SCREW AND WASHER, Hex Head Locking, .437-14x1.25
		4	6, 7, 8						
		2	1, 6				DDC		
		3	1, 2, 3				DG0		
		4					DEE		
3									NUT, M10x1.50, (NOT SERVICED) (Not Serviced)
4	5205 8217	1	1			EH0			INSULATOR, Engine Mount
	5205 8218	1	1, 2, 3			EL0, EM0,			
						ET0, EW0			
5									SCREW, M10x1.50x30.00, (NOT SERVICED) (Not Serviced)


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Engine Mounting, Rear, 2WD 3.9L (EHC), 5.2L (ELF), 5.9L (EML), 5.9L (EMM), 5.9L (ETB), 5.9L (ETC), 8.0L (EWA) Engine
Figure 009-120




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
6	6101 761	2							NUT, Coned Washer, M10 x 1.50

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Engine Mounting, Rear, 4WD 3.9L (EHC), 5.2L (ELF), 5.9L (EML), 5.9L (EMM), 5.9L (ETB), 5.9L (ETC,ETH), 8.0L (EWA) Engine
Figure 009-130



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note;

EH0 = All 3.9L Gas Engines

ELO = All 5.2 Gas Engines

EMO = All 5.9 Gas Engines

ETO = All Diesel Engines

EWO = All 8.0 Gas Engines

DGO = All Automatic Transmissions

DDC = NV3500 Manual Transmission

DDP = NV4500 Light Duty Manual Transmission

DDX = NV4500 Heavy Duty Manual Transmission,

1 5201 9641 1 6 ELO, DDC BRACKET, Transmission Mount
EMO

1 DDP, DDX

-2 52058 593AB- 1 6, 7, 8 ELO, DGO BRACKET, Transmission Case
EMO Mounting

-3 52058 693AB- 1 6, 7, 8 ETO, DGO BRACKET, Transfer Case Shaft
EWO

4 SCREW AND WASHER, Hex Head
Locking, .437-14x1.25

6033 358 4 6, 7, 8
2 1, 6
2 DDC
DDP,
DDX

3 1, 2, 3
4 DGO
DEE

5 INSULATOR, Engine Mount

5205 8217 1 1 EH0

52020 251AA 1 6 ELO,
EMO

6 SCREW, M10x1.50x30.00, (NOT
SERVICED) (Not Serviced)

7 6101 761 2 NUT, Coned Washer, M10 x 1.50

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year


September 15, 2005

Group – 3.9L

Engine 3.9L Six Cylinder

3.9L-100

I		II		III	
Year	Model	Year	Model	Year	Model
1990	1991	1992	1993	1994	1995
1996	1997	1998	1999	2000	2001
2002	2003	2004	2005	2006	2007
2008	2009	2010	2011	2012	2013
2014	2015	2016	2017	2018	2019
2020	2021	2022	2023	2024	2025



GROUP 3.9L - Engine 3.9L Six Cylinder

Illustration Title

Group-Fig. No.

Cylinder Head

Cylinder Head 3.9L (EHC) Engine Fig. 3.9L-210

Cylinder Block

Cylinder Block 3.9L (EHC) Engine Fig. 3.9L-310

Crankshaft, Piston and Torque Converter

Crankshaft, Piston and Torque Converter 3.9L (EHC) Engine Fig. 3.9L-410

Camshafts & Valves

Camshaft and Valves 3.9L (EHC) Engine Fig. 3.9L-510

Timing Belt and Cover

Timing Gear and Cover 3.9L (EHC) Engine Fig. 3.9L-610

Engine Oiling









Engine Oiling 3.9L (EHC) Engine Fig. 3.9L-710

Manifolds

Manifold, Intake and Exhaust 3.9L (EHC) Engine Fig. 3.9L-810

Crankcase Ventilation

Crankcase Ventilation 3.9L (EHC) Engine Fig. 3.9L-910

3.9L-200 Cylinder Head 	3.9L-300 Cylinder Block 	3.9L-400 Crankshaft, Piston and Torque Converter 	3.9L-500 Camshafts & Valves 
3.9L-600 Timing Belt and Cover 	3.9L-700 Engine Oiling 	3.9L-800 Manifolds 	3.9L-900 Crankcase Ventilation 

Cylinder Head 3.9L (EHC) Engine
Figure 3.9L-210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:
EH0 = All 3.9L V6 Gas Engines
EL0 = All 5.2L 8 Cyl Gas Engines
ELF = Magnum 5.2L SMPI V-8 Engine
EM0 = All 5.9L 8 Cyl Gas Engines
Packages Do Not Contain Gaskets For All Required Sealing. R.T.V. Sealer And Gasket Eliminator Must Also Be Used.
GASKET PACKAGE, Engine Upper - 04897384AB


1	4777 536	1				EH0, EL0, EM0			CAP, Oil Filler
2	5302 0336	1				EH0			COVER, Cylinder Head w/Oil Fill Hole
	5302 0609	1				EH0			w/o Oil Fill Hole
3	5300 6699	2				EH0			GASKET, Valve Cover
4	5302 1135	2				EH0			HEAD, Cylinder
5	5302 0489	2				EH0			GASKET, Cylinder Head
6	4556 020	4				EH0			PLUG, Core, 1.25 Diameter
7	6035 878AA	12				EH0, EL0, EM0			STUD
-8	6035 877AA-	3				EH0			SCREW AND WASHER, Hex Head, .25-20x.875
9	5302 0419	6				EH0			SHIELD, Heat
10	6034 691	8				EH0			BOLT, Cylinder Head .50X4.625
	6034 690	8				EH0			.50-13X2.00
11	6033 560	1				EL0, EM0			NUT AND WASHER, Hex Nut-Coned Washer, .25-20

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Cylinder Block 3.9L (EHC) Engine
Figure 3.9L-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:
EH0 = All 3.9L V6 Gas Engines
EL0 = All 5.2L 8 Cyl Gas Engines
EM0 = All 5.9L 8 Cyl Gas Engines
Packages Do Not Contain Gaskets For All Required Sealing. R.T.V. Sealer And Gasket Eliminator Must Also Be Used.


GASKET PACKAGE, Engine Lower - 04720651									
1	4713 599	1				EH0			BLOCK, Short, Contains: Crank, Rods, Pistons, Rings, Cam Bearings
2	3830 603	1				EH0			BEARING, Camshaft, #1
3	4556 020	1				EH0			PLUG, Core, 1.25 Diameter
-4	4556 022	7				EH0			PLUG, Core, 1.625 Diameter
-5	4556 023	1				EH0			PLUG, Core, 1.695 Diameter
6	3751 818	2				EH0			PLUG, Pipe
-7	5300 9518	1				EH0			PLUG, Cylinder Block Oil Hole
8	1122 532	2				EH0			DOWEL, Block To Clutch Housing
9	0141 215	4				EH0			DOWEL, .312 x .500
10	4798 276	1				EH0, EL0, EM0			HEATER PACKAGE, Engine Block
11									O RING, Engine Block Heater
	6501 445	AR							1-11/32 Diameter 11/64 Width
	6501 446	1				EH0, EL0, EM0			1-11/32 Diameter 9/64 Width
12	5602 0061	1				EH0, EL0, EM0, EWO			CORD, Engine Block Heater
-13									GASKET PACKAGE, Engine
	4720 651	1				EH0	DBB		
		1				EH0	DG0		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Crankshaft, Piston and Torque Converter 3.9L (EHC) Engine
Figure 3.9L-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

DBB = All Manual Transmissions
DG0 = All Automatic Transmissions
EH0 = All 3.9L V6 Gas Engines
EL0 = All 5.2L 8 Cyl Gas Engines
EM0 = All 5.9L 8 Cyl Gas Engines
EW0 = All 8.0L Gas Engines

1									PIN, Piston, Serviced in Piston, (NOT SERVICED) (Not Serviced)
2									PISTON PIN AND ROD
	4778 863	3				EH0			#1,3,5 C Size, 3.90975
	4778 864	AR				EH0			#2,4,6 C Size, 3.90975
	4778 866	AR				EH0			#2,4,6 D Size, 3.91025
	4778 861	3				EH0			#1,3,5 B Size, 3.90925
	4778 862	3				EH0			#2,4,6 B Size, 3.90925
	4778 865	3				EH0			#1,3,5 D Size, 3.91025
3	4720 653	3				EH0			RING PACKAGE, Piston, Standard Size Complete Engine
4									ROD, Connecting, Serviced in Piston, (NOT SERVICED) (Not Serviced)
5	4397 658	6				EH0			BEARING, Connecting Rod, STD.
6	4397 659	AR				EH0			BEARING, Connecting Rod, .001" U/S
7									BEARING, Connecting Rod, .010" U/S, (NOT REQUIRED)
8	6033 441	6				EH0			BOLT, Connecting Rod
9	4397 778	3				EH0			BEARING PACKAGE, Crankshaft, Standard Size, #1
10	4397 780	AR				EH0, EL0			BEARING PACKAGE, Crankshaft, .001 Undersize, #1
11									BEARING PACKAGE, Crankshaft, .010 Undersize, (NOT REQUIRED)
12	4720 595	1				EH0, EL0			BEARING, Crankshaft, STD., #2
13	4720 596	AR				EH0, EL0			BEARING PACKAGE, Crankshaft, .001 Undersize, #2
14									BEARING PACKAGE, Crankshaft, .010 Undersize, (NOT REQUIRED)
15	4397 778	3				EH0			BEARING PACKAGE, Crankshaft, Standard Size, #3


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Crankshaft, Piston and Torque Converter 3.9L (EHC) Engine
Figure 3.9L-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
16	4397 783	AR				EH0			BEARING PACKAGE, Crankshaft, .001 Undersize, #3
17									BEARING PACKAGE, Crankshaft, .010 Undersize, (NOT REQUIRED)
18	4397 701	1				EH0			BEARING PACKAGE, Crankshaft, Standard Size, #4
19	4397 702	AR				EH0			BEARING PACKAGE, Crankshaft, .001 Undersize, #4
20									BEARING PACKAGE, Crankshaft, .010 Undersize, (NOT REQUIRED)
21									CRANKSHAFT
	5302 0601	1				EH0	DBB		
		1				EH0	DG0		
22									WASHER, Flat, .78x1.9x.250, (NOT REQUIRED)
-23	6036 207AA-	1				EH0, EL0, EM0			SCREW AND WASHER
24									SCREW, Hex Head Header Point, .75-16x2.25, (NOT REQUIRED)
-25	6036 207AA-	1				EH0, EL0, EM0			SCREW AND WASHER
26	5302 0229	1				EH0, EL0			DAMPER, Crankshaft
27									CAP, Serviced in Block, (NOT SERVICED) (Not Serviced)
28	6032 296	6				EH0			NUT, Hex, .375-24
29	6027 264	6				EH0			SCREW, Socket Hex Head, .50- 13x3.25, #1,2,3
-30	6033 300	2				EH0			SCREW, Cap, .50-13x2.80, #4
31	4778 228	2				EH0			SEAL PACKAGE, Crankshaft
32									BEARING, Pilot
	5300 9180	1				EH0	DBB		Sleeve and Bearing
	5300 9181	1				EH0	DBB		Bearing
33	4736 593	1				EH0	DG0		TORQUE CONVERTER
34	1949 424	6				EH0, EL0, EM0	DG0		SCREW, Hex Head Header Point, .75-16x2.25
35	5211 8256	1				EH0	DG0		PLATE, Torque Converter Drive


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Crankshaft, Piston and Torque Converter 3.9L (EHC) Engine
Figure 3.9L-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
36	1949 765	4				EH0, EL0, EM0	DG0		SCREW, Hex Head Header Point, .312-24x.44
37									SCREW, Hex Head Locking, 18x1. 00, (NOT REQUIRED)
38	2843 214	1				EH0	DBB		GEAR, Flywheel Ring
-39	2121 196	1				EH0	DG0		GEAR, Ring
40	5302 0621	1				EH0	DBB		FLYWHEEL
41	6035 948AA	1				EH0, EL0, EM0			WASHER, Sealing

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Camshaft and Valves 3.9L (EHC) Engine Figure 3.9L-510



Note:

EH0 = All 3.9L V6 Gas Engines

EL0 = All 5.2L 8 Cyl Gas Engines

ELF = Magnum 5.2L SMPI V-8 Engine

EM0 = All 5.9L 8 Cyl Gas Engines

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5300 8282	12				EH0			ROCKER ARM, Valve
2	5300 8283	12				EH0			PIVOT, Rocker Arm
3	6034 184	12				EH0			BOLT, Hex Flange Head, .312-18x1.72
4	5300 8633	6				EH0			RETAINER, Rocker Arm Pivot
5	3300 3521	24				EH0			LOCK, Valve Spring Retainer
6	3300 4626	12				EH0			RETAINER, Valve Spring
7	5302 1056	12				EH0			SPRING, Valve
8	5300 9886	6				EH0			SEAL, Valve Guide, Standard, .003 O/S
-9	3300 3016	AR				EH0, EL0			SEAL, Valve Guide, .015" Oversize
10	5300 9887	6				EH0			SEAL, Valve Guide, Standard, .003 O/S
-11	3300 2733	AR				EH0, EL0			SEAL, Valve Guide, .015" Oversize
12	5300 6723	6				EH0			VALVE, Intake, Standard
-13	5300 9287	AR				EH0, EL0			VALVE, Intake, .003" O/S
-14	5300 9285	AR				EH0, EL0			VALVE, Intake, .015" O/S
15	5300 6724	6				EH0			VALVE, Exhaust, Standard
-16	5300 9291	AR				EH0, EL0			VALVE, Exhaust, .003" O/S
-17	5300 9289	AR				EH0, EL0			VALVE, Exhaust, .015" O/S
18	2863 071	1				EH0			PLUG, Camshaft
19	3830 603	1				EH0			BEARING, Camshaft, #1
-20	4179 776	1				EH0			BEARING, Camshaft, #2
-21	4179 778	1				EH0			BEARING, Camshaft, #3 or #4
-22	1632 526	1				EH0			BEARING, Camshaft, #4 or #5
23	4713 439	12				EH0			TAPPET PACKAGE, Valve
24	0431 787	1				EH0, EL0, EM0			KEY, Camshaft Sprocket

DODGE RAM STANDARD CAB (BR)

SERIES

E = WS RAM 1500
L = RAM 1500, 2500, 3500

LINE

1,6 = 1500
2,7 = 2500
3,8 = 3500

BODY

61 = Reg. Cab(118 WB)
62 = Reg. Cab(134 WB)
63 = Reg. Cab(138 WB)
64 = Reg. Cab(162 WB)
65 = Reg. Cab(134 WB)

ENGINE

EHC = 3.9L 6 Cyl.
ELF = 5.2L 8 Cyl.
ETC,ETH = 5.9L 6 Cyl.
EML,EMM = 5.9L 8 Cyl.
EWA = 8.0L 10 Cyl.
EAA = All engines
EAG = All gas engines


TRANSMISSION

DGK = 42RE 4 Spd. Auto.
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDP,DDX,DDC = 5 Spd. Manual
DEE = 6 Spd. Manual
DDO = All 5 Speed Manual
DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Camshaft and Valves 3.9L (EHC) Engine
Figure 3.9L-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
25	5302 0282	1				EHO			CAMSHAFT, Engine
26	5300 6722	12				EHO			PUSH ROD, Valve
27	4387 226	1				EHO			RETAINER, Tappet Yoke Aligning
28	4483 045	6				EHO			YOKE, Tappet Aligning
29	6034 483	2				EHO			SCREW, Hex Head Coned, .312-18x.875

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Timing Gear and Cover 3.9L (EHC) Engine
Figure 3.9L-610

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

EH0 = All 3.9L V6 Gas Engines

EL0 = All 5.2L 8 Cyl Gas Engines

EM0 = All 5.9L 8 Cyl Gas Engines

1	4897 297AA	1				EH0,			SEAL PACKAGE, Timing Case
2	5302 1057	1				EL0 EH0, EL0, EM0			Cover GASKET, Chain Case Cover
3	4897 723AA	1				EH0, EL0			COVER PACKAGE, Engine Timing
4	53021 195AA	1				EH0			TENSIONER, Chain
5									SCREW, Hex Head, .312-18.625, (NOT REQUIRED)
-6	1947 953	2				EH0			SCREW AND WASHER, Hex Head
7	6029 411	1				EH0, EL0			KEY, Crankshaft Sprocket
8	6029 411	1				EH0, EL0			KEY, Crankshaft Sprocket
9	8350 7095	1				EH0, EL0			CHAIN PACKAGE, Timing
10	6034 321	1				EH0, EL0, EM0			SCREW AND WASHER, Hex Head, Coned, Header, .437-14x1.375
11	6034 479	1				EH0, EL0, EM0			BOLT, Hex Head, .375-16x2.25
12	6034 452	1				EH0, EL0, EM0			STUD, .375-16x.375-16x2.38
13	6034 453	2				EH0, EL0, EM0			STUD, .375-16x.375-16x1.63


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Engine Oiling 3.9L (EHC) Engine Figure 3.9L-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0 = All 3.9L V6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
1	4071 043	1				EH0,			COVER, Engine Oil Pump
2	3837 648	1				EH0,			SHAFT AND ROTOR PACKAGE, Oil Pump
3	5302 0462	1				EH0,			PICKUP, Engine Oil
4	5300 9295	1				EL0,			PUMP, Engine Oil
5	0179 842	2				EH0,			SCREW, Hex Head Header Point, .375-16x1.375
6	1737 725	1				EH0			BUSHING, Oil Pump and Distributor
7	5302 0546	1				EH0,			SHAFT, Oil Pump
8	0108 636	1				EL0,			PIN, Cotter
9	2843 208	1				EH0,			PLUNGER, Oil Pressure Relief Valve
10	2402 473	1				EH0,			SPRING, Oil Pressure Relief Valve
11	2806 273	1				EL0			CAP, Oil Pressure Relief Valve
12	0220 480	5				EH0,			SCREW, Hex Head Header Point, .25-20x.75
13	5300 5646	1				EL0			GASKET, Oil Pan
14	6034 483	3				EH0,			SCREW, Hex Head Coned, .312-18x.875
15	5302 0920	1				EL0,			PAN, Engine Oil
16	5302 0461	1				EM0			GASKET, Oil Filter Adapter
17	6035 417	1				EH0,			PLUG, Oil Drain
18	5302 0927	1				EL0			INDICATOR, Engine Oil Level
						EH0			


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Engine Oiling 3.9L (EHC) Engine Figure 3.9L-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
19	5302 0926	1				EH0,			TUBE, Oil Gauge
20	5281 090	1				EL0, EML EH0, EL0,			FILTER, Engine Oil
21	5300 7563	1				EM0 EH0, EL0, EM0			CONNECTOR, Oil Filter
22	5302 1053	1				EH0, EL0, EM0			PLATE, Oil Filter Adapter

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Manifold, Intake and Exhaust 3.9L (EHC) Engine
Figure 3.9L-810



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0 = All 3.9L V6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
EW0 = All 8.0L Gas Engines									
Packages Do Not Contain Gaskets For All Required Sealing. R.T.V. Sealer And Gasket Eliminator Must Also Be Used.									
1	4897 382AA	2				EH0			GASKET PACKAGE, Intake Manifold
2	4897 489AB	1				EH0			MANIFOLD, Intake
3	6035 967AA	12				EH0,			SCREW AND WASHER, Hex Head
						EL0,			
						EM0			
4	5300 6601	1				EH0			GASKET, Intake Manifold Pan
5	6034 643	4				EH0,			STUD, .312-18/.312-24x2.25
						EL0,			
						EM0			
6	6034 806	4				EH0			SCREW AND WASHER, Hex Head,
									.312-18x3.125
7	5303 0872	1				EH0			MANIFOLD, Exhaust
8	5301 0185	1				EH0			MANIFOLD, Exhaust
9	0118 615	4				EH0,			NUT, Hex, .375-16
						EL0,			
						EM0,			
						EW0			
10	0115 729	4				EH0,			NUT, Hex, .312 x 24
						EL0,			
						EM0			
11	6035 375	4				EH0,			BOLT, Hex Head, .375-16x2.50
						EL0,			
						EM0			
12	4004 001	4				EH0,			RETAINER, Exhaust Pipe to
						EL0,			Manifold
						EM0,			
						EW0			
13	6034 583	14				EH0			SCREW AND WASHER, Hex Head,
									.25-20x.892
14	5300 6600	1				EH0			PAN, Intake Manifold
15	5301 0091	4				EH0,			CLAMP, Exhaust Manifold
						EL0,			
						EM0			

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Crankcase Ventilation 3.9L (EHC) Engine
Figure 3.9L-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:
EH0 = All 3.9L V6 Gas Engines
EL0 = All 5.2L 8 Cyl Gas Engines
EM0 = All 5.9L 8 Cyl Gas Engines

1	53030 817AB	1				EH0, EL0, EM0			HOSE, Crankcase Vent
2									FILTER, Crankcase Vent, (NOT REQUIRED)
-3	5303 0497	1				EH0, EL0, EM0			FITTING, Crankcase Vent Tube
4	2946 079	1				EH0, EL0, EM0			GROMMET, Crankcase Vent
5	53008 675AB	1				EH0, EL0			TUBE, PCV Valve
6	5303 1134	1				EH0			VALVE, Crankcase Vent
7	5303 0017	1				EH0, EL0, EM0			GROMMET, Crankcase Vent


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year


September 15, 2005

Group – 5.2L

Engine 5.2L Eight Cylinder



5.2L-100




GROUP 5.2L - Engine 5.2L Eight Cylinder

Illustration Title	Group-Fig. No.
Cylinder Head	
Cylinder Head	Fig. 5.2L-210
Cylinder Block	
Cylinder Block 5.2L (ELF) Engine	Fig. 5.2L-310
Crankshaft, Piston and Torque Converter	
Crankshaft, Piston and Torque Converter 5.2L (ELF) Engine	Fig. 5.2L-410
Camshafts & Valves	
Camshaft and Valves 5.2L (ELF) Engine	Fig. 5.2L-510
Timing Belt and Cover	
Timing Gear and Cover 5.2L (ELF) Engine	Fig. 5.2L-610
Engine Oiling	
Engine Oiling 5.2L (ELF) Engine	Fig. 5.2L-710
Manifolds	
Manifold, Intake and Exhaust 5.2L (ELF) Engine	Fig. 5.2L-810
Crankcase Ventilation	
Crankcase Ventilation 5.2L (ELF) Engine	Fig. 5.2L-910

5.2L-200 Cylinder Head	5.2L-300 Cylinder Block	5.2L-400 Crankshaft, Piston and Torque Converter	5.2L-500 Camshafts & Valves
5.2L-600 Timing Belt and Cover	5.2L-700 Engine Oiling	5.2L-800 Manifolds	5.2L-900 Crankcase Ventilation

Cylinder Head Figure 5.2L-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: EH0 = All 3.9L V6 Gas Engines EL0 = All 5.2L 8 Cyl Gas Engines ELF = Magnum 5.2L SMPI V-8 Engine EM0 = All 5.9L 8 Cyl Gas Engines ET0 = All 5.9L Turbo Diesel Engines EW0 = All 8.0L Gas Engines Packages Do Not Contain Gaskets For All Required Sealing. R.T.V. Sealer And Gasket Eliminator Must Also Be Used. GASKET PACKAGE, Engine Upper - 04897385AB									
1	4777 536	1				EH0, EL0, EM0			CAP, Oil Filler
2	53020 340AB	1				EL0, EM0			COVER, Cylinder Head With Oil Fill Hole
	53020 612AB	1				EL0, EM0			Without Oil Fill Hole
3	5300 6695	2				EL0, EM0			GASKET, Valve Cover
4	5302 1137	2				EM0			HEAD, Cylinder
5	5302 0490	2				EL0			GASKET, Cylinder Head
6	4556 020	4				ELF			PLUG, Core, 1.25 Diameter
7	6035 878AA	12				EH0, EL0, EM0			STUD
-8	6035 877AA-	7				EL0, EM0			SCREW AND WASHER, Hex Head, .25-20x.875
9	5302 0419	8				EL0, EM0			SHIELD, Heat
10	6034 690	10				EL0, EM0			BOLT, Cylinder Head .50-13x2.00
	6034 691	10				EL0, EM0			.50x4.625
-11	4897 385AB-	1				EL0	DBB		GASKET PACKAGE, Engine
		1				ELF	DG0		



DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Cylinder Block 5.2L (ELF) Engine
Figure 5.2L-310




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0 = All 3.9L V6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
EW0 = All 8.0L Gas Engines									
Packages Do Not Contain Gaskets For All Required Sealing. R.T.V. Sealer And Gasket Eliminator Must Also Be Used.									
GASKET PACKAGE, Engine Lower - 04720740									
1	4713 602	1				EL0			BLOCK, Short, Contains: Crank, Rods, Pistons, Rings, Cam Bearings
2	3830 603	1				EL0			BEARING, Camshaft, #1
3	4556 020	1				EL0			PLUG, Core, 1.25 Diameter
-4	4556 022	9				EL0			PLUG, Core, 1.625 Diameter
-5	4556 023	1				EL0			PLUG, Core, 1.695 Diameter
6	3751 818	2				EL0			PLUG, Pipe, Right
-7	5300 9518	1				EL0			PLUG, Cylinder Block Oil Hole
-8									PLUG, Cylinder Block Oil Hole, (NOT SERVICED) (Not Serviced)
9	1122 532	2				EL0			DOWEL, Block To Clutch Housing
10	0141 215	4				EL0			DOWEL, .312 x .500
11	4798 276	1				EH0, EL0, EM0			HEATER PACKAGE, Engine Block
12	6501 445	AR							O RING, Engine Block Heater 1-11/32 Diameter 11/64 Width
	6501 446	1				EH0, EL0, EM0			1-11/32 Diameter 9/64 Width
13	5602 0061	1				EH0, EL0, EM0, EW0			CORD, Engine Block Heater
14	5302 0465	1				EL0			PLUG, Cylinder Block

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Crankshaft, Piston and Torque Converter 5.2L (ELF) Engine Figure 5.2L-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DBB = All Manual Transmissions									
DGO = All Automatic Transmissions									
EH0 = All 3.9L V6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
1									PIN, Piston, Serviced in Piston, (NOT SERVICED) (Not Serviced)
2	4778 855	4				EL0			PISTON PIN AND ROD #1,3,5,7 Size A,B, 3.90875, 3.90925
	4778 856	4				EL0			#2,4,6,8 Size A,B, 3.90875, 3.90925
	4778 859	4				EL0			#1,3,5,7 Size D, 3.91025
	4778 860	4				EL0			#2,4,6,8 Size D, 3.91025
	4778 857	4				EL0			#1,3,5,7 Size C, 3.90975
	4778 858	4				EL0			#2,4,6,8 Size C, 3.90975
3	4720 727	4				EL0			RING PACKAGE, Piston
4									ROD, Connecting, Serviced in Piston, (NOT SERVICED) (Not Serviced)
5	2421 305	8				EL0			BEARING, Connecting Rod, STD.
6	2421 306	AR				EL0			BEARING, Connecting Rod, .001" U/S
7									BEARING, Connecting Rod, .010" U/S, (NOT REQUIRED)
8	6033 441	8				EL0			BOLT, Connecting Rod
9									BEARING PACKAGE, Crankshaft, Standard Size, (NOT REQUIRED)
10	4397 778	4				EL0			BEARING PACKAGE, Crankshaft, Standard Size, #1
11	4397 780	AR				EH0, EL0			BEARING PACKAGE, Crankshaft, .001 Undersize, #1
12									BEARING PACKAGE, Crankshaft, .010 Undersize, (NOT REQUIRED)
13	4397 777	2				EL0			BEARING PACKAGE, Crankshaft, Standard Size, #2,4
14	4397 781	AR				EL0			BEARING PACKAGE, Crankshaft, .001 Undersize, #2,4
15									BEARING PACKAGE, Crankshaft, .010 Undersize, (NOT REQUIRED)


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500 3,8 = 3500	62 = Reg. Cab(134 WB) 63 = Reg. Cab(138 WB) 64 = Reg. Cab(162 WB) 65 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl. ETC,ETH = 5.9L 6 Cyl. EML,EMM = 5.9L 8 Cyl. EWA = 8.0L 10 Cyl. EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDP,DDX,DDC = 5 Spd. Manual DEE = 6 Spd. Manual DDO = All 5 Speed Manual DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Crankshaft, Piston and Torque Converter 5.2L (ELF) Engine
Figure 5.2L-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
16	4720 595	1				EH0, EL0			BEARING, Crankshaft, STD., #3
17	4720 596	AR				EH0, EL0			BEARING PACKAGE, Crankshaft, .001 Undersize, #3
18									BEARING PACKAGE, Crankshaft, .010 Undersize, (NOT REQUIRED)
19	4397 701	1				EL0			BEARING PACKAGE, Crankshaft, Standard Size, #5
20	4397 702	AR				EL0			BEARING PACKAGE, Crankshaft, .001 Undersize, #5
21									BEARING PACKAGE, Crankshaft, .010 Undersize, (NOT REQUIRED)
22									CRANKSHAFT
	5302 0603	1				EL0	DBB		
		1				EL0	DG0		
23									WASHER, Flat, .78x1.9x.250, (NOT REQUIRED)
-24	6036 207AA-	1				EH0, EL0, EM0			SCREW AND WASHER
25									SCREW, Hex Head Header Point, .75-16x2.25, (NOT REQUIRED)
-26	6036 207AA-	1				EH0, EL0, EM0			SCREW AND WASHER
27	5302 0229	1				EH0, EL0			DAMPER, Crankshaft
28									CAP, Serviced in Block, (NOT SERVICED) (Not Serviced)
29	6032 296	8				EL0			NUT, Hex, .375-24
30	6027 264	8				EL0			SCREW, Socket Hex Head, .50- 13x3.25, #1,2,3
-31	6033 300	2				EL0			SCREW, Cap, .50-13x2.80, #4
32	4778 228	2				EL0			SEAL PACKAGE, Crankshaft
33									BEARING, Pilot
	5300 9180	1				EL0	DBB		Sleeve and Bearing
	5300 9181	1				EL0	DBB		Bearing
34	4736 595	1				EL0	DG0		TORQUE CONVERTER


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Crankshaft, Piston and Torque Converter 5.2L (ELF) Engine
Figure 5.2L-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
35	1949 424	6				EH0, EL0, EM0	DG0		SCREW, Hex Head Header Point, .75-16x2.25
36	5211 8255	1				EL0	DG0		PLATE, Torque Converter Drive
37	1949 765	4				EH0, EL0, EM0	DG0		SCREW, Hex Head Header Point, .312-24x.44
38	6036 143AA	6				EH0, EL0, EM0	DBB		SCREW
39	2843 214	1				EL0	DBB		GEAR, Flywheel Ring
-40	3515 203	1				EL0	DG0		GEAR, Ring
41	5302 0521	1				EL0	DBB		FLYWHEEL
42	6035 948AA	1				EH0, EL0, EM0			WASHER, Sealing


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Camshaft and Valves 5.2L (ELF) Engine
Figure 5.2L-510




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0 = All 3.9L V6 Gas Engines									
ELF = Magnum 5.2L SMPI V8 Engine									
EL0 = All 5.2L 8 Cyl Gas Engines									
EML = Magnum 5.9L SMPI V8 Engine									
EMM = Magnum 5.9L SMPI V8 Engine									
EM0 = All 5.9L 8 Cyl Gas Engines									
ET0 = All 5.9L Turbo Diesel Engines									
EW0 = All 8.0L Gas Engines									
1	5300 8282	16				EL0, EM0			ROCKER ARM, Valve
2	5300 8283	16				EL0, EM0			PIVOT, Rocker Arm
3	6034 184	16				EL0, EM0			BOLT, Hex Flange Head, .312-18x1.72
4	5300 8633	8				EL0, EM0			RETAINER, Rocker Arm Pivot
5	3300 3521	32				EL0, EM0			LOCK, Valve Spring Retainer
6	3300 4626	16				EL0, EM0			RETAINER, Valve Spring
7	5302 1056	16				EL0, EM0			SPRING, Valve
8	5300 9886	8				ELF, EM0			SEAL, Valve Guide, Standard, .003 O/S
-9	3300 3016	AR				EH0, EL0			SEAL, Valve Guide, .015" Oversize
10	5300 9887	8				ELF, EM0			SEAL, Valve Guide, Standard, .003 O/S
-11	3300 2733	AR				EH0, EL0			SEAL, Valve Guide, .015" Oversize
12	5300 6723	8				ELF, EM0			VALVE, Intake, Standard
-13	5300 9287	AR				EH0, EL0			VALVE, Intake, .003" O/S
-14	5300 9285	AR				EH0, EL0			VALVE, Intake, .015" O/S
15	5300 6724	8				EL0, EM0			VALVE, Exhaust, Standard

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Camshaft and Valves 5.2L (ELF) Engine
Figure 5.2L-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-16	5300 9291	AR				EH0, EL0			VALVE, Exhaust, .003" O/S
-17	5300 9289	AR				EH0, EL0			VALVE, Exhaust, .015" O/S
18	2863 071	1				EL0			PLUG, Camshaft
19	3830 603	1				EL0			BEARING, Camshaft, #1
-20	4179 776	1				EL0			BEARING, Camshaft, #2
-21	4179 777	1				EL0			BEARING, Camshaft, #3
-22	4179 778	1				EL0			BEARING, Camshaft, #3 or #4
-23	1632 526	1				EL0			BEARING, Camshaft, #4 or #5
24	4713 439	16				EL0			TAPPET PACKAGE, Valve
25	0431 787	1				EH0, EL0, EM0			KEY, Camshaft Sprocket
26	5302 0283	1				EL0			CAMSHAFT, Engine
27	5300 6722	16				EL0, EM0			PUSH ROD, Valve
28	4323 207	1				EL0, EM0			RETAINER, Tappet Yoke Aligning
29	4483 045	8				EL0, EM0			YOKE, Tappet Aligning
30	6034 483	2				EH0			SCREW, Hex Head Coned, .312-18x.875

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Timing Gear and Cover 5.2L (ELF) Engine Figure 5.2L-610

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

EH0 = All 3.9L V6 Gas Engines

EL0 = All 5.2L 8 Cyl Gas Engines

EM0 = All 5.9L 8 Cyl Gas Engines

1	4897 297AA	1				EH0,			SEAL PACKAGE, Timing Case
2	5302 1057	1				EL0 EH0, EL0, EM0			Cover GASKET, Chain Case Cover
3	4897 723AA	1				EH0, EL0			COVER PACKAGE, Engine Timing
4	3671 649	1				EL0, EM0			TAB, Timing Chain Oil
5	4315 764	1				EL0, EM0			PLATE, Camshaft Thrust
6									SCREW, Hex Head, .312-18.625, (NOT REQUIRED)
-7	1947 953	3				EH0, EL0, EM0			SCREW AND WASHER, Hex Head
8	6029 411	1				EH0, EL0			KEY, Crankshaft Sprocket
9	6029 411	1				EH0, EL0			KEY, Crankshaft Sprocket
10	8350 7095	1				EH0, EL0			CHAIN PACKAGE, Timing
11	6034 321	1				EH0, EL0, EM0			SCREW AND WASHER, Hex Head, Coned, Header, .437-14x1.375
12	6034 479	1				EH0, EL0, EM0			BOLT, Hex Head, .375-16x2.25
13	6034 452	1				EH0, EL0, EM0			STUD, .375-16x.375-16x2.38
14	6034 453	2				EH0, EL0, EM0			STUD, .375-16x.375-16x1.63


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Engine Oiling 5.2L (ELF) Engine
Figure 5.2L-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0 = All 3.9L V6 Gas Engines									
ELO = All 5.2L 8 Cyl Gas Engines									
EML = Magnum 5.9L SMPI V8 Engine									
EM0 = All 5.9L 8 Cyl Gas Engines									
1	4071 043	1				EH0, ELO			COVER, Engine Oil Pump
2	3837 648	1				EH0, ELO			SHAFT AND ROTOR PACKAGE, Oil Pump
3	5302 0462	1				EH0, ELO			PICKUP, Engine Oil
4	5300 9295	1				EH0, ELO			PUMP, Engine Oil
5	0179 842	2				EH0, ELO, EM0			SCREW, Hex Head Header Point, .375-16x1.375
6	1737 725	1				ELO			BUSHING, Oil Pump and Distributor
7	5302 0546	1				EH0, ELO, EM0			SHAFT, Oil Pump
8	0108 636	1				EH0, ELO			PIN, Cotter
9	2843 208	1				EH0, ELO			PLUNGER, Oil Pressure Relief Valve
10	2402 473	1				EH0, ELO			SPRING, Oil Pressure Relief Valve
11	2806 273	1				EH0, ELO			CAP, Oil Pressure Relief Valve
12	0220 480	5				EH0, ELO			SCREW, Hex Head Header Point, .25-20x.75
13	5300 5650	1				ELO			GASKET, Oil Pan
14	6034 483	3				EH0, ELO,			SCREW, Hex Head Coned, .312-18x.875
15	5302 0913	1				EM0 ELO			PAN, Engine Oil
16	6035 417	1				EH0, ELO			PLUG, Oil Drain, w/Gasket
17	5302 0928	1				ELO, EML			INDICATOR, Engine Oil Level

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Engine Oiling 5.2L (ELF) Engine
Figure 5.2L-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
18	5302 0926	1				EH0, ELO, EML			TUBE, Oil Gauge
19	5281 090	1				EH0, ELO, EM0			FILTER, Engine Oil
20	5300 7563	1				EH0, ELO, EM0			CONNECTOR, Oil Filter
21	5302 1053	1				EH0, ELO, EM0			PLATE, Oil Filter Adapter
22	5302 0461	1				EH0, ELO, EM0			GASKET, Oil Filter Adapter

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Manifold, Intake and Exhaust 5.2L (ELF) Engine
Figure 5.2L-810




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0 = All 3.9L V6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
ET0 = All 5.9L Turbo Diesel Engines									
EW0 = All 8.0L Gas Engines									
Packages Do Not Contain Gaskets For All Required Sealing. R.T.V. Sealer And Gasket Eliminator Must Also Be Used.									
1	4897 383AA	2				EL0, EM0			GASKET PACKAGE, Intake Manifold
2	4897 490AB	1				EL0			MANIFOLD, Intake
3	6035 967AA	12				EH0, EL0, EM0			SCREW AND WASHER, Hex Head
4	5300 6623	1				EL0, EM0			GASKET, Intake Manifold Pan
5	6034 643	4				EH0, EL0, EM0			STUD, .312-18/.312-24x2.25
6	6034 806	8				EL0, EM0			SCREW AND WASHER, Hex Head, .312-18x3.125
7	5303 0873	1				EL0			MANIFOLD, Exhaust, Right
8	5301 0189	1				EL0			MANIFOLD, Exhaust, Left
9	0118 615	4				EH0, EL0, EM0, EW0			NUT, Hex, .375-16
10	0115 729	4				EH0, EL0, EM0			NUT, Hex, .312 x 24
11	6035 375	4				EH0, EL0, EM0			BOLT, Hex Head, .375-16x2.50
12	4004 001	4				EH0, EL0, EM0, EW0			RETAINER, Exhaust Pipe to Manifold
13	6034 583	15				EL0, EM0			SCREW AND WASHER, Hex Head, .25-20x.892
14	5300 6617	1				EL0, EM0			PAN, Intake Manifold

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Manifold, Intake and Exhaust 5.2L (ELF) Engine
Figure 5.2L-810




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
15	5301 0091	4				EH0, EL0, EM0			CLAMP, Exhaust Manifold
-16	3580 172	1				EH0, EL0, EM0			CAP, Vacuum

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Crankcase Ventilation 5.2L (ELF) Engine
Figure 5.2L-910




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:
EH0 = All 3.9L V6 Gas Engines
EL0 = All 5.2L 8 Cyl Gas Engines
EM0 = All 5.9L 8 Cyl Gas Engines

1	53030 817AB	1				EH0, EL0, EM0			HOSE, Crankcase Vent
2	5303 1135	1				EL0, EM0			VALVE, Crankcase Vent
3	5303 0017	1				EH0, EL0, EM0			GROMMET, Crankcase Vent
4	53008 675AB	1				EH0, EL0			TUBE, PCV Valve
5									FILTER, Crankcase Vent, (NOT REQUIRED)
-6	5303 0497	1				EH0, EL0, EM0			FITTING, Crankcase Vent Tube
7	2946 079	1				EH0, EL0, EM0			GROMMET, Crankcase Vent









DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Group – 5.9L
Engine 5.9L Eight Cylinder




GROUP 5.9L - Engine 5.9L Eight Cylinder

Illustration Title	Group-Fig. No.
Cylinder Head Cylinder Head 5.9L (EML), 5.9L (EMM) Engine	Fig. 5.9L-210
Cylinder Block Cylinder Block 5.9L (EML), 5.9L (EMM) Engine	Fig. 5.9L-310
Crankshaft, Piston and Torque Converter Crankshaft, Piston and Torque Converter 5.9L (EML), 5.9L (EMM) Engine	Fig. 5.9L-410
Camshafts & Valves Camshaft and Valves 5.9L (EML), 5.9L (EMM) Engine	Fig. 5.9L-510
Timing Belt and Cover Timing Gear and Cover 5.9L (EML), 5.9L (EMM) Engine	Fig. 5.9L-610
Engine Oiling Engine Oiling 5.9L (EML), 5.9L (EMM) Engine	Fig. 5.9L-710
Manifolds Manifold, Intake and Exhaust 5.9L (EML), 5.9L (EMM) Engine	Fig. 5.9L-810
Crankcase Ventilation Crankcase Ventilation 5.9L (EML), 5.9L (EMM) Engine	Fig. 5.9L-910

5.9L-200 Cylinder Head	5.9L-300 Cylinder Block	5.9L-400 Crankshaft, Piston and Torque Converter	5.9L-500 Camshafts & Valves
			
5.9L-600 Timing Belt and Cover	5.9L-700 Engine Oiling	5.9L-800 Manifolds	5.9L-900 Crankcase Ventilation
			

Cylinder Head 5.9L (EML), 5.9L (EMM) Engine
Figure 5.9L-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Packages Do Not Contain Gaskets For All Required Sealing. R.T.V. Sealer And Gasket Eliminator Must Also Be Used.

EH0 = All 3.9L V6 Gas Engines

EL0 = All 5.2L 8 Cyl Gas Engines

EM0 = All 5.9L 8 Cyl Gas Engines



-1	4897 386AC-	1				EM0			GASKET PACKAGE, Engine Upper
2	4777 536	1				EH0, EL0, EM0			CAP, Oil Filler
3									COVER, Cylinder Head
	53020 340AB	1				EL0, EM0			w/Oil Fill Hole
	53020 612AB	1				EL0, EM0			w/o Oil Fill Hole
4	5300 6695	2				EL0, EM0			GASKET, Valve Cover
5	5302 1137	2				EM0			HEAD, Cylinder
6	5302 1098	2				EM0			GASKET, Cylinder Head
7	5302 0419	8				EL0, EM0			SHIELD, Heat
-8	4556 020	4				EM0			PLUG, Core, 1.25 Diameter
9	6035 878AA	12				EH0, EL0, EM0			STUD
-10	6035 877AA-	7				EL0, EM0			SCREW AND WASHER, Hex Head, .25-20x.875
11									BOLT, Cylinder Head
	6034 691	10				EL0, EM0			.50x4.625
	6034 690	10				EL0, EM0			.50-13x2.00

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Cylinder Block 5.9L (EML), 5.9L (EMM) Engine
Figure 5.9L-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Packages Do Not Contain Gaskets For All Required Sealing. R.T.V. Sealer And Gasket Eliminator Must Also Be Used.

EH0 = All 3.9L V6 Gas Engines

EL0 = All 5.2L 8 Cyl Gas Engines

EM0 = All 5.9L 8 Cyl Gas Engines

EW0 = All 8.0L Gas Engines

-1	4746 001	1				EM0			GASKET PACKAGE, Engine
2	4741 528AB	1				EM0			BLOCK, Short, Contains: Crank, Rods, Pistons, Rings, Cam Bearings
3	3830 603	1				EM0			BEARING, Camshaft, #1
4	4556 020	2				EM0			PLUG, Core, 1.25 Diameter
-5	4556 022	9				EL0			PLUG, Core, 1.625 Diameter
6	3751 818	2				EM0			PLUG, Pipe
-7	5300 9518	1				EM0			PLUG, Cylinder Block Oil Hole
-8									PLUG, Cylinder Block, 3/8NPT, (NOT SERVICED) (Not Serviced)
9	1122 532	2				EM0			DOWEL, Block To Clutch Housing
10	0141 215	4				EM0			DOWEL, .312 x .500
11	4798 276	1				EH0, EL0, EM0			HEATER PACKAGE, Engine Block
12	6501 445	AR							O RING, Engine Block Heater 1-11/32 Diameter 11/64 Width
	6501 446	1				EH0, EL0, EM0			1-11/32 Diameter 9/64 Width
13	5602 0061	1				EH0, EL0, EM0, EW0			CORD, Engine Block Heater


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Crankshaft, Piston and Torque Converter 5.9L (EML), 5.9L (EMM) Engine Figure 5.9L-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DBB = All Manual Transmissions									
DGO = All Automatic Transmissions									
EH0 = All 3.9L V6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
EW0 = All 8.0L Gas Engines									
1									PIN, Piston, Serviced in Piston, (NOT SERVICED) (Not Serviced)
2									PISTON AND PIN
	4778 871	4				EM0			#1,3,5,7 B Size, 3.99975
	4778 872	4				EM0			#2,4,6,8 B Size, 3.99975
	4778 875	4				EM0			#1,3,5,7 D Size, 4.00075
	4778 873	4				EM0			#1,3,5,7 C Size, 4.00025
	4778 874	4				EM0			#2,4,6,8 C Size, 4.00025
	4778 876	4				EM0			#2,4,6,8 D Size, 4.00075
3	4740 259	4				EM0			RING, Piston
4									ROD, Connecting, Serviced in Piston, (NOT SERVICED) (Not Serviced)
5	2421 305	8				EM0			BEARING, Connecting Rod, STD.
-6									BEARING, Connecting Rod, .001" U/S, (NOT REQUIRED)
-7									BEARING, Connecting Rod, .010" U/S, (NOT REQUIRED)
8	6033 441	8				EM0			BOLT, Connecting Rod
9	4026 487	3				EM0			BEARING PACKAGE, Crankshaft, Standard Size, #1,2,4
10									BEARING PACKAGE, Crankshaft, .001 Undersize, (NOT REQUIRED)
11									BEARING PACKAGE, Crankshaft, .010 Undersize, (NOT REQUIRED)
12	4713 030	1				EM0			BEARING PACKAGE, Crankshaft, Standard Size, #3
13									BEARING PACKAGE, Crankshaft, .001 Undersize, (NOT REQUIRED)
14									BEARING, Crankshaft Thrust, .010" U/S, (NOT REQUIRED)
15	3780 100	1				EM0			BEARING PACKAGE, Crankshaft, Standard Size, #5


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Crankshaft, Piston and Torque Converter 5.9L (EML), 5.9L (EMM) Engine Figure 5.9L-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
16									BEARING PACKAGE, Crankshaft, .001 Undersize, (NOT REQUIRED)
17									BEARING PACKAGE, Crankshaft, .010 Undersize, (NOT REQUIRED)
18	4790 759AB	1				EM0	DG0		CRANKSHAFT AND KEY
19									WASHER, Flat, .78x1.9x.250, (NOT REQUIRED)
-20	6036 207AA-	1				EH0, EL0, EM0			SCREW AND WASHER
21									SCREW, Hex Head Header Point, .75-16x2.25, (NOT REQUIRED)
-22	6036 207AA-	1				EH0, EL0, EM0			SCREW AND WASHER
23	5302 0182	1				EM0			DAMPER, Crankshaft
24									CAP, Serviced in Block, (NOT SERVICED) (Not Serviced)
25	6032 296	8				EM0			NUT, Hex, .375-24
26	6027 264	10				EM0			SCREW, Socket Hex Head, .50-13x3.25
27	4798 216AB	2				EM0			SEAL PACKAGE, Crankshaft
28	5300 9181	1				EM0	DBB		Bearing, Pilot
	53009 180AB	1				EM0	DBB		Sleeve and Bearing
29	4736 591	1				EM0	DG0		TORQUE CONVERTER
30	1949 424	6				EH0, EL0, EM0	DG0		SCREW, Hex Head Header Point, .75-16x2.25
31	4863 841	1				EM0	DG0		PLATE, Torque Converter Drive
32	1949 765	4				EH0, EL0, EM0	DG0		SCREW, Hex Head Header Point, .312-24x.44
33	6036 143AA	6				EH0, EL0, EM0	DBB		SCREW, Hex Head Locking, 18x1.00
34	2843 214	1				EM0	DBB		GEAR, Flywheel Ring
-35	3515 203	1				EM0	DG0		GEAR, Ring
36	5302 0585	1				EM0	DBB		FLYWHEEL


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Crankshaft, Piston and Torque Converter 5.9L (EML), 5.9L (EMM) Engine
Figure 5.9L-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


37	6035 948AA	1				EH0, ELO, EM0			WASHER, Sealing
----	------------	---	--	--	--	---------------------	--	--	-----------------

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Camshaft and Valves 5.9L (EML), 5.9L (EMM) Engine Figure 5.9L-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0 = All 3.9L V6 Gas Engines									
ELF = Magnum 5.2L SMPI V8 Engine									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
EW0 = All 8.0L Gas Engines									
1	5300 8282	16				EL0, EM0			ROCKER ARM, Valve
2	5300 8283	16				EL0, EM0			PIVOT, Rocker Arm
3	6034 184	16				EL0, EM0			BOLT, Hex Flange Head, .312-18x1.72
4	5300 8633	8				EL0, EM0			RETAINER, Rocker Arm Pivot
5	3300 3521	32				EL0, EM0			LOCK, Valve Spring Retainer
6	3300 4626	16				EL0, EM0			RETAINER, Valve Spring
7	5302 1056	16				EL0, EM0			SPRING, Valve
8	5300 9886	8				ELF, EM0			SEAL, Valve Guide, Standard, .003 O/S
-9									SEAL, Valve Guide, .015" Oversize, (NOT REQUIRED)
10	5300 9887	8				ELF, EM0			SEAL, Valve Guide, Standard, .003 O/S
-11									SEAL, Valve Guide, .015" Oversize, (NOT REQUIRED)
12	5300 6723	8				ELF, EM0			VALVE, Intake, Standard
-13									VALVE, Intake, .003" O/S, (NOT REQUIRED)
-14									VALVE, Intake, .015" O/S, (NOT REQUIRED)
15	5300 6724	8				EL0, EM0			VALVE, Exhaust, Standard
-16									VALVE, Exhaust, .003" O/S, (NOT REQUIRED)
-17									VALVE, Exhaust, .015" O/S, (NOT REQUIRED)


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Camshaft and Valves 5.9L (EML), 5.9L (EMM) Engine Figure 5.9L-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
18	2863 071	1				EM0			PLUG, Camshaft
19	3830 603	1				EM0			BEARING, Camshaft, #1
-20	4179 776	1				EM0			BEARING, Camshaft, #2
-21	4179 777	1				EM0			BEARING, Camshaft, #3
-22	4179 778	1				EM0			BEARING, Camshaft, #3 or #4
-23	1632 526	1				EM0			BEARING, Camshaft, #4 or #5
24	4713 439	16				EM0			TAPPET PACKAGE, Valve
25	0431 787	1				EH0, EL0,			KEY, Camshaft Sprocket
26	5302 1101	1				EM0			CAMSHAFT, Engine
27	5300 6722	16				EL0, EM0			PUSH ROD, Valve
28	4323 207	1				EL0, EM0			RETAINER, Tappet Yoke Aligning
29	4483 045	8				EL0, EM0			YOKE, Tappet Aligning
30	6034 483	3				EL0, EM0			SCREW, Hex Head Coned, .312-18x.875


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Timing Gear and Cover 5.9L (EML), 5.9L (EMM) Engine
Figure 5.9L-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DBB = All Manual Transmissions									
DG0 = All Automatic Transmissions									
EH0 = All 3.9L V6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
EW0 = All 8.0L Gas Engines									
1	4897 297AA	1				EM0			SEAL PACKAGE, Timing Case Cover
2	5302 1057	1				EH0, EL0, EM0			GASKET, Chain Case Cover
3	4897 723AA	1				EM0			COVER PACKAGE, Engine Timing
4	3671 649	1				EL0, EM0			TAB, Timing Chain Oil
5	4315 764	1				EL0, EM0			PLATE, Camshaft Thrust
6									SCREW, Hex Head, .312-18.625, (NOT REQUIRED)
-7	6034 483	3				EL0, EM0			SCREW, Hex Head Coned, .312- 18x.875
8									KEY, Crankshaft Sprocket
	6029 411	1				EM0	DBB		KEY, Crankshaft Sprocket
		1				EM0	DG0		
9									KEY, Crankshaft Sprocket
	6029 411	1				EM0	DBB		CHAIN PACKAGE, Timing
		1				EM0	DG0		
10	8350 7095	1				EM0			SCREW AND WASHER, Hex Head, Coned, Header, .437-14x1.375
11	6034 321	1				EH0, EL0, EM0			
12	6034 479	1				EH0, EL0, EM0			BOLT, Hex Head, .375-16x2.25
13	6034 452	1				EH0, EL0, EM0			STUD, .375-16x.375-16x2.38
14	6034 453	2				EH0, EL0, EM0			STUD, .375-16x.375-16x1.63

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Engine Oiling 5.9L (EML), 5.9L (EMM) Engine
Figure 5.9L-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0 = All 3.9L V6 Gas Engines									
ELO = All 5.2L 8 Cyl Gas Engines									
EML = Magnum 5.9L SMPI V8 Engine									
EMM = Magnum 5.9L SMPI V8 Engine									
EM0 = All 5.9L 8 Cyl Gas Engines									
1	4071 043	1				EM0			COVER, Engine Oil Pump
2	3837 648	1				EM0			SHAFT AND ROTOR PACKAGE, Oil Pump
3	5302 0462	1				EM0			PICKUP, Engine Oil
4	5300 9295	1				EM0			PUMP, Engine Oil
5	0179 842	2				EH0, ELO,			SCREW, Hex Head Header Point, .375-16x1.375
6	1737 725	1				EM0			BUSHING, Oil Pump and Distributor
7	5302 0546	1				EH0, ELO,			SHAFT, Oil Pump
8	0108 636	1				EM0			PIN, Cotter
9	2843 208	1				EM0			PLUNGER, Oil Pressure Relief Valve
10	2402 473	1				EM0			SPRING, Oil Pressure Relief Valve
11	2806 273	1				EM0			CAP, Oil Pressure Relief Valve
12	0220 480	5				EM0			SCREW, Hex Head Header Point, .25-20x.75
13	5300 8610	1				EM0			GASKET, Oil Pan
14	6034 483	3				EH0, ELO, EM0			SCREW, Hex Head Coned, .312- 18x.875
15	5302 0918	1				EM0			PAN, Engine Oil
16	6035 417	1				EM0			PLUG, Oil Drain
17	5302 0928	1				ELO, EML			INDICATOR, Engine Oil Level
18	5302 0934	1				EMM			TUBE, Oil Gauge
18	5302 0926	1				EH0, ELO, EML			TUBE, Oil Gauge
-19	5302 0062	1				EMM			TUBE, Engine Oil Indicator

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Engine Oiling 5.9L (EML), 5.9L (EMM) Engine Figure 5.9L-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
20	5281 090	1				EH0,			FILTER, Engine Oil
21	5300 7563	1				EL0, EM0 EH0, EL0,			CONNECTOR, Oil Filter
22	5302 1053	1				EM0 EH0, EL0, EM0			PLATE, Oil Filter Adapter
23	5302 0461	1				EH0, EL0, EM0			GASKET, Oil Filter Adapter

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Manifold, Intake and Exhaust 5.9L (EML), 5.9L (EMM) Engine
Figure 5.9L-810



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

DG0 = All Automatic Transmissions

EH0 = All 3.9L V6 Gas Engines

EL0 = All 5.2L 8 Cyl Gas Engines

EML = Magnum 5.9L SMPI V8 Engine

EMM = Magnum 5.9L SMPI V8 Engine

EM0 = All 5.9L 8 Cyl Gas Engines

EW0 = All 8.0L Gas Engines

Packages Do Not Contain Gaskets For All Required Sealing. R.T.V. Sealer And Gasket Eliminator Must Also Be Used.

1	4897 383AB	1				EL0, EM0			GASKET PACKAGE, Intake Manifold
2	4897 490AC	1				EM0	DG0		MANIFOLD, Intake
3	6035 967AA	12				EH0,			SCREW AND WASHER, Hex Head
						EL0, EM0			
4	5300 6623	1				EL0, EM0			GASKET, Intake Manifold Pan
5	6034 643	4				EH0, EL0, EM0			STUD, .312-18/.312-24x2.25
6	6034 806	8				EL0,			SCREW AND WASHER, Hex Head,
						EM0			.312-18x3.125
7	5303 0873	1				EM0			MANIFOLD, Exhaust, Right
8	5301 0189	1				EM0			MANIFOLD, Exhaust, Left
9	0118 615	4				EH0,			NUT, Hex, .375-16
						EL0, EM0, EW0			
10	0115 729	4				EH0,			NUT, Hex, .312 x 24
						EL0, EM0			
11	6035 375	4				EH0, EL0,			BOLT, Hex Head, .375-16x2.50
						EM0			
12	5300 6617	1				EL0, EM0			PAN, Intake Manifold
13	4004 001	4				EH0,			RETAINER, Exhaust Pipe to
						EL0, EM0, EW0			Manifold


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Manifold, Intake and Exhaust 5.9L (EML), 5.9L (EMM) Engine
Figure 5.9L-810




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
14									PLUG, 3/8-18, (NOT SERVICED) (Not Serviced)
15	5301 0091	4				EH0, EL0, EM0			CLAMP, Exhaust Manifold
16	6034 583	15				EL0, EM0			SCREW AND WASHER, Hex Head, .25-20x.892
-17	3580 172	1				EH0, EL0, EM0			CAP, Vacuum

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Crankcase Ventilation 5.9L (EML), 5.9L (EMM) Engine
Figure 5.9L-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:
DBB = All Manual Transmissions
DGO = All Automatic Transmissions
EH0 = All 3.9L V6 Gas Engines
ELO = All 5.2L 8 Cyl Gas Engines
EM0 = All 5.9L 8 Cyl Gas Engines
EW0 = All 8.0L Gas Engines

1	53030 817AB	1				EH0, ELO,			HOSE, Crankcase Vent
2	5303 1135	1				EM0 ELO, EM0			VALVE, Crankcase Vent
3	5303 0017	1				EH0, ELO, EM0			GROMMET, Crankcase Vent
4	53008 675AB	1				EM0 EM0	DGO DBB		TUBE, PCV Valve
5									FILTER, Crankcase Vent, (NOT REQUIRED)
-6	5303 0497	1				EH0, ELO, EM0			FITTING, Crankcase Vent Tube
7	2946 079	1				EH0, ELO, EM0			GROMMET, Crankcase Vent

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Group – 8.0L



Engine 8.0L Ten Cylinder (Truck)









GROUP 8.0L - Engine 8.0L Ten Cylinder (Truck)

Illustration Title


Group-Fig. No.

Cylinder Head	
Cylinder Head 8.0L (EWA) Engine	Fig. 8.0L-210
Cylinder Block	
Cylinder Block 8.0L (EWA) Engine	Fig. 8.0L-310
Crankshaft, Piston and Torque Converter	
Crankshaft, Piston and Torque Converter 8.0L (EWA) Engine	Fig. 8.0L-410
Camshafts & Valves	
Camshaft and Valves 8.0L (EWA) Engine	Fig. 8.0L-510
Timing Belt and Cover	
Timing Gear and Cover 8.0L (EWA) Engine	Fig. 8.0L-610
Engine Oiling	
Engine Oiling 8.0L (EWA) Engine	Fig. 8.0L-710
Manifolds	
Manifold, Intake 8.0L (EWA) Engine	Fig. 8.0L-810
Manifold, Exhaust 8.0L (EWA) Engine	Fig. 8.0L-820
Crankcase Ventilation	
Crankcase Ventilation 8.0L (EWA) Engine	Fig. 8.0L-910



8.0L-200 Cylinder Head	8.0L-300 Cylinder Block	8.0L-400 Crankshaft, Piston and Torque Converter	8.0L-500 Camshafts & Valves
			
8.0L-600 Timing Belt and Cover	8.0L-700 Engine Oiling	8.0L-800 Manifolds	8.0L-900 Crankcase Ventilation
			

Cylinder Head 8.0L (EWA) Engine
Figure 8.0L-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Upper Gasket Package Contains: Valve Cover and Cylinder Head Gaskets, Intake Manifold Gaskets, Thermostat and Throttle Body Gaskets

Sales Codes:

EW0 = All 8.0L Gas Engines



-1									GASKET PACKAGE, Engine
	4746 045AB-	1				EW0	DBB		Upper
		1				EW0	DG0		Upper
2	5304 1054	1				EW0			COVER, Cylinder Head, Right
3	5304 1055	1				EW0			COVER, Cylinder Head, Left
4	4556 020	1				EW0			PLUG, Core, 1.25 Diameter
5	J400 7307	12				EW0			BOLT, Hex Flange Head, .500-13x4.52
6	53020 066AB	2				EW0			HEAD, Cylinder
7	J317 8449	2				EW0			PLUG, Cylinder Block Oil Hole
8	5304 1049	2				EW0			GASKET, Cylinder Head
9	5302 0073	2				EW0			GASKET, Valve Cover
10	6034 444	7				EW0			STUD, .312-18/.250-20x2.685
11	6034 443	17				EW0			SCREW, Hex Head Coned, .312-18x1.375
12	4777 536	1				EW0			CAP, Oil Filler
13	5302 0067	12				EW0			BOLT, Cylinder Head

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Cylinder Block 8.0L (EWA) Engine
Figure 8.0L-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

DBB = All Manual Transmissions

DGP = 4 Speed Automatic Transmission 47RE

EW0 = All 8.0L Gas Engines

1	6034 847	12				EW0			BOLT, Main Bearing Cap
2	J400 5149	4				EW0			DOWEL, Oil Pump
3	4796 663	1				EW0			BLOCK, Short, Contains: Crank, Rods, Pistons, Rings, Cam Bearings
4									SCREW AND WASHER, Hex Head, .437-14x2.00
	6024 473	2				EW0	DGP		
		2				EW0	DBB		
5									CAP, (NOT SERVICED) (Not Serviced)
6	4556 022	11				EW0			PLUG, Core, 1.625 Diameter
7	J317 8449	2				EW0			PLUG, Cylinder Block Oil Hole
8	J010 3877	2				EW0			PLUG, Square Head, 1/8-27NPTx.32
9									PLUG, (NOT SERVICED) (Not Serviced)
10									DOWEL, [.187x.500], (NOT SERVICED) (Not Serviced)
11	5304 0018	2				EW0			DOWEL, Clutch Housing
12	4798 276	1				EW0			HEATER PACKAGE, Engine Block
13	6501 445	AR							O RING, Engine Block Heater
14	5602 7117	AR							CORD, Engine Block Heater

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Crankshaft, Piston and Torque Converter 8.0L (EWA) Engine
Figure 8.0L-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

DBB = All Manual Transmissions

DG0 = All Automatic Transmissions

EW0 = All 8.0L Gas Engines


1	53006 216AB	1				EW0	DBB		FLYWHEEL
2	4428 037	1				EW0	DBB		GEAR, Ring
3	5300 5843	1				EW0			RETAINER, Crankshaft Rear Oil Seal
4									PISTON PIN AND ROD
	4856 120AB	5				EW0			#2,4,6,8,10
	4856 121AB	5				EW0			#1,3,5,7,9
5	4741 750	1				EW0			RING, Piston
6	52107 562AB	1				EW0	DBB		BEARING, Pilot
7	5302 0776	1				EW0			DAMPER, Crankshaft
8	5300 5840	1				EW0			CRANKSHAFT
9	6032 296	10				EW0			NUT, Hex, .375-24
10	6033 441	10				EW0			BOLT, Connecting Rod
11	5211 8506	1				EW0	DG0		CONVERTER, Torque
12	5300 5837	1				EW0			GASKET, Rear Crankshaft Oil Seal
13	5302 1075	1				EW0			GASKET, Rear Crankshaft Oil Seal
14	6035 811	8				EW0	DBB		BOLT, Hex Head, .437-20x1.50
-15	6035 462	8				EW0	DG0		BOLT, Flexplate
16	2421 305	10				EW0			BEARING, Connecting Rod, STD.
-17	2421 306	AR				EW0			BEARING, Connecting Rod, .001" U/S
-18									BEARING, Connecting Rod, .010" U/S, (NOT REQUIRED)
19	6034 749	1				EW0			KEY, Crankshaft Sprocket
20									ROD, Connecting, Serviced in Piston, (NOT SERVICED) (Not Serviced)
21	5211 8473	1				EW0	DG0		PLATE, Torque Converter Drive
22	4741 492	2				EW0			BEARING, Crankshaft, STD., #1,6
-23	4741 495	AR				EW0			BEARING, Crankshaft, .001" U/S, #1,6
-24									BEARING, Crankshaft, .010" U/S, (NOT REQUIRED)
-25	4741 493	3				EW0			BEARING, Crankshaft, STD., #2,4,5
-26	4741 496	AR				EW0			BEARING, Crankshaft, .001" U/S, #2,4,5

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005




Crankshaft, Piston and Torque Converter 8.0L (EWA) Engine
Figure 8.0L-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-27									BEARING, Crankshaft, .010" U/S, (NOT REQUIRED)
-28	4798 449	1				EW0			BEARING, Crankshaft, STD., #3
-29	4798 450	AR				EW0			BEARING, Crankshaft, .001" U/S, #3
-30									BEARING, Crankshaft, .010" U/S, (NOT REQUIRED)
31	6030 063	1				EW0			SCREW, Hex Head Header Point, .75-16x2.50
32									WASHER, Flat, .78x1.9x.250, (NOT REQUIRED)
33	6033 439	6				EW0	DG0		BOLT, Hex Head, .37-24x.55
34	6035 462	8				EW0	DG0		BOLT, Flexplate
35	6022 235	8				EW0			BOLT AND WASHER, Hex Head, .312-18x1.00


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Camshaft and Valves 8.0L (EWA) Engine
Figure 8.0L-510




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EW0 = All 8.0L Gas Engines									
1	53005 845AB	1				EW0			PLATE, Camshaft Thrust
2	5304 1105	20				EW0			PIVOT, Rocker Arm
3	5245 335	20				EW0			ROCKER ARM, Valve
4	5304 1123	20				EW0			PUSH ROD, Valve
5	5300 5866	1				EW0			RETAINER, Tappet Yoke Aligning
6	5300 8284	10				EW0			RETAINER, Rocker Arm Pivot
7	5302 0842	1				EW0			CAMSHAFT, Engine
8	0141 195	1				EW0			DOWEL, .25x.62
9	6034 721	20				EW0			SCREW, Hex Flange Head, .312-18x1.50
10	5300 5824	1				EW0			PLUG, Camshaft
11	5300 9887	10				EW0			SEAL, Valve Guide
12	5300 9886	10				EW0			SEAL, Valve Guide
13	5300 5863	10				EW0			VALVE, Intake, Standard
14	5300 5864	10				EW0			VALVE, Exhaust, Standard
15									INSERT, Exhaust Valve, Serviced in Cylinder Head, (NOT SERVICED) (Not Serviced)
16	4713 439	20				EW0			TAPPET PACKAGE, Valve
17	5302 1056	20				EW0			SPRING, Valve
18	3300 4626	20				EW0			RETAINER, Valve Spring
19	3300 3521	40				EW0			LOCK, Valve Spring Retainer
20									BOLT, Hex Head, 5/16x18x3/4, (NOT SERVICED) (Not Serviced)
-21	1947 953	4				EW0			SCREW AND WASHER, Hex Head
22	5245 169	10				EW0			YOKE, Tappet Aligning
23	4741 475	1				EW0			BEARING, Camshaft, #1
-24	4741 476	1				EW0			BEARING, Camshaft, #2
-25	4741 477	1				EW0			BEARING, Camshaft, #3
-26	4741 478	1				EW0			BEARING, Camshaft, #4
-27	4741 479	1				EW0			BEARING, Camshaft, #5
-28	4741 480	1				EW0			BEARING, Camshaft, #6
29	6034 757	3				EW0			SCREW

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Timing Gear and Cover 8.0L (EWA) Engine
Figure 8.0L-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

EH0 = All 3.9L V6 Gas Engines

EL0 = All 5.2L 8 Cyl Gas Engines

EW0 = All 8.0L Gas Engines

1									COVER, Engine, (NOT REQUIRED)
-2	53020 971AC-	1				EW0			COVER, Timing Case
3	4798 467	1				EW0			CHAIN PACKAGE, Timing
4	5302 1103	1				EW0			SEAL, Timing Case Cover
5	5302 0956	1				EW0			GASKET, Chain Case Cover
6	6034 749	1				EW0			KEY, Crankshaft Sprocket
7	6034 321	1				EH0, EL0, EM0			SCREW AND WASHER, Hex Head, Coned, Header, .437-14x1.375
8	6033 958	7				EW0			SCREW, Hex Flange Head, .375- 16x2.00

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Engine Oiling 8.0L (EWA) Engine
Figure 8.0L-710


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EW0 = All 8.0L Gas Engines									
1	5300 6833	1				EW0			COVER, Engine Oil Pump
2	5302 0922	1				EW0			PAN, Engine Oil
3	5302 0930	1				EW0			TUBE, Oil Gauge
4	5300 6834	1				EW0			PICKUP, Engine Oil
5	5302 0929	1				EW0			INDICATOR, Engine Oil Level
6	4746 610	1				EW0			ROTOR PACKAGE, Oil Pump
7	0154 557	7				EW0			SCREW, Hex Head Coned, .25-20x. 875
8	5300 5884	1				EW0			GASKET, Oil Pan
9	5302 0075	1				EW0			GASKET, Oil Pump Relief Valve
10	5304 0062	1				EW0			GASKET, Oil Pickup Tube
11	6035 417	1				EW0			PLUG, Oil Drain
12	2843 208	1				EW0			PLUNGER, Oil Pressure Relief Valve
13	6034 483	4				EW0			SCREW, Hex Head Coned, .312- 18x.875
14	6034 594	4				EW0			STUD, .312-18/.250-20x2.355
15	5302 0068	1				EW0			PLUG, Cylinder Block Oil Hole
16	2402 473	1				EW0			SPRING, Oil Pressure Relief Valve
17	5302 0311	1				EW0			FILTER, Engine Oil
18	5300 7563	1				EW0			CONNECTOR, Oil Filter
19									SEAL, (NOT SERVICED) (Not Serviced)
20									SCREW AND WASHER, Hex Head, .312-18x1.125, (NOT REQUIRED)
-21	6034 549	2				EW0			SCREW, Hex Head, .312-18x.94
22	6034 475	5				EW0			SCREW, Torx Head, .25-20x.75

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Manifold, Intake 8.0L (EWA) Engine
Figure 8.0L-810



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DBB = All Manual Transmissions									
DGO = All Automatic Transmissions									
EW0 = All 8.0L Gas Engines									
1	6034 349	5				EW0			SCREW, Hex Head Pilot Point, .312-18 UNC 2A
2	6034 506	5				EW0			BOLT AND CONED WASHER, Hex Head, .312-18x1.56
3	6034 507	1				EW0			SCREW, Hex Head Coned, .375-16x2.25
4	6034 508	1				EW0			SCREW, Hex Head Coned, .375-16x3.00
5	6034 509	12				EW0			SCREW, Hex Head Coned, .375-16x1.75
6	5303 1583	1				EW0			MANIFOLD, Intake
7	5303 1580	1				EW0			MANIFOLD, Intake
8									CONNECTOR, Serviced in Manifold, (NOT SERVICED) (Not Serviced)
9	5304 0055	1				EW0			CONNECTOR, Manifold Vacuum, .375 90 Degree
10	5300 6046	1				EW0			NIPPLE, By-Pass
11	5301 0047	1				EW0			SEAL, Thermostat
12	4741 732	2				EW0			GASKET PACKAGE, Intake Manifold
13	5301 0044	4				EW0			PLUG, Core, 1.50 Diameter
14	5300 6836	1				EW0			GASKET, Intake Manifold

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Manifold, Exhaust 8.0L (EWA) Engine
Figure 8.0L-820




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5303 1401	1				EW0			MANIFOLD, Exhaust, Right
2	5300 6733	1				EW0			MANIFOLD, Exhaust, Left
3	5303 1550	1				EW0			SHIELD, Heat, Right
4	5303 1551	1				EW0			SHIELD, Heat, Left
5	6034 808	10				EW0			STUD, .312-18/.312-24x4.00
6	6034 806	10				EW0			SCREW AND WASHER, Hex Head, .312-18x3.125
7	5300 6920	2				EW0			GASKET, Exhaust Manifold

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Crankcase Ventilation 8.0L (EWA) Engine
Figure 8.0L-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

EW0 = All 8.0L Gas Engines

1	5300 6342	1				EW0			HOSE, Crankcase Vent
2	5303 0497	1				EW0			FITTING, Crankcase Vent Tube
3	2946 079	2				EW0			GROMMET, Crankcase Vent
4	5304 1044	1				EW0			TUBE, PCV Valve
5	5303 0495	1				EW0			TUBE, Crankcase Vent To Air Cleaner
6	2946 079	2				EW0			GROMMET, Crankcase Vent

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – 5.9LD

Engine 5.9L Six Cylinder (Diesel)

GROUP 5.9LD - Engine 5.9L Six Cylinder (Diesel)

Illustration Title

Group-Fig. No.

Cylinder Head

Cylinder Head 5.9L (ETC) Diesel Engine

Fig. 5.9LD-215

Cylinder Block

Cylinder Block 5.9L (ETC) Diesel Engine

Fig. 5.9LD-315

Crankshaft, Piston and Torque Converter

Crankshaft and Piston 5.9L (ETC) Diesel Engine

Fig. 5.9LD-415

Flywheel and Torque Converter 5.9L (ETC) Diesel Engine

Fig. 5.9LD-425

Torque Converter Cooler 5.9L (ETC) Diesel Engine

Fig. 5.9LD-435

Camshafts & Valves

Camshaft and Valves 5.9L (ETC) Diesel Engine

Fig. 5.9LD-515

Timing Belt and Cover

Timing Gear and Cover 5.9L (ETC) Diesel Engine

Fig. 5.9LD-615

Engine Oiling

Engine Oiling 5.9L (ETC) Diesel Engine

Fig. 5.9LD-715

Manifolds

Manifold, Intake and Exhaust 5.9L (ETC) Diesel Engine

Fig. 5.9LD-815


Oil Cooler

Engine Oil Cooler 5.9L (ETC) Diesel Engine

Fig. 5.9LD-1115


Oil Lines 5.9L (ETC) Diesel Engine

Fig. 5.9LD-1125



<div>5.9LD-200</div> <div>Cylinder Head</div> <div></div>	<div>5.9LD-300</div> <div>Cylinder Block</div> <div></div>	<div>5.9LD-400</div> <div>Crankshaft, Piston and Torque Converter</div> <div></div>	<div>5.9LD-500</div> <div>Camshafts & Valves</div> <div></div>
<div>5.9LD-600</div> <div>Timing Belt and Cover</div> <div></div>	<div>5.9LD-700</div> <div>Engine Oiling</div> <div></div>	<div>5.9LD-800</div> <div>Manifolds</div> <div></div>	<div>5.9LD-1100</div> <div>Oil Cooler</div> <div></div>

Cylinder Head 5.9L (ETC) Diesel Engine
Figure 5.9LD-215



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

DBB = All Manual Transmissions

DG0 = All Automatic Transmissions

ETC = 5.9L Cummins 24V Diesel Engine

ET0 = All 5.9L Turbo Diesel Engines

GASKET PACKAGE, Engine Upper - 05011933AA

1	5011 403AA	26				ET0			SCREW
2	5011 876AA	1				ET0	DBB		GASKET, Cylinder Head
		1				ET0	DG0		
3	5014 202AA	1				ET0	DBB		HEAD, Cylinder
		1				ET0	DG0		
4	5011 883AA	2				ET0	DBB		PLUG, Expansion
		2				ET0	DG0		
5	4429 955	7				ET0			PLUG, Expansion
6	4429 735	14				ET0			PLUG, Expansion
7	5003 605AA	11				ET0			PLUG, Expansion
8	5011 884AA	2				ET0	DBB		PLUG, Expansion
		2				ET0	DG0		
9	5011 925AA	1				ET0	DBB		COVER, Cylinder Head
		1				ET0	DG0		
10	5013 030AA	1				ET0	DBB		CAP, Oil Filler
		1				ET0	DG0		
11	5011 420AA	1				ET0	DBB		GASKET, Valve Cover
		1				ET0	DG0		
12	5011 472AA	5				ET0	DBB		SCREW
13	5011 927AA	5				ET0			GROMMET, Valve Cover Seal
14	4429 460	3				ET0			SCREW, Water Inlet, M10x1.5x25
15	5011 842AA	1				ET0	DBB		BRACKET, Engine Lift
		1				ET0	DG0		
16	4638 666	2				ET0			SCREW, Hex Flange Head
17	5011 841AA	1				ET0	DBB		BRACKET, Engine Lift


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Cylinder Head 5.9L (ETC) Diesel Engine
Figure 5.9LD-215



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	-------------	-----	------	--------	------	--------	-------	------	-------------

-18	5011 933AA-	1				ET0	DG0		GASKET KIT, Cylinder Head Overhaul
-----	-------------	---	--	--	--	-----	-----	--	------------------------------------


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Cylinder Block 5.9L (ETC) Diesel Engine

Figure 5.9LD-315



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: DBB = All Manual Transmissions DGO = All Automatic Transmissions ETC = 5.9L Cummins 24V Diesel Engine ET0 = All 5.9L Turbo Diesel Engines GASKET PACKAGE, Engine Lower - 05011934AA BLOCK KIT, Hardware - 05011780AA LONG BLOCK, For 1998, Use 1999 Long Block 05016374AA with Retro-Fit Kit 05018357AA LONG BLOCK, For 1999, Use 05016374AA									
1	5015 092AA	1				ETC			BLOCK, Short
-2	5016 374AA-	1				ETC			BLOCK, Long
3	5003 617AA	1				ET0	DGO		BUSHING, Camshaft
4	5003 615AA	14				ET0	DBB		BOLT, Hex Head
5						ET0			CAP, (NOT SERVICED) (Not Serviced)
6	4797 725	5				ET0			PLUG, Cylinder Block Oil Hole
7	4429 735	4				ET0			PLUG, Expansion
8	4429 956	3				ET0			PLUG, Expansion
9	4429 068	14				ET0			DOWEL, Block To Clutch Housing
10	4429 343	2				ET0			DOWEL, Ring
11	5003 606AA	6				ET0			JET, Piston Oil Cooler
12	4429 687	1				ET0			PLUG, Expansion
13	4429 257	2				ET0			DOWEL, Front Cover
14	4429 568	1				ET0			PLUG, Pipe
15	5003 614AA	2				ET0			PLUG, Expansion
16	5003 605AA	1				ET0	DBB		PLUG, Expansion
17	4429 068	2				ET0	DGO		DOWEL, Block To Clutch Housing
18	4429 955	3				ET0			PLUG, Expansion
19	4429 958	1				ET0			PLUG, Expansion
20	5011 781AA	1				ET0	DGO		PLUG, Cylinder Block
21	4882 037	1				ET0	DBB		O RING
22	4429 369	1				ET0			PLUG, Pipe
23	4429 629	1				ET0	DBB		SCREW, Hex Head, M8x1.25x16


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Cylinder Block 5.9L (ETC) Diesel Engine
Figure 5.9LD-315



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				ET0	DG0		
24	4429 166	AR				ET0			SLEEVE, Cylinder Block
25	5011 792AA	3				ET0			SCREW, Hex Head
26	4429 959	2				ET0			NUT, Tappet Cover
27	4429 960	2				ET0			WASHER, Plain
28									HOSE, Valve Cover Vent, (NOT REQUIRED)
29									CLAMP, Serviced in Hose, (NOT SERVICED) (Not Serviced)
30	5003 620AA	6				ET0			SEAL, Grommet O-Ring
31	4798 940	1				ET0	DG0		GASKET, Camshaft Cover
		1				ET0	DBB		
32	5003 621AA	3				ET0			SPACER
33	5014 179AA	1				ET0	DBB		COVER, Camshaft
		1				ET0	DG0		
34	5011 795AA	1				ET0	DBB		COVER, Camshaft
		1				ET0	DG0		
35	5011 794AA	1				ET0			BRACKET
36									CORD, Engine Block Heater
	4798 889	1				ET0	DG0		
		1				ET0	DBB		
37									HEATER, Engine Block
	5003 619AA	1				ET0	DBB		
		1				ET0	DG0		
38	5011 913AA	1				ET0	DG0		PLUG
		1				ET0	DBB		
39	5011 914AA	1				ET0	DBB		O RING, Oil Cooler
		1				ET0	DG0		
-40	5013 690AA-	1				ET0			PLUG, Crank Sensor Hole Plate
-41	5011 856AA-	1				ET0			SCREW, Crank Sensor Plate Attach

DODGE RAM STANDARD CAB (BR)

SERIES

E = WS RAM 1500
L = RAM 1500, 2500,
3500

LINE

1,6 = 1500
2,7 = 2500
3,8 = 3500

BODY

61 = Reg. Cab(118 WB)
62 = Reg. Cab(134 WB)
63 = Reg. Cab(138 WB)
64 = Reg. Cab(162 WB)
65 = Reg. Cab(134 WB)

ENGINE

EHC = 3.9L 6 Cyl.
ELF = 5.2L 8 Cyl.
ETC,ETH = 5.9L 6 Cyl.
EML,EMM = 5.9L 8 Cyl.
EWA = 8.0L 10 Cyl.
EAA = All engines
EAG = All gas engines

TRANSMISSION

DGK = 42RE 4 Spd. Auto.
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDP,DDX,DDC = 5 Spd. Manual
DEE = 6 Spd. Manual
DDO = All 5 Speed Manual
DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Crankshaft and Piston 5.9L (ETC) Diesel Engine
Figure 5.9LD-415

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

DBB = All Manual Transmissions

DG0 = All Automatic Transmissions

ETC = 5.9L Cummins 24V Diesel Engine

ET0 = All 5.9L Turbo Diesel Engines

1	5011 782AA	1				ET0	DBB		CRANKSHAFT
		1				ET0	DG0		
2	4882 036	1				ET0	DBB		GEAR, Crankshaft
		1				ET0	DG0		
3	4429 483	1				ET0	DG0		PIN, Crankshaft Gear
		1				ET0	DBB		
4	5011 783AA	1				ET0	DG0		TONE RING, Sensor
		1				ET0	DBB		
5	5011 784AA	5				ET0			SCREW
6	4429 070	1				ET0	DG0		BEARING KIT, Crankshaft, Standard
		1				ET0	DBB		
-7	4429 271	AR				ET0			BEARING KIT, Crankshaft, .25mm Oversize
-8	4429 272	AR				ET0			BEARING KIT, Crankshaft, .50mm Oversize
-9	4429 273	AR				ET0			BEARING KIT, Crankshaft, .75mm Oversize
-10	4429 274	AR				ET0			BEARING KIT, Crankshaft, 1.00mm Oversize
11	5012 552AA	AR				ET0			BEARING, Crankshaft Thrust, .50 mm U/S
-12	5012 551AA-	AR				ET0			BEARING, Crankshaft Thrust, 1.00 mm U/S
13	5011 935AA	1				ET0	DG0		SLEEVE, Wear
14	4897 876AA	1				ET0	DG0		SLEEVE KIT, Wear
15	4429 175	12				ET0			BEARING, Connecting Rod, STD.
-16	4429 171	AR				ET0			BEARING, Connecting Rod, .25 mm U/S
-17	4429 172	AR				ET0			BEARING, Connecting Rod, .50 mm U/S

DODGE RAM STANDARD CAB (BR)

SERIES

E = WS RAM 1500

L = RAM 1500, 2500,

3500

LINE

1,6 = 1500

2,7 = 2500

3,8 = 3500

BODY

61 = Reg. Cab(118 WB)

62 = Reg. Cab(134 WB)

63 = Reg. Cab(138 WB)

64 = Reg. Cab(162 WB)

65 = Reg. Cab(134 WB)

ENGINE

EHC = 3.9L 6 Cyl.

ELF = 5.2L 8 Cyl.

ETC,ETH = 5.9L 6 Cyl.

EML,EMM = 5.9L 8 Cyl.

EWA = 8.0L 10 Cyl.

EAA = All engines

EAG = All gas engines

TRANSMISSION

DGK = 42RE 4 Spd. Auto.

DGP = 47RE 4 Spd. Auto.

DGT = 46RE 4 Spd. Auto.

DDP,DDX,DDC = 5 Spd. Manual


DEE = 6 Spd. Manual

DDO = All 5 Speed Manual

DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Crankshaft and Piston 5.9L (ETC) Diesel Engine
Figure 5.9LD-415

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-18	4429 173	AR				ET0			BEARING, Connecting Rod, .75 mm U/S
-19	4429 174	AR				ET0	DBB		BEARING, Connecting Rod, 1.00 mm U/S
20	5003 649AA	6				ET0			ROD, Connecting
21	4429 919	12				ET0			SCREW, Connecting Rod, 24x.44
22									BUSHING, Serviced in Rod, (NOT SERVICED) (Not Serviced)
23	5011 857AA	6				ET0			PISTON AND RINGS, Diesel Engine, A Grade
-24	5011 859AA-	6				ET0			PISTON AND RINGS, Diesel Engine, B Grade
-25	5011 860AA-	6				ET0			PISTON AND RINGS, Diesel Engine, C Grade
-26	5011 869AA-	AR				ET0			PISTON AND RINGS, Diesel Engine, .50MM Oversize
-27	5011 871AA-	AR				ET0			PISTON AND RINGS, Diesel Engine, 1.00MM Oversize
28	5011 858AA	6				ET0			RING KIT, Piston, Standard
-29	5011 942AA-	AR				ET0			RING KIT, Piston, .50MM Oversize
-30	5011 870AA-	AR				ET0			RING KIT, Piston, 1.00MM Oversize
31	5003 650AA	12				ET0			RING, Piston Pin
32	4638 725	6				ET0			PIN, Piston

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Flywheel and Torque Converter 5.9L (ETC) Diesel Engine
Figure 5.9LD-425

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DBB = All Manual Transmissions									
DGO = All Automatic Transmissions									
ETC = 5.9L Cummins 24V Diesel Engine									
ET0 = All 5.9L Turbo Diesel Engines									
1	4429 630	2				ET0			BOLT, Hex Head
2	4429 248	1				ET0	DGO		PLUG, Adaptor Plate
		1				ET0	DBB		
3	4429 260	1				ET0	DGO		O RING, Transmission Adapter Plug
		1				ET0	DBB		
4	4638 817	1				ET0	DGO		HOUSING, Rear Main Seal
		1				ET0	DBB		
5	4429 410	1				ET0	DBB		SEAL, Rear Main Crankshaft
		1				ET0	DGO		
6	4429 678	2				ET0			PIN, Dowel
7	4429 638	6				ET0			BOLT, Hex Head
8	4761 248	8				ET0			BOLT, Flywheel Housing
9	4874 537	1				ET0	DBB		ADAPTER, Transmission
		1				ET0	DGO		
10	4761 247	1				ET0	DBB		COVER, Flywheel Housing
		1				ET0	DGO		
11	4856 021	1				ET0	DBB		GASKET, Rear Cover
		1				ET0	DGO		
12	6501 681	8				ET0	DBB		WASHER, Flat
13	6501 680	8				ET0	DBB		SCREW, Hex Head, M12x1.25x34.00
14	5003 640AA	1				ET0	DBB		FLYWHEEL
15	4429 903	1				ET0	DBB		GEAR, Ring
16	4882 853	1				ET0	DBB		BEARING, Pilot
17	4429 522	8				ET0	DGO		SCREW, Cap
18	4798 968	1				ET0	DGO		PLATE, Drive Plate Backing
19	4762 088	1				ET0	DGO		PLATE, Torque Converter Drive
20	5211 8868	1				ET0	DGO		CONVERTER, Torque

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Torque Converter Cooler 5.9L (ETC) Diesel Engine
Figure 5.9LD-435


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DBB = All Manual Transmissions									
DGO = All Automatic Transmissions									
ETC = 5.9L Cummins 24V Diesel Engine									
ETO = All 5.9L Turbo Diesel Engines									
1	4429 369	1				ETO			PLUG, Pipe
2	5011 913AA	1				ETO	DBB		PLUG
		1				ETO	DGO		
3	5011 914AA	1				ETO	DBB		O RING, Oil Cooler
		1				ETO	DGO		
4	4429 630	5				ETO	DGO		BOLT, Hex Head
5	4883 885AA	1				ETO	DGO		COUPLING, Hose
6	5011 405AA	2				ETO	DGO		HOSE, Oil Cooler
7	5011 409AA	2				ETO	DGO		HOSE, Oil Cooler
8									CLAMP, Oil Cooler, (NOT REQUIRED)
-9	4429 089	2				ETO	DGO		CLAMP, Tube Retaining
10									CLAMP, Oil Cooler, (NOT REQUIRED)
-11	4429 089	2				ETO	DGO		CLAMP, Tube Retaining
12	5011 900AA	8				ETO	DGO		CLAMP, Heater
13	5014 171AA	1				ETO	DGO		TUBE, Oil Cooler
14	5011 918AA	1				ETO	DGO		TUBE, Oil Cooler
15	5011 919AA	1				ETO	DGO		COOLER, Torque Converter
16	4429 568	1				ETO			PLUG, Pipe
17	4429 114	1				ETO	DGO		SCREW, Hex Flange Head
18	4429 689	1				ETO	DGO		NUT, Hex Flange

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Camshaft and Valves 5.9L (ETC) Diesel Engine
Figure 5.9LD-515



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DBB = All Manual Transmissions									
DGO = All Automatic Transmissions									
ETC = 5.9L Cummins 24V Diesel Engine									
ETO = All 5.9L Turbo Diesel Engines									
1	5011 477AA	12				ETO			VALVE, Crosshead
2	5011 892AA	12				ETO			PUSH ROD, Valve
3	5011 893AA	12				ETO			SCREW, Hex Head
4	5011 896AA	12				ETO			SHAFT, Rocker Arm
5	5011 898AA	6				ETO			SUPPORT, Rocker Arm
6									SOCKET, Serviced in Rocker Lever, (NOT SERVICED) (Not Serviced)
7									CLIP, Serviced in Rocker Lever, (NOT SERVICED) (Not Serviced)
8	4638 530	12				ETO			NUT
9	5011 899AA	12				ETO			SCREW, Rocker Lever Adjusting
10	5011 431AA	6				ETO			ROCKER ARM, Intake
11	5011 432AA	6				ETO			ROCKER ARM, Exhaust
12	5011 790AA	12				ETO			TAPPET, Valve
13	5011 874AA	1				ETO	DBB		CAMSHAFT, Engine
14	4429 332	1				ETO	DGO		KEY, Woodruff
15	5011 875AA	1				ETO	DBB		GEAR, Camshaft
16	4429 227	2				ETO	DGO		SCREW, Cap, .437-20x1.812
17	4798 890	1				ETO	DBB		SUPPORT, Camshaft Thrust
18	5011 878AA	48				ETO	DGO		LOCK, Valve Spring Retainer
19	5011 877AA	12				ETO			VALVE, Exhaust, Standard
20	5011 879AA	12				ETO			VALVE, Intake, Standard
21	5011 455AA	24				ETO			RETAINER, Valve Spring
22	5011 441AA	24				ETO			SPRING, Valve
23	5011 880AA	12				ETO			SEAL, Valve Guide
24	5011 881AA	12				ETO			SEAL, Valve Guide

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Timing Gear and Cover 5.9L (ETC) Diesel Engine
Figure 5.9LD-615

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DBB = All Manual Transmissions									
DGO = All Automatic Transmissions									
ETC = 5.9L Cummins 24V Diesel Engine									
ET0 = All 5.9L Turbo Diesel Engines									
1	4429 633	8				ET0			SCREW, Hex Head, M8x1.25x50
2	4882 109	10				ET0			SCREW, Hex Head
3	5014 190AA	1				ET0	DBB		COVER, Timing Belt
4	5012 290AA	1				ET0	DGO		SEAL, Front Main Crankshaft
		1				ET0	DBB		
		1				ET0	DGO		
5	5011 788AA	1				ET0	DBB		CASE, Front
		1				ET0	DGO		
6	4429 633	2				ET0			SCREW, Hex Head, M8x1.25x50
7	5011 789AA	5				ET0			SCREW, Hex Head, M8x1.25x20
8	5011 433AA	1				ET0	DBB		GASKET, Gear Housing
		1				ET0	DGO		
9	5011 800AA	1				ET0	DBB		DAMPER, Crankshaft
		1				ET0	DGO		
10	4429 857	4				ET0			SCREW, Hex Head Push Rod Point, 24x.44
11	4429 475	1				ET0	DBB		GASKET, Oil Filler Connector
		1				ET0	DGO		
12									SEAL, Timing Case Cover, (NOT REQUIRED)
13	5014 222AA	1				ET0			SCREW, Hex Head
14	4761 242	1				ET0			SCREW, Hex Head, M8x1.25x45
15	5014 194AA	1				ET0			P CLIP
16	4429 316	1				ET0			NUT
17	5014 195AA	1				ET0			CLAMP
18	5014 225AA	1				ET0			HOSE, Engine Vent Line
19	5014 196AA	1				ET0	DBB		BREATHER, Crankcase
		1				ET0	DGO		


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Timing Gear and Cover 5.9L (ETC) Diesel Engine Figure 5.9LD-615




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
20	5018 188AA	1				ET0			COVER, Engine
21	5018 185AA	1				ET0			CLAMP
22	5018 186AA	1				ET0			STRAP, Canister
23	5018 187AA	1				ET0			HOUSING, Oil Fill
24									SCREW, Hex Head, (NOT REQUIRED)
25									PLUG, Expansion, (NOT REQUIRED)

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Engine Oiling 5.9L (ETC) Diesel Engine
Figure 5.9LD-715



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

DBB = All Manual Transmissions
DGO = All Automatic Transmissions
ETC = 5.9L Cummins 24V Diesel Engine
ETO = All 5.9L Turbo Diesel Engines

1									SCREW, Cap, (NOT REQUIRED)
-2	4429 630	4				ETO			BOLT, Hex Head
3	5003 694AA	1				ETO	DBB		GASKET, Oil Pan
		1				ETO	DGO		
4	5010 479AA	1				ETO	DBB		GASKET, Oil Suction Pipe
		1				ETO	DGO		
5	4761 331	33				ETO			SCREW, Hex Flange Head
6	4882 049	1				ETO	DBB		WASHER, Oil Pan Drain Plug
		1				ETO	DGO		
7	4746 685	3				ETO			BOLT, Hex Head, M8x1.25x49
8	4762 073	1				ETO	DBB		PAN, Engine Oil
		1				ETO	DGO		
9	4778 578	1				ETO	DBB		PLUG, Oil Drain
		1				ETO	DGO		
10	4883 926AA	1				ETO	DBB		PICKUP, Engine Oil
		1				ETO	DGO		
11	4429 677	4				ETO			SCREW, Hex Head Header Point, 24x.44
12	5010 965AA	1				ETO	DBB		PUMP, Engine Oil
		1				ETO	DGO		
13	4429 595	1				ETO			CLAMP, Hose, Spring Type
14	5012 559AA	1				ETO	DBB		INDICATOR, Engine Oil Level
		1				ETO	DGO		
15	4882 110	1				ETO			SCREW, Hex Head, M8x1.25x16
16	5011 848AA	1				ETO	DBB		TUBE, Engine Oil Indicator
		1				ETO	DGO		
17									TUBE, Engine Oil Indicator


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Engine Oiling 5.9L (ETC) Diesel Engine
Figure 5.9LD-715



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5012 556AA	1				ET0	DBB		
		1				ET0	DG0		
18 -19	5014 399AA-	1				ET0	DBB		CLIP, (NOT REQUIRED) CLIP
		1				ET0	DG0		
20	5011 846AA	1				ET0			CLIP

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Manifold, Intake and Exhaust 5.9L (ETC) Diesel Engine
Figure 5.9LD-815



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DBB = All Manual Transmissions									
DGO = All Automatic Transmissions									
ETC = 5.9L Cummins 24V Diesel Engine									
ETO = All 5.9L Turbo Diesel Engines									
1	5011 907AA	12				ETO			SPACER, Exhaust Manifold
2									SCREW, Cap, .437-20x1.812, (NOT REQUIRED)
-3	5012 557AA-	11				ETO			SCREW, Cap
4	4638 695	3				ETO			SCREW, Fuel Tube Cap
5	5010 167AA	1				ETO			GASKET, Intake Manifold Cover
6									COVER, Intake Manifold
	5011 908AA	1				ETO	DBB		
		1				ETO	DGO		
7									MANIFOLD, Exhaust
	5014 170AA	1				ETO	DBB		
		1				ETO	DGO		
8	5011 440AA	6				ETO			GASKET, Exhaust Manifold
9									SCREW, Hex Head, (NOT REQUIRED)
-10	5014 169AA-	1				ETO			SCREW
11	4638 761	2				ETO			BOLT, Hex Head, M8x1.25x80
12									CONNECTOR, Air Intake
	5011 840AA	1				ETO	DGO		
		1				ETO	DBB		
13									PLATE, (NOT SERVICED) (Not Serviced)
14									HEATER, Engine
	4762 012	1				ETO	DGO		
		1				ETO	DBB		
15									GASKET, Air Intake Connector
	5010 480AA	1				ETO	DGO		
		1				ETO	DBB		
16	5011 465AA	2				ETO			SCREW

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Engine Oil Cooler 5.9L (ETC) Diesel Engine
Figure 5.9LD-1115

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

DBB = All Manual Transmissions
DGO = All Automatic Transmissions
ETC = 5.9L Cummins 24V Diesel Engine
ETO = All 5.9L Turbo Diesel Engines

1	4429 634	12				ETO			SCREW, Hex Head Header Point, 24x.44
2	4429 619	1				ETO			PLUG, Pipe
3	4429 386	1				ETO			PLUG, Pipe
4	4638 712	1				ETO			PLUNGER, Oil Pressure Regulator HEAD, Oil Filter
5	5014 193AA	1				ETO	DBB		
		1				ETO	DGO		
6	4429 355	1				ETO			ADAPTER, Oil Filter
7	4883 965AA	2				ETO			SCREW, Hex Flange Head
8	4761 985	1				ETO			SPRING, Oil Pressure Relief Valve
9	4797 726	1				ETO			VALVE, Oil Pressure Relief
10									O RING, Oil Cooler
	5003 647AA	1				ETO	DBB		
		1				ETO	DGO		
11									COOLER, Engine Oil
	5011 843AA	1				ETO	DBB		
		1				ETO	DGO		
12									GASKET, Oil Cooler
	5003 481AA	1				ETO	DBB		
		1				ETO	DGO		
13	5011 438AA	1				ETO			GASKET, Oil Cooler
14	5016 547AA	1				ETO			FILTER, Engine Oil


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Oil Lines 5.9L (ETC) Diesel Engine
Figure 5.9LD-1125



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DBB = All Manual Transmissions									
DGO = All Automatic Transmissions									
ETC = 5.9L Cummins 24V Diesel Engine									
ETO = All 5.9L Turbo Diesel Engines									
1	5011 920AA	2				ETO			CLAMP
2	4429 630	2				ETO			BOLT, Hex Head
3	5003 605AA	1				ETO	DBB		PLUG, Expansion
		1				ETO	DGO		
4	4638 626	2				ETO			O RING, Turbo Oil Drain Tube
5	5011 922AA	2				ETO			FITTING, Oil Feed Line
6	5011 921AA	2				ETO			O RING, Turbo Oil Drain Tube
7	5011 923AA	1				ETO	DGO		HOSE, Turbocharger Feed
		1				ETO	DBB		
8	5011 924AA	1				ETO	DGO		O RING, Turbo Oil Drain Tube
		1				ETO	DBB		
9	4429 183	1				ETO	DBB		HOSE, Turbo Oil Drain
		1				ETO	DGO		
10	5011 412AA	1				ETO	DBB		TUBE, Turbo Oil Drain
		1				ETO	DGO		
11	5014 174AA	1				ETO	DBB		TUBE, Turbo Oil Drain
		1				ETO	DGO		
12	5011 430AA	1				ETO	DGO		GASKET, Turbo Oil Drain Pipe
		1				ETO	DBB		
13	4429 744	1				ETO	DBB		TUBE, Turbo Oil Drain
		1				ETO	DGO		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – 011

Exhaust

GROUP 11 - Exhaust

Illustration Title


Group-Fig. No.



Exhaust System

Exhaust System 3.9L (EHC), 5.2L (ELF), 5.9L (EML) Engine	Fig. 011-115
Exhaust System 5.9L (EMM), 8.0L (EWA) Engine	Fig. 011-125
Exhaust System 5.9L Diesel Engine	Fig. 011-135


Heat Shields

Heat Shields 3.9L (EHC), 5.2L (ELF), 5.9L (EML), 5.9L (EMM), 8.0L (EWA) Engine	Fig. 011-230
--	--------------



<div>011-100</div> <div>Exhaust System</div> <div></div>	<div>011-200</div> <div>Heat Shields</div> <div></div>		
---	---	--	--

Exhaust System 3.9L (EHC), 5.2L (ELF), 5.9L (EML) Engine Figure 011-115



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	6035 375	4				EH0, EL0, EM0			BOLT, Hex Head, .375-16x2.50
2	4004 001	4				EH0, EL0, EM0, EW0			RETAINER, Exhaust Pipe to Manifold
3	0118 615	4				EH0, EL0, EM0, EW0			NUT, Hex, .375-16
4	5202 0056	1				EML			CONVERTER, Catalytic Leaded Fuel, Export Only
	52103 222AA	1				EH0	DG0		California, Automatic
	52103 224AA	1				EML			Federal
	52103 225AB	1				EL0, EML			
	52103 225AC	1				EML	DD0		California, Manual
		1				EL0			California
5	5202 0003	1			62, 65	EH0, EL0, EML			PIPE, Exhaust
-6									PIPE, Exhaust Extension
	52103 179AA-	1	3, 8		63	EML			
	52103 180AB-	1	3, 8		64	EML			
7	5201 8855	1			62, 65	EH0, EL0, EML			HANGER, Exhaust
-8									BRACKET, Converter Hanger
	5201 9513	2	3, 8		64	EML			
		1	3, 8		63	EML			
9	6100 586	2			62, 65	EH0, EL0, EML			BOLT AND CONED WASHER, Hex Head, M8x40x20
-10	3420 1888	6	3, 8		64	EML			SCREW, Hex Head
11	4004 445	1				EH0, EL0, EML			CLAMP, Exhaust
12	5201 7607	2							INSULATOR, Exhaust
13									MUFFLER, Exhaust

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Exhaust System 3.9L (EHC), 5.2L (ELF), 5.9L (EML) Engine
Figure 011-115


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5210 3159	1				EML			
	5210 3153	1				EH0			
	5210 3158	1				EL0			
14	5210 3094	1				EH0, EL0			TAILPIPE, Exhaust
		1				EML			
-15									PIPE, Exhaust, (NOT REQUIRED)
16	5201 8890	1							HANGER, Exhaust
17	3420 1888	3							SCREW, Hex Head
18	5210 3053	1				EH0, ELF, EML, EW0			HANGER, Tailpipe
19	6100 584	2							BOLT AND CONED WASHER, Hex Head, M8x30x20
20	4616 750	2							ISOLATOR, Exhaust Support

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Exhaust System 5.9L (EMM), 8.0L (EWA) Engine Figure 011-125



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: EH0 = All 3.9L V6 Gas Engines ELF = Magnum 5.2L SMPI V8 Engine EL0 = All 5.2L 8 Cyl Gas Engines EML = Magnum 5.9L SMPI V8 Engine EM0 = All 5.9L 8 Cyl Gas Engines EW0 = All 8.0L Gas Engines									
1	6035 375	4				EH0, EL0, EM0			BOLT, Hex Head, .375-16x2.50
-2	J018 0137	4	2, 3, 7, 8		62, 63, 64, 65	EW0			BOLT, Hex Flange Head, .375-16 x 2.75
3	4004 001	4				EH0, EL0, EM0, EW0			RETAINER, Exhaust Pipe to Manifold
4	0118 615	4				EH0, EL0, EM0, EW0			NUT, Hex, .375-16
5									CONVERTER, Catalytic
	52103 078AH	2	2, 3, 7, 8		62, 63, 64, 65	EW0			Federal
	5210 3201	1	2, 3, 7, 8		62, 63, 64, 65	EW0			California
	52103 220AC	2	3, 8		62, 63, 64	EMM			
-6 7	5210 3000	2				EMM			RESONATOR, Exhaust, Leaded Fuel CLAMP, Exhaust
	5201 9397	2	2, 3, 7, 8		62, 63, 64, 65	EW0			
		2	3, 8		63, 64	EMM, EW0			
8									PIPE, Exhaust
	5201 9171	1	3, 8		63	EW0			California
	5201 8550	2	3, 8		63	EMM			
		2	3, 8		63	EW0			Federal
	5201 9172	1	3, 8		64	EW0			California
-9	5201 8551	2	3, 8		64	EW0			RESONATOR, Exhaust Federal


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Exhaust System 5.9L (EMM), 8.0L (EWA) Engine Figure 011-125



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		2	3, 8		64	EMM			
10	5201 8668	1	2, 3, 7, 8		62, 63, 64, 65	EW0			HANGER, Exhaust California
	5201 8498	1	2, 3, 7, 8		62, 63, 64, 65	EMM, EW0			
11	5201 7607	2							INSULATOR, Exhaust
12	5201 7629	1	2, 3, 7, 8		62, 64, 65	EW0			HANGER, Exhaust Federal
		1	2, 3, 7, 8		62, 64, 65	EMM			
-13	5201 8666	1	2, 3, 7, 8		62, 63, 64, 65	EW0			BRACKET, Catalytic Converter, California
14	6100 584	2							BOLT AND CONED WASHER, Hex Head, M8x30x20
15	5201 9346	1	2, 3, 7, 8		62, 63, 64, 65	EW0			MUFFLER, Exhaust California
	5201 9323	1				EMM EW0			Federal
16	5201 8623	1	2, 3, 7, 8		62, 63, 64, 65	EMM, EW0			CLAMP, Exhaust
17	5201 8890	1							HANGER, Exhaust
18	3420 1888	3							SCREW, Hex Head
19	5210 3096	1	2, 3, 7, 8		62, 63, 64, 65	EMM, EW0			TAILPIPE, Exhaust
20	5210 3053	1				EH0, ELF, EML, EW0 EMM, ETC			HANGER, Tailpipe
21	3420 1888	3							SCREW, Hex Head
22	4616 750	2							ISOLATOR, Exhaust Support
23									SCREW, M10x1.50x30.00, (NOT SERVICED) (Not Serviced)
24									BRACKET, Engine Mount


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500 3,8 = 3500	62 = Reg. Cab(134 WB) 63 = Reg. Cab(138 WB) 64 = Reg. Cab(162 WB) 65 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl. ETC,ETH = 5.9L 6 Cyl. EML,EMM = 5.9L 8 Cyl. EWA = 8.0L 10 Cyl. EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDP,DDX,DDC = 5 Spd. Manual DEE = 6 Spd. Manual DDO = All 5 Speed Manual DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Exhaust System 5.9L (EMM), 8.0L (EWA) Engine
Figure 011-125



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5201 8654	1	2, 3		62, 63,	EMM			
		1	2, 3		64, 65	EW0			
25					62, 63,				BRACKET, Exhaust Pipe to T/Case
	5201 8497	1	7, 8		64, 65	EMM			
		1	7, 8		62, 63,	EW0			
					64, 65				
26	6502 337	2							NUT, M10x1.5
27	5200 6488	1	2, 3, 7, 8		62, 63,	EW0			PIPE, Exhaust
					64, 65				Right
	5200 6532	1	3, 8		62, 63,	EMM			Right
					64				
-28	5210 3105	1	3		62, 63,	EMM			PIPE, Exhaust Front Left
					64				Left
	5210 3109	1	8		62, 63,	EMM			Left
					64				
	5210 3083	1	2, 3		62, 63,	EW0			Left
					64, 65				
	5210 3085	1	7, 8		62, 63,	EW0			Left
					64, 65				
29									CLAMP, Exhaust
	4301 081	2	3, 8		62, 63,	EMM			
					64				
	5201 9397	2	2, 3, 7, 8		62, 63,	EW0			
					64, 65				
30	52019 170AB	1	2, 3, 7, 8		62, 63,	EW0			PIPE, Exhaust, California
					64, 65				

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Exhaust System 5.9L Diesel Engine

Figure 011-135

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

EMM = Magnum 5.9L SMPI V8 Engine

ETB = 5.9L In-Line 6 Cummins Turbo Diesel Engine

ETC = 5.9L Cummins 24V Diesel Engine

ET0 = All 5.9L Turbo Diesel Engines

1	6100 940	2	2, 3, 7, 8		62, 63, 64, 65	ET0			BOLT, Hex Flange Head, M10x1.5x50
2									CONVERTER, Catalytic, (NOT REQUIRED)
-3	52103 042AB-	1	2, 3, 7, 8		62, 63, 64, 65	ETC			RESONATOR, Exhaust
4									PIPE, Exhaust
	5201 9171	1	3, 8		63	ET0			
	5201 9172	1	3, 8		64	ET0			
5	5201 8532	1	3, 8		63, 64	ET0			CLAMP, Exhaust
6	5201 8666	1	2, 3, 7, 8		62, 63, 64, 65	ET0			BRACKET, Catalytic Converter
7	5201 8668	1	2, 3, 7, 8		62, 63, 64, 65	ET0			HANGER, Exhaust
8	5201 7607	2							INSULATOR, Exhaust
9	6100 584	2							BOLT AND CONED WASHER, Hex Head, M8x30x20
10	52019 324AB	1	2, 3, 7, 8		62, 63, 64, 65	ETC			MUFFLER, Exhaust
11	5201 8623	1	2, 3, 7, 8		62, 63, 64, 65	ET0			CLAMP, Exhaust
12	5201 8890	1							HANGER, Exhaust
13	3420 1888	3							SCREW, Hex Head
14	52103 095AB	1	2, 3, 7, 8		62, 63, 64, 65	ETC			TAILPIPE, Exhaust
15	5210 3053	1				EMM, ETC			HANGER, Tailpipe
16	3420 1888	3							SCREW, Hex Head
17	52006 534AC	1	2, 3, 7, 8		62, 63, 64, 65	ETC			PIPE, Exhaust


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Heat Shields 3.9L (EHC), 5.2L (ELF), 5.9L (EML), 5.9L (EMM), 8.0L (EWA) Engine
Figure 011-230



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0 = All 3.9L V6 Gas Engines									
ELO = All 5.2L 8 Cyl Gas Engines									
EMM = Magnum 5.9L SMPI V8 Engine									
EM0 = All 5.9L 8 Cyl Gas Engines									
ET0 = All 5.9L Turbo Diesel Engines									
EW0 = All 8.0L Gas Engines									
1	5527 4650	1				EH0, ELO,			SHIELD, Heat, Right
2	5527 5738	1				EM0, EW0 EH0, ELO,			SHIELD, Heat, Left
3	5527 4656	1				EM0, EW0 EW0 EH0, ELO, EM0			SHIELD, Heat Right Right
4	5527 4738	1			62, 63, 65	EH0, ELO, EM0, EW0			SHIELD, Floor Pan Right
		1	3, 8		64	EH0, ELO, EM0, EW0			Right
5									NUT, .250-20, (NOT SERVICED) (Not Serviced)
6	55274 655AB	1				EMM, EW0			SHIELD, Heat, Left
7	5200 9136	3	2, 3, 7, 8		62, 65	EMM, EW0			CLIP, Heat Shield
		4	3, 8		63, 64	EMM, EW0			
8	5205 8190	1	2, 3, 7, 8		62, 63, 64, 65	EMM, EW0			BRACKET, Heat Shield

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – 013

Frames and Bumpers

GROUP 13 - Frames and Bumpers

Illustration Title Group-Fig. No.

Frames

Frame Fig. 013-150

Front Bumper and Fascia

Bumper, Front Fig. 013-230


Bumper, Front Sport Fig. 013-235

Rear Bumper and Fascia

Bumper, Rear Fig. 013-330


Body Hold Down

Body Hold Down And Front End Mounting Fig. 013-520



013-100 Frames	013-200 Front Bumper and Fascia	013-300 Rear Bumper and Fascia	013-500 Body Hold Down

Frame
Figure 013-150



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

AHJ = Camper Special Group

Check the VIN Number for the 'Z' Code GVW Rating

1									FRAME ASSEMBLY, Chassis
	52020 213AA	1	1		61				
	52020 218AA	1	6		62				
	52020 222AA	1	3, 8		64				
	52020 315AA	1	1		62				
	52020 319AA	1	7, 8		62, 65				
	52020 320AA	1	3, 8		63				
	52020 416AB	1	2, 3		62, 65				
	52020 417AB	1	6		61				
2									RIVET
	0104 114	12	1		61				
		12	1		62				
		12	2, 3		62, 65				
		12	6		61				
		12	6		62				
		12	7, 8		62, 65				
		12	3, 8		63				
		12	3, 8		64				
3									NUT AND WASHER, Hex Nut-Coned Washer, .375-16
	6025 011	8	1		61				
		8	1		62				
		8	2, 3		62, 65				
		8	6		61				
		8	6		62				
		8	7, 8		62, 65				
		8	3, 8		63				
		8	3, 8		64				
4									CROSSMEMBER, Fuel Tank
	52057 523AB	1	1		61				Front
		1	6		61				Front
		1	3, 8		64				Front
	52057 524AB	1	1		62				Rear
		1	2, 3		62, 65				Rear
		1	6		62				Rear
		1	7, 8		62, 65				Rear
		1	3, 8		63				Rear

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Frame
Figure 013-150

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		2	3, 8		64				Rear
5									CROSSMEMBER, Rear Spring Front
	5205 7525	1	1		61				
		1	1		62				
		1	2, 3		62, 65				
		1	6		61				
		1	6		62				
		1	7, 8		62, 65				
		1	3, 8		63				
		1	3, 8		64				
6									CROSSMEMBER, Transmission
	4882 390	1	6		61				
		1	6		62				
	5003 051AA	1	2, 3		62, 65				Z2B
		1	3, 8		63				
		1	3, 8		64				
		1	7, 8		62, 65				
	5205 8460	1	1		61				
		1	1		62				
7									BRACKET, Frame
	5205 7527	2	1		61				
		2	1		62				
		2	7, 8		62, 65				
		2	2, 3		62, 65				
		2	6		61				
		2	6		62				
		2	3, 8		63				
		2	3, 8		64				
8									BRACKET, Cab
	5205 7544	2	1		61				Rear
		2	1		62				Rear
		2	2, 3		62, 65				Rear
		2	6		61				Rear
		2	6		62				Rear
		2	7, 8		62, 65				Rear
		2	3, 8		63				Rear
		2	3, 8		64				Rear
	5205 8360	2	1		61				Front
		2	1		62				Front
		2	2, 3		62, 65				Front

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Frame
Figure 013-150

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		2	6		61				Front
		2	6		62				Front
		2	7, 8		62, 65				Front
		2	3, 8		63				Front
		2	3, 8		64				Front
9									BRACKET, Shackle
	5205 8657	2	1		61				Rear
		2	1		62				Rear
		2	6		61				Rear
		2	6		62				Rear
	5205 8658	2	2, 3		62, 65				Rear
		2	7, 8		62, 65				Rear
		2	3, 8		63				Rear
		2	3, 8		64				Rear
10									RAIL, Rear Right
	52057 922AB	1	1		61				
		1	6		61				
	52057 858AB	1	1		62				
		1	6		62				
	52057 860AB	1	2, 3		62, 65				
		1	7, 8		62, 65				
11									RAIL, Rear Left
	52057 923AC	1	1		61				
	52057 859AC	1	1		62				
	52057 923AC	1	6		61				
	52057 859AC	1	6		62				
	52057 861AB	1	2, 3		62, 65				
		1	7, 8		62, 65				
-12									BRACKET, Jounce Bumper
	5203 8233	4	3, 8		63, 64				
		4	2, 3, 7, 8		62, 65				with AHJ
	5205 8417	2	1		61				
		2	1		62				
		2	6		61				
		2	6		62				
13									BRACKET, Spring
	5205 7866	2	1		61				
		2	1		62				
		2	6		61				
		2	6		62				

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Frame
Figure 013-150

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5205 7964	2	2, 3		62, 65				
		2	7, 8		62, 65				
		2	3, 8		63				
		2	3, 8		64				
14	5205 8603	1	2, 3		62, 65				BRACKET, Idler Arm
15	52058 604AB	2	2, 3		62, 65				BRACKET, Upper Control Arm
16									CUP, Jounce Bumper
	5205 8224	2	6		61				
		2	6		62				
		2	7, 8		62, 65				
		2	3, 8		63				
		2	3, 8		64				
17									ADAPTER, Frame To Body
	5205 8418	2	2, 7		65				
	52019 897AB	4	3, 8		64				
		2	3, 8		63				
18									BRACKET, Shock Absorber
	4882 360	1	1		61				
		1	1		62				
		1	6		61				
		1	6		62				
		1	3, 8		63				
		1	3, 8		64				
		1	2, 3		62, 65				
		1	7, 8		62, 65				
19									CROSSMEMBER, Radiator
	5015 412AA	1	1		61				
		1	1		62				
		1	2, 3		62, 65				
		1	6		61				
		1	6		62				
		1	7, 8		62, 65				
		1	3, 8		64				
		1	3, 8		63				


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Bumper, Front
Figure 013-230




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									BRACKET, Front Bumper
	5523 4724	1							Right
	5523 4725	1							Left
2									BOLT, Bumper to Bracket, (NOT SERVICED) (Not Serviced)
3									SCREW, (NOT SERVICED) (Not Serviced)
4									NUT, (NOT SERVICED) (Not Serviced)
5									NUT, (NOT SERVICED) (Not Serviced)
6	5523 5115	1							SEAL, Radiator
7	6101 308	10							NUT, U, M6x1
8									BUMPER, Front
	55076 599AD	1							Chrome
	5FF68 KSJAE	1							Dark Silver
9									SHIELD, Bumper
	5507 6600	1							w/o Sports Package w/o Fog Lamps, Right
	5507 6601	1							w/o Sports Package w/o Fog Lamps, Left
	55076 786AB	1							w/o Sports Package w/Fog Lamps, Right
	55076 787AB	1							w/o Sports Package w/Fog Lamps, Left
10	6503 938	4							RIVET, Blind, .25xM4/M7
11	55076 610AB	1							FASCIA, Front, Upper
-12	6033 018	2							FASTENER, Hood Silencer, Valance to (For Square Holes) Bumper
-13	6503 698	8							SCREW AND WASHER, Truss Head, M6-1.00x30.00
14	55076 614AB	1							FASCIA, Front, Lower
15	5527 4811	1							AIR DAM, Air
-16	3420 1631	18							RIVET, M6.25x28 Black
17	6503 698	5							SCREW AND WASHER, Truss Head, M6-1.00x30.00
18									BRACKET, Front Bumper
	55076 778AB	1							Right
	55076 779AB	1							Left
-19	55295 455AB-	1							BRACKET, License Plate

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Bumper, Front Sport
Figure 013-235



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5013 818AD	1							FASCIA, Front, Primed
2	55077 011AB	1							BEAM, Front Bumper
3	55077 012AB	1							STRIP, Front Fascia, Black
4	6101 402	8							SCREW, Pan Head, M5x.80x125
5									NUT, Hex, .42-14, (NOT SERVICED)
-6	56045 212AC-	1							(Not Serviced) WIRING, Fog Lamp Jumper, Also see Group 8
7	6503 698	5							SCREW AND WASHER, Truss Head, M6-1.00x30.00
8	6503 221	2							PIN
9	6504 394	2							BOLT AND RETAINER, M12X1. 75X35.00
10	6504 118	5							U-NUT, M6 x 1.00, M6x1.00
11	6504 790	6							BOLT, Square Neck, M12x1.75x30.5
12									NUT, U, M6x1, (NOT SERVICED) (Not Serviced)
13									BRACKET, Front Bumper
	55077 014AB	1							Right
	55077 015AB	1							Left
14	6503 938	4							RIVET, Blind, .25xM4/M7
15									SCREW, Pan Head, M8x1.25x35, (NOT SERVICED) (Not Serviced)
16	55077 019AB	1							SUPPORT, Front Fascia
17	6502 697	2							NUT, Hex Flange Lock, M12x1.75
18									BRACKET, Front Bumper
	55077 022AB	1							Right
	55077 023AB	1							Left
19	6504 931AA	2							BOLT AND RETAINER, M12X1. 75X32.50
20	55076 970AC	1							PANEL, Front Facsia
21									BRACKET, Front Bumper
	55076 972AC	1							Right
	55076 973AC	1							Left
-22	55077 064AB-	1							BRACKET, License Plate

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Bumper, Rear
Figure 013-330


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									BUMPER, Rear
	55076 634AD	1							Bright
	5FG80 DX8AD	1							(X8)
	5FG80 GW7AD	1							(W7)
	5FG80 PR4AD	1							(R4)
	5FG80 SG8AD	1							(G8)
	5FG80 VB3AD	1							(B3)
	5FG80 VYHAD	1							(YH)
2	5527 4863	2							BRACKET, Rear Bumper
3	6504 394	2							BOLT AND RETAINER, M12X1. 75X35.00
4	6505 099AA	6							NUT, Hex Flange Lock, M12x1.75
5									BRACKET, Rear Bumper Side
	5527 4868	1							Right
	5527 4869	1							Left
6	6504 122	2							BOLT, m12x1.75x35.00
7	6100 055	4							NUT AND WASHER, Hex Nut-Coned
									Washer, M12 x 1.75
8	6504 395	2							BOLT AND RETAINER, M12X1. 75X35.00
9	5507 6850	1			61, 62				PANEL, License Plate
10	3738 921	1	2, 3, 7, 8		63, 64, 65				BRACKET, License Plate
11									NUT, Snap In, .25, (NOT SERVICED) (Not Serviced)
12									SCREW, (NOT SERVICED) (Not Serviced)
13									STEP PAD, Rear Bumper
	5503 4460	1							Right
	5503 4461	1							Left

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500 3,8 = 3500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
		63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Body Hold Down And Front End Mounting
 Figure 013-520



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5527 4855	2							CUSHION, Body Hold Down, Load
2	5527 4857	2							CUSHION, Body Hold Down, Front Load
3									CUSHION, Body Hold Down Club Cab (Green)
	5527 4828	2							Rear Load
	5527 4853	2							INSULATOR, Body Hold Down
4									Club Cab
	5523 4693	6							
	5527 4831	6							
5	6501 557	6							BOLT, Hex Flange Head, M12x1.75x95.50


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – 014

Fuel



Group – 014

Fuel

014-900 Air Intake System	014-1000 Speed Control	014-1100 Accelerator Pedal	

014-100 Tank, Fuel	014-200 Fuel Tank Filler Tube	014-300 Fuel Lines	014-400 Fuel Rail
014-500 Fuel Pump and Sending Unit	014-600 Throttle Body	014-700 Throttle Controls	014-800 Air Cleaner

GROUP 14 - Fuel


Illustration Title	Group-Fig. No.
Tank, Fuel	
Fuel Tank All Engines	Fig. 014-132
Fuel Tank Filler Tube	
Fuel Filler Tube All Engines	Fig. 014-242
Fuel Lines	
Fuel Lines, Front All Engines	Fig. 014-315
Fuel Lines, Rear All Engines	Fig. 014-325
Fuel Lines 5.9L (ETC) Diesel Engine	Fig. 014-335
Fuel Injector 5.9L (ETC) Diesel Engine	Fig. 014-345
Air Fuel Control and Fuel Filter 5.9L (ETC) Diesel Engine	Fig. 014-365
Fuel Rail	
Fuel Rail 3.9L (EHC), 5.2L (ELF), 5.9L (EML), 5.9L (EMM), 8.0L (EWA) Engine	Fig. 014-430
Fuel Pump and Sending Unit	
Fuel Module, 1998-99 All Engines	Fig. 014-525
Fuel Injection Pump 5.9L (ETC) Diesel Engine	Fig. 014-535
Fuel Accessories 5.9L (ETC) Diesel Engine	Fig. 014-550
Fuel Pump Transfer Conversion	Fig. 014-555
Throttle Body	
Throttle Body 3.9L (EHC), 5.2L (ELF), 5.9L (EML), 5.9L (EMM), 8.0L (EWA) Engine	Fig. 014-630
Turbocharger 5.9L (ETC) Diesel Engine	Fig. 014-650
Throttle Controls	
Throttle Controls 3.9L (EHC), 5.2L (ELF), 5.9L (EML), 5.9L (EMM), 8.0L (EWA) Engine	Fig. 014-730
Throttle Controls 5.9L (ETC) Diesel Engine	Fig. 014-750
Air Cleaner	
Air Cleaner 3.9L (EHC), 5.2L (ELF), 5.9L (EML) Engine	Fig. 014-825
Air Cleaner 5.9L (EMM) Engine	Fig. 014-827
Air Cleaner 8.0L (EWA) Engine	Fig. 014-830
Air Cleaner 5.9L (ETB), 5.9L (ETC) Diesel Engine	Fig. 014-840
Air Intake System	
Air Intake System 3.9L (EHC), 5.2L (ELF), 5.9L (EML), 5.9L (EMM) Engine	Fig. 014-920
Air Intake System 8.0L (EWA) Engine	Fig. 014-930
Air Intake System 5.9L (ETB), 5.9L (ETC) Diesel Engine	Fig. 014-935
Charge Air Cooler System 5.9L (ETC) Diesel Engine	Fig. 014-945
Speed Control	
Speed Control All Engines	Fig. 014-1030

GROUP 14 - Fuel

Illustration Title	Group-Fig. No.
Accelerator Pedal	
Accelerator Pedal All Engines	Fig. 014-1120



Fuel Tank All Engines
Figure 014-132



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

EH0 = All 3.9L V6 Gas Engines
 ELF = Magnum 5.2L SMPI V8 Engine
 EL0 = All 5.2L 8 Cyl Gas Engines
 EML = Magnum 5.9L SMPI V8 Engine
 EMM = Magnum 5.9L SMPI V8 Engine
 EM0 = All 5.9L 8 Cyl Gas Engines
 ET0 = All 5.9L Turbo Diesel Engines
 EW0 = All 8.0L Gas Engines

1	52102 072AB	1				EH0, EL0, EML			TANK, Fuel 26 Gallon
	52102 076AB	1	2, 3, 7, 8		63, 64, 65	EM0, EW0			35 Gallon
	52102 080AB	1				ET0			35 Gallon
	52102 076AC	1			61, 62	EH0, EL0, EM0, EW0			35 Gallon
2	52102 058AC	1							STRAP, Fuel Tank Front
	5210 2059	1							Rear
3									NUT, Nylock Hex, M10x1.5, (NOT REQUIRED)
-4	6502 337	2							NUT, M10x1.5
5	J400 0235	4				EMM, EW0			NUT, Push, .375
		3				EL0, EML			
6	5210 2317	1			62, 63, 64, 65	EH0, EL0, EM0, EW0			SHIELD, Heat 35 Gallon
	5210 2318	1	1, 6		61	EH0, EL0, EML			26 Gallon


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Fuel Tank All Engines
Figure 014-132




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
7	5210 2422	1	2, 3, 7, 8		62, 63, 65	EMM, EWO			SHIELD, Heat, 35 Gallon

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Figure 014-242



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0 = All 3.9L V6 Gas Engines									
ELF = Magnum 5.2L SMPI V8 Engine									
ELO = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
ET0 = All 5.9L Turbo Diesel Engines									
EW0 = All 8.0L Gas Engines									
1									SCREW, .190-16x1.00, (NOT SERVICED) (Not Serviced)
2	52102 432AA	1							CAP, Fuel Filler
3	5210 2142	1			61, 62	EH0, ELO, EM0, EW0			HOUSING, Fuel Filler
		1	3, 8		62	ET0			
		1	2, 7		62	ET0			
	5210 2354	1	2, 3, 7, 8		63, 64, 65	EH0, ELO, EM0, EW0			
		1	2, 3, 7, 8		63, 64, 65	ET0			
4	52102 244AE	1	3, 8		62	EH0, ELO, EM0, EW0			TUBE, Fuel Filler Federal, w/Dual Wheels
		1	2, 3, 7, 8		63, 64, 65	EH0, ELO, EM0, EW0			Federal, w/Dual Wheels
	5210 2275	1	3, 8		62	ET0			
	5210 2244	1	2, 3, 7, 8		63, 64, 65	EH0, ELO, EM0, EW0			California, w/Dual Wheels

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Fuel Filler Tube All Engines
Figure 014-242

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	52102 244AD	1	3, 8		62	EH0, EL0, EM0, EW0			California, w/Dual Wheels
	52102 254AC	1			61, 62	EH0, EL0, EM0, EW0			California, w/o Dual Wheels
	5210 2275	1	3, 8		62	EH0, EL0, EM0, EW0			Leaded Fuel
		1	2, 3, 7, 8		63, 64, 65	EH0, EL0, EM0, EW0			Leaded Fuel
		1	2, 3, 7, 8		63, 64, 65	EH0, EL0, EM0, ET0			Federal, w/o Dual Wheels
	52102 254AD	1			61, 62	EH0, EL0, EM0, EW0			CLAMP, Fuel Filler Pipe
5	5210 2276	1	2, 7		62	ET0			
	6505 321AA	2	2, 3, 7, 8		63, 64, 65	EH0, EL0, EM0, EW0			
		2	2, 3, 7, 8		63, 64, 65	EH0, EL0, EM0, EW0			
6	52102 376AA	1			61, 62, 65				HOSE, Fuel Filler Vent
7	6504 998AA	2							CLAMP, Fuel Filler Pipe
8	52102 375AA	1			61, 62, 65				HOSE, Fuel Filler
9	4428 652	1				ET0			LABEL, Fuel
10	4206 059	1				EH0, ELF, EM0, EW0			LABEL, Unleaded Fuel Only
11									GASKET, Filler Tube Housing


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Fuel Filler Tube All Engines Figure 014-242


[illegible]

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Fuel Lines, Front All Engines
Figure 014-315




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:
EH0 = All 3.9L V6 Gas Engines
ELF = Magnum 5.2L SMPI V8 Engine
EL0 = All 5.2L 8 Cyl Gas Engines
EM0 = All 5.9L 8 Cyl Gas Engines
EW0 = All 8.0L Gas Engines

1	5212 7791	1				EH0, ELF,			TUBE, Fuel Supply
2	52127 792AB	1				EM0 EW0			BRACKET, Fuel Line
	5201 8035	1				EH0, ELF, EM0 EW0			
3	5201 8273	1							TUBE, Convoluted
	4364 374	1				EH0, ELF, EM0 EW0			

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Fuel Lines, Rear All Engines
Figure 014-325



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:
EH0 = All 3.9L V6 Gas Engines
ELF = Magnum 5.2L SMPI V8 Engine
EL0 = All 5.2L 8 Cyl Gas Engines
EML = Magnum 5.9L SMPI V8 Engine
EM0 = All 5.9L 8 Cyl Gas Engines
ET0 = All 5.9L Turbo Diesel Engines
EW0 = All 8.0L Gas Engines


1									TUBE, Fuel Supply
	5210 2308	1			62, 65	ET0			
	5210 2309	1	3, 8		63	ET0			
	5210 2312	1	3, 8		64	ET0			
-2									BUNDLE, Fuel Line
	5210 2293	1	1, 6		61	EH0, EL0, EML			
	5210 2295	1			62, 65	EH0, EL0, EM0, EW0			
	5210 2291	1	3, 8		63	EL0, EM0, EW0			
	5210 2292	1	3, 8		64	EM0, EW0			
3									TUBE, Fuel Return
	5210 2307	1			62, 65	ET0			
	5210 2311	1	3, 8		63	ET0			
	5210 2313	1	3, 8		64	ET0			
-4									TUBE, Fuel Vapor
	52102 288AB-	1			62, 65	EH0, EL0, EM0, EW0			
	52102 290AC-	1	3, 8		64	EM0, EW0			
	52102 287AB-	1	1, 6		61	EH0, EL0, EML			

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Fuel Lines, Rear All Engines
Figure 014-325




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	52102 289AC-	1	3, 8		63	EL0, EM0, EW0			
5	5210 2003	2			62, 65	ET0			CLIP, Fuel 5-Way
		2	3, 8		63	ET0			5-Way
		3	3, 8		64	ET0			5-Way
6	52102 371AB	3	3, 8		63, 64	EH0, EL0, EM0, EW0			CLIP, Fuel Line
		2	2, 3, 7, 8		62, 65	EH0, ELF, EM0, EW0			
	52102 373AC	3	3, 8		63, 64	ET0			
	52102 371AB	2	1, 6		61, 62	EH0, ELF, EM0, EW0			
	52102 373AC	2	2, 3, 7, 8		62, 65	ET0			
7									SCREW, (NOT SERVICED) (Not Serviced)
8									SHIELD, Fuel Line
	5202 1002	2	1, 6		61	EH0, ELF, EM0, EW0			Left
		2	1, 6		61	ET0			Left
		1			62, 63, 64, 65	EH0, ELF, EM0, EW0			Left
		1			62, 63, 64, 65	ET0			Left
9									TUBE, Convoluted
	4364 374	1				EH0, ELF, EM0			

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Fuel Lines, Rear All Engines Figure 014-325



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


10	1	EW0	
			TUBE, Fuel, Serviced in Fuel Tank, (NOT SERVICED) (Not Serviced)

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Fuel Lines 5.9L (ETC) Diesel Engine Figure 014-335



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DBB = All Manual Transmissions									
DGO = All Automatic Transmissions									
ETC = 5.9L Cummins 24V Diesel Engine									
ET0 = All 5.9L Turbo Diesel Engines									
1	5011 885AA	6				ET0	DBB		O RING, Fuel Injector
2	5011 824AA	1				ET0	DBB		CHECK VALVE, Fuel
3	4638 695	3				ET0	DBB		SCREW, Fuel Tube Cap
4	5011 826AA	1				ET0	DBB		TUBE, Fuel Return
5	5011 427AA	1				ET0	DBB		TUBE, Fuel Return
6	5013 856AA	6				ET0	DBB		CONNECTOR, Injector
7	5011 439AA	1				ET0	DBB		TUBE, Fuel Return
8	4429 519	3				ET0	DBB		BRACE, Fuel Tube
9	4762 019	4				ET0	DBB		BRACE, Fuel Tube
10									BRACE, Fuel Tube
	4740 354	1				ET0	DBB		
	4762 019	4				ET0	DBB		
11	4762 021	3				ET0	DBB		BRACE, Fuel Tube
12	4762 022	8				ET0	DBB		ISOLATOR, Fuel Filter Vibration
13	4638 687	6				ET0	DBB		ISOLATOR, Tube
14	5014 204AA	1				ET0	DBB		BRACE, Fuel Tube
15	5011 887AA	1				ET0	DBB		BRACE, Fuel Tube
16	5011 888AA	2				ET0	DBB		ISOLATOR, Tube
17	4761 708	11				ET0	DBB		SCREW, Fuel Tube Bracket
18	5011 889AA	1				ET0	DBB		BRACE, Fuel Tube
19	5011 457AA	1				ET0	DBB		TUBE, Fuel Injector Supply
20	5011 458AA	1				ET0	DBB		TUBE, Fuel Injector Supply
21	5011 460AA	1				ET0	DBB		TUBE, Fuel Injector Supply
22	5011 890AA	1				ET0	DBB		BRACE, Fuel Tube
23	5011 891AA	1				ET0	DBB		BRACE, Fuel Tube
24	5011 459AA	1				ET0	DBB		TUBE, Fuel Injector Supply
25	5011 461AA	1				ET0	DBB		TUBE, Fuel Injector Supply
26	5011 462AA	1				ET0	DBB		TUBE, Fuel Injector Supply
27	5011 818AA	6				ET0	DBB		SCREW, Hex Head, M8x1.25x12
28	4429 135	1				ET0	DBB		BOLT, Banjo
29	5011 820AA	1				ET0	DBB		TEE
30	4761 245	2				ET0	DBB		WASHER, Fuel Pump
31	4638 698	2				ET0	DBB		WASHER, Fuel Supply
32	4429 451	3				ET0	DBB		GROMMET


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Fuel Injector 5.9L (ETC) Diesel Engine
Figure 014-345



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:
DBB = All Manual Transmissions
DGO = All Automatic Transmissions
ETC = 5.9L Cummins 24V Diesel Engine
ETO = All 5.9L Turbo Diesel Engines


1									INJECTOR, Fuel
	5013 847AA	6				ETO	DBB		
	5013 848AA	6				ETO	DGO		
2	5011 886AA	6				ETO			CLAMP, Injector
3	4761 269	6				ETO			SCREW, Hex Flange Head
4	5011 417AA	6				ETO			SCREW
5	5012 558AA	6				ETO			O RING, Fuel Injector
6	4798 375	6				ETO			SEAL, Fuel Injector

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Air Fuel Control and Fuel Filter 5.9L (ETC) Diesel Engine
Figure 014-365



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DBB = All Manual Transmissions									
DGO = All Automatic Transmissions									
ETC = 5.9L Cummins 24V Diesel Engine									
ETO = All 5.9L Turbo Diesel Engines									
1	4429 135	3				ETO			BOLT, Banjo
2	4638 698	8				ETO			WASHER, Fuel Supply
3	4429 135	3				ETO			BOLT, Banjo
4	5011 425AA	1				ETO			TUBE, Fuel Supply
5									TUBE, Fuel Supply, (NOT REQUIRED)
-6									HOSE, Fuel
	5014 259AA-	1				ETO	DBB		
		1				ETO	DGO		
7									TUBE, Fuel Supply
	5014 258AA	1				ETO	DBB		
		1				ETO	DGO		
8									TUBE, Fuel Supply
	5014 243AA	1				ETO	DBB		
		1				ETO	DGO		
9	4429 634	2				ETO			SCREW, Hex Head Header Point, 24x.44
10	4740 418	1				ETO			SCREW, Banjo Connector
11	4429 948	1				ETO			HOSE, Fuel Drain
12	4638 698	2				ETO			WASHER, Fuel Supply
13	5011 618AA	1				ETO			HEAD, Fuel Filter
14	4883 963AB	1				ETO			FILTER, Fuel
15									HOUSING, Fuel Filler
	4882 441	1				ETO	DGO		
		1				ETO	DBB		
16									DRAIN, Fuel Filter Bowl
	4882 439	1				ETO	DBB		
		1				ETO	DGO		
17									SENSOR, Fuel/Water
	5011 620AA	1				ETO	DGO		
		1				ETO	DBB		
18	5011 806AA	1				ETO			BOLT, Banjo
19	5014 261AA	2				ETO			CLAMP, Hose

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Fuel Rail 3.9L (EHC), 5.2L (ELF), 5.9L (EML), 5.9L (EMM), 8.0L (EWA) Engine
Figure 014-430

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

EH0 = All 3.9L V6 Gas Engines
ELF = Magnum 5.2L SMPI V8 Engine
ELN = 5.2L V8 MPI CNG Engine
ELO = All 5.2L 8 Cyl Gas Engines
EM0 = All 5.9L 8 Cyl Gas Engines
ET0 = All 5.9L Turbo Diesel Engines
EW0 = All 8.0L Gas Engines

1									RAIL, Fuel
	5304 1029	1				EW0			
	53030 593AB	1				EH0			
	53030 598AB	1				ELF, EM0			
2									CLIP, Fuel Line
	5212 7788	1				EH0, ELF, EM0			
		1				EW0			
3									INJECTOR, Fuel
	5303 1571	10				EW0			
	5303 0778	8				ELF, EM0			
	5303 1151	6				EH0			
4									CLIP, Fuel Injector
	4418 257	8				ELF, EM0			
		6				EH0			
		10				EW0			
5									SCREW, Hex Head, .312-18x.94
	6034 549	2				EH0, ELO, EM0			
		2				EW0			
6									SCREW AND WASHER, .312-18x. 875, (NOT REQUIRED)
-7									SCREW, Hex Head, .312-18x.94
	6034 549	4				ELF, EM0			
		4				EH0			
-8	6034 445	1				EW0			SCREW, Hex Head, .312-18x1.00
9									CLIP, Fuel Line, (NOT REQUIRED)

DODGE RAM STANDARD CAB (BR)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

**Fuel Rail 3.9L (EHC), 5.2L (ELF), 5.9L (EML), 5.9L (EMM), 8.0L (EWA) Engine
Figure 014-430**

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-10	5018 781AA-	1				ELF, EM0			CAP, Diagnostic Port
-11	5083 745AA-	10				EW0			O RING KIT, Fuel Injector
	4897 125AA-	8				ELF, EM0			




DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Fuel Module, 1998-99 All Engines
Figure 014-525




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0 = All 3.9L V6 Gas Engines									
ELF = Magnum 5.2L SMPI V8 Engine									
ELO = All 5.2L 8 Cyl Gas Engines									
EML = Magnum 5.9L SMPI V8 Engine									
EM0 = All 5.9L 8 Cyl Gas Engines									
ET0 = All 5.9L Turbo Diesel Engines									
EW0 = All 8.0L Gas Engines									
1									MODULE KIT, Fuel Pump/Level Unit
	4897 666AA	1				EH0, ELO, EML			26, 34 Gallon
	4897 667AA	1			61, 62	EH0, ELO, EM0, EW0			35 Gallon
	4897 667AC	1	2, 3, 7, 8		63, 64, 65	EM0, EW0			35 Gallon
2	4897 668AD	1				ET0			35 Gallon
	5200 5389	1			61, 62	EH0, ELO, EM0, EW0			NUT, Fuel Pump Module
		1	2, 3, 7, 8		63, 64, 65	EM0, EW0			
3		1				ET0			FILTER, Fuel Pressure Regulator
	4798 825	1	2, 3, 7, 8		63, 64, 65	EM0, EW0			
		1			61, 62	EH0, ELO, EM0, EW0			
4	5210 2172	1				EH0, ELO, EML			VALVE, Fuel Vapor
-5 6	5212 7666	1				ET0			VALVE, Fuel Tank Rollover Safety GROMMET, Rollover Valve

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Fuel Module, 1998-99 All Engines Figure 014-525



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4616 244	1			61, 62	EHO,			
						EL0, EMO, EWO			
		1	2, 3, 7, 8		63, 64,	EMO,			
					65	EWO			
7	4897 669AA	1			61, 62	EHO, EL0, EMO, EWO			LEVEL UNIT KIT, Fuel 26 Gallon If the diesel truck had the fuel module replaced and the new one was 04897668af,than the level unit will have to be 04897669ab, instead of the 04897670ab
		1	2, 3, 7, 8		63, 64, 65	EMO, EWO			35 Gallon
	4897 670AB	1				ETO			If the diesel truck had the fuel module replaced and the new one was 04897668af,than the level unit will have to be 04897669ab, instead of the 04897670ab
8									FILTER, Fuel, Serviced in Module, (NOT SERVICED) (Not Serviced)
9	5201 8808	1	2, 3, 7, 8		63, 64,	EMO,			SEAL, Fuel Pump and Level Unit
					65	EWO			
		1				ETO			
		1			61, 62	EHO, EL0,			
						EMO, EWO			

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500 3,8 = 3500	62 = Reg. Cab(134 WB) 63 = Reg. Cab(138 WB) 64 = Reg. Cab(162 WB) 65 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl. ETC,ETH = 5.9L 6 Cyl. EML,EMM = 5.9L 8 Cyl. EWA = 8.0L 10 Cyl. EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDP,DDX,DDC = 5 Spd. Manual DEE = 6 Spd. Manual DDO = All 5 Speed Manual DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Fuel Injection Pump 5.9L (ETC) Diesel Engine
Figure 014-535

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


NOTE; Bracket Package [05170590AA] is Only Needed For Vehicles Produced 1/1/1998 Thru 1/31/1998 .That Had A Fuel Pump Bracket Issue.If The Vehicles Has Already Been Serviced In The Past For This Issue The Dealer Can Order Individual Parts For

1	4429 630	3				ET0			BOLT, Hex Head
2	4429 862	4				ET0			NUT, Hex Flange, M10x1.5
3	4761 250	4				ET0			STUD, Fuel Pump
4	5014 189AA	1				ET0	DG0		O RING, Fuel Injection Pump, Diesel
		1				ET0	DBB		
5	5013 851AA	1				ET0	DG0		GEAR, Injection Pump
		1				ET0	DBB		
6	5011 473AA	1				ET0	DBB		BRACE, Fuel Pump
		1				ET0	DG0		
7	5011 474AA	1				ET0	DBB		BRACE, Fuel Pump
8	5011 423AA	2				ET0			SCREW
9	5011 813AA	1				ET0			DOWEL
10	5013 925AA	1				ETC			PUMP, Fuel Injection
11	5013 000AA	1				ETC			KEY, Fuel Injection Pump
	5013 026AA	1				ETC			036
									035
	5013 052AA	1				ETC			034
	5013 078AA	1				ETC			033
	5013 104AA	1				ETC			032
	5013 130AA	1				ETC			031
	5013 156AA	1				ETC			030
	5013 182AA	1				ETC			029
	5013 208AA	1				ETC			028
	5013 234AA	1				ETC			027
	5013 260AA	1				ETC			026
	5014 026AA	1				ETC			046
	5014 052AA	1				ETC			045
	5014 078AA	1				ETC			044
	5014 104AA	1				ETC			043
	5014 130AA	1				ETC			042
	5014 156AA	1				ETC			041
	5014 208AA	1				ETC			039
	5014 182AA	1				ETC			040
	5014 234AA	1				ETC			038
	5014 260AA	1				ETC			037

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Fuel Injection Pump 5.9L (ETC) Diesel Engine
Figure 014-535


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-12									BRACKET PACKAGE, Fuel Pump, Engine, This Pkg Contain Item# 8. 13.14
	5170 590AA-	1				ET0	DBB		
		1				ET0	DG0		
-13									BRACE, Fuel Pump
	5015 362AA-	1				ET0	DBB		
		1				ET0	DG0		Fuel Pump Mounting
	5016 186AA-	1				ET0	DBB		Fuel Pump Mounting
		1				ET0	DG0		
-14									BOLT, Hex Head
	5016 187AA-	1				ET0	DBB		
		1				ET0	DG0		Fuel Pump Mounting
	5016 188AA-	1				ET0	DBB		Fuel Pump Mounting
		1				ET0	DG0		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Fuel Accessories 5.9L (ETC) Diesel Engine
Figure 014-550



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DBB = All Manual Transmissions									
DGO = All Automatic Transmissions									
ETC = 5.9L Cummins 24V Diesel Engine									
ET0 = All 5.9L Turbo Diesel Engines									
1	5011 815AA	3				ET0			NUT, Hex
2	4429 630	4				ET0			BOLT, Hex Head
3	4429 135	1				ET0			BOLT, Banjo
4	4638 698	2				ET0			WASHER, Fuel Supply
5	4882 110	1				ET0			SCREW, Hex Head, M8x1.25x16
6	5011 816AA	1				ET0			BRACKET, Pump
7	5011 437AA	1				ET0			GASKET, Engine Block Cover
8	5011 463AA	1				ET0			TUBE, Fuel Injector Supply
9									PUMP, Fuel
	5014 192AA	1				ET0	DBB		
		1				ET0	DGO		
10	5011 817AA	1				ET0			CLIP

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic


Fuel Pump Transfer Conversion
Figure 014-555



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5175 562AA	1				ET0			UNION
2	5016 555AB	4				ET0			WASHER, Fuel Line Banjo
3	4429 316	1				ET0			NUT
4	4761 242	3				ET0			SCREW, Hex Head, M8x1.25x45
5	5175 409AA	1				ET0			WIRING, Fuel Module
-6	5201 8808	1				ET0			SEAL, Fuel Pump and Level Unit
-7	5179 873AA-	1				ET0			MODULE PACKAGE, Fuel Pump/ Level Unit, THIS PACKAGE INCLUDES THE FUEL MODULE AND SEAL FOR ~-THE 1998-2002 BR/BE/BT DIESEL THAT HAD THE FUEL ~-SYSTEM PREVIOUSLY MODIFIED FROM THE ORIGINAL ENGINE~-MOUNTED TRANSFER PUMP TO THIS NEW PUMP IN THE FUEL ~-MODULE.
-8	5175 538AA-	1				ET0			MODULE PACKAGE, Fuel Pump/ Level Unit, Contains: Module Fuel Pump/Level Unit Seal Wiring Adapted Label and I Sheet

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic


Throttle Body 3.9L (EHC), 5.2L (ELF), 5.9L (EML), 5.9L (EMM), 8.0L (EWA) Engine
Figure 014-630



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0 = All 3.9L V6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
EW0 = All 8.0L Gas Engines									
1	5303 1808	1				EW0			THROTTLE BODY
	53031 733AA	1				EL0, EM0			
2	53031 806AB	1				EH0			GASKET, Throttle Body To Intake
	5303 0541	1				EH0, EL0, EM0			
	5304 1120	1				EW0			
3	6034 380	4				EW0			STUD, .312-18/.250-20x4.00
4	6033 560	4				EW0			NUT AND WASHER, Hex Nut-Coned Washer, .25-20
5	53030 657AB	1				EW0			MOTOR, A.I.S.
		1				EL0, EM0			
6		1				EH0			SCREW, A.I.S. Motor
	4728 136	1				EL0, EM0			
		1				EH0			
7	5300 9672	1				EW0			CONNECTOR, Emission Hose
		1				EH0, EL0, EM0			
8	4882 219	1				EH0			SENSOR, Throttle Position
		1				EW0			
		1				EL0, EM0			
-9	6034 356	4				EH0, EL0, EM0			SCREW AND WASHER, Hex Head, .312-18x2.38

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Turbocharger 5.9L (ETC) Diesel Engine
Figure 014-650



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

DBB = All Manual Transmissions
DGO = All Automatic Transmissions
ETC = 5.9L Cummins 24V Diesel Engine
ETO = All 5.9L Turbo Diesel Engines

1	5014 203AA	1				ETO	DBB		TURBOCHARGER
		1				ETO	DGO		
2	4429 357	1				ETO	DBB		GASKET, Turbocharger
		1				ETO	DGO		
3	4429 823	2				ETO			STUD
4	4429 825	2				ETO			NUT, Turbo Mounting
5	4761 275	1				ETO	DBB		O RING, Air Intake Line
		1				ETO	DGO		
6	4882 114	1				ETO			NUT, Lock
7									CLAMP, Air Intake Connection, V Clamp
	4882 048	1				ETO	DBB		
		1				ETO	DGO		
8	4746 644	1				ETO	DBB		ELBOW, Air Intake
		1				ETO	DGO		
9									CLAMP, Exhaust, (NOT REQUIRED)
10									PIPE, Exhaust, (NOT REQUIRED)
11	4886 033AA	1				ETO	DBB		GASKET, Turbo Oil Drain Pipe
		1				ETO	DGO		
12									KIT, Wastegate, (NOT SERVICED) (Not Serviced)


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Throttle Controls 3.9L (EHC), 5.2L (ELF), 5.9L (EML), 5.9L (EMM), 8.0L (EWA) Engine
Figure 014-730



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DBB = All Manual Transmissions									
DGT = 4 Speed Automatic Transmission 46RE									
DGO = All Automatic Transmissions									
EH0 = All 3.9L V6 Gas Engines									
ELF = Magnum 5.2L SMPI V8 Engine									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
ETB = 5.9L In-Line 6 Cummins Turbo Diesel Engine									
ET0 = All 5.9L Turbo Diesel Engines									
EW0 = All 8.0L Gas Engines									
1	5207 8102	1				EH0,	DBB		SPRING, Throttle Return
2	5207 7860	1				ELF,			INDICATOR, Gear Selector
3	5210 4030	1				EW0	DBB		
						EW0			CABLE, Throttle Valve
4						EH0,	DGO		CABLE, Accelerator
						EL0,			
						EM0,			
						EW0			
	5303 1501	1				EW0			CLIP, Serviced in Cable, (NOT SERVICED) (Not Serviced)
	53031 504AB	1				EH0			
	53031 602AB	1				EL0,			
						EM0			BRACKET, Accelerator
6	5303 1527	1				EW0			CLIP, Accelerator Cable
7	5207 8481	1				EH0,			
						EL0,			BRACKET, Cable
						EM0			
8	5207 9101	1					DGO		SCREW AND WASHER, .375-16x1.00
9	0181 112	1					DGO		
10	5207 7803	1				EL0,	DGT		BRACKET, Gearshift
						EM0			BRACKET, Throttle Valve Spring
11	5207 8718	1					DGO		
12	6028 114	1					DGO		NUT, Hex, .437-14
13	5207 9065	1					DGO		LEVER, Throttle Valve

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Throttle Controls 3.9L (EHC), 5.2L (ELF), 5.9L (EML), 5.9L (EMM), 8.0L (EWA) Engine
Figure 014-730




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
14	5300 9055	1					DG0		SPRING, Throttle Valve Return
15	5207 9300	1				EWO			BELLCRANK, Accelerator and Cruise

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Throttle Controls 5.9L (ETC) Diesel Engine
Figure 014-750



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	-------------	-----	------	--------	------	--------	-------	------	-------------

Note:
DBB = All Manual Transmissions
DGO = All Automatic Transmissions
ETC = 5.9L Cummins 24V Diesel Engine
ETO = All 5.9L Turbo Diesel Engines


1	4429 631	6				ETO			SCREW, Hex Head
2	4429 779	3				ETO			BOLT, Hex Head
3	5303 1575	1				ETO	DGO		BELLCRANK, Accelerator and Cruise Includes Throttle Position Sensor
	5303 1576	1				ETO	DBB		Includes Throttle Position Sensor
4	5011 838AA	1				ETO	DBB		SUPPORT, Bellcrank
		1				ETO	DGO		
5	5303 1577	1				ETC			SHROUD, Bellcrank
6	6502 871	2				ETC			BOLT, M6.3x22.80
7	5210 7742	1				ETC	DGO		CABLE, Throttle Valve
8	53031 626AB	1				ETC			CABLE, Accelerator

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Air Cleaner 3.9L (EHC), 5.2L (ELF), 5.9L (EML) Engine
Figure 014-825




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DBB = All Manual Transmissions									
DG0 = All Automatic Transmissions									
EH0 = All 3.9L V6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EML = Magnum 5.9L SMPI V8 Engine									
EM0 = All 5.9L 8 Cyl Gas Engines									
1	53008 675AB	1				EH0, EL0 EM0 EM0	DBB DG0		TUBE, PCV Valve
2	4897 529AA	1				EH0, EL0, EML			BODY, Air Cleaner
3									SCREW, (NOT SERVICED) (Not Serviced)
4	5303 0406	1				EH0, EL0, EM0			FASTENER, Mounting Post
5	6034 985	1				EH0, EL0, EM0			STUD, .375-16x3.04
6	53030 353AB	1				EL0, EM0			BRACKET, Air Cleaner
7	53031 645AA 5277 576	1 3				EH0 EH0, EL0, EML			LATCH, Air Cleaner
8	4897 527AA	1				EH0, EL0, EML			COVER, Air Cleaner
9	4268 295	1				EH0, EL0, EML			GROMMET, Air Cleaner Bracket
10	5300 4383	1				EH0, EL0, EML			FILTER, Air

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Figure 014-825




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
11	5303 0600	1				EH0, ELO, EM0			GASKET, Air Cleaner To T/Body
12	4728 212	1				EH0, ELO, EML			CLAMP, Air Cleaner to T/Body

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Air Cleaner 5.9L (EMM) Engine
Figure 014-827



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DBB = All Manual Transmissions									
DGO = All Automatic Transmissions									
EH0 = All 3.9L V6 Gas Engines									
ELF = Magnum 5.2L SMPI V8 Engine									
ELO = All 5.2L 8 Cyl Gas Engines									
EMM = Magnum 5.9L SMPI V8 Engine									
EM0 = All 5.9L 8 Cyl Gas Engines									
1									TUBE, PCV Valve
	53008 675AB	1				EM0	DBB		
		1				EM0	DGO		
2									COVER, Air Cleaner
	4897 528AA	1				EMM			Unleaded Fuel
	4897 527AA	1				EMM			Leaded Fuel
3	53030 817AB	1				EH0,			HOSE, Crankcase Vent
						EL0,			
						EM0			
4	6034 985	1				EH0,			STUD, .375-16x3.04
						EL0,			
						EM0			
5	5303 0406	1				EH0,			FASTENER, Mounting Post
						EL0,			
						EM0			
6									SCREW, (NOT SERVICED) (Not Serviced)
7	53030 353AB	1				EL0,			BRACKET, Air Cleaner
						EM0			
8									AIR CLEANER PACKAGE, (NOT REQUIRED)
-9	4897 529AA-	1				EMM			BODY, Air Cleaner
10	5277 576	3				EMM			LATCH, Air Cleaner
11	4728 212	1				EMM			CLAMP, Air Cleaner to T/Body
12	5300 4383	1				EMM			FILTER, Air
13	6033 560	1				EL0,			NUT AND WASHER, Hex Nut-Coned
						EM0			Washer, .25-20
14	4268 295	1				EMM			GROMMET, Air Cleaner Bracket

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic


Air Cleaner 8.0L (EWA) Engine
Figure 014-830

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

EW0 = All 8.0L Gas Engines

1	5303 0867	1				EW0			GASKET, Air Cleaner To T/Body
2	53040 044AB	1				EW0			AIR CLEANER
3	5304 0025	1				EW0			FILTER, Air
4	6033 560	4				EW0			NUT AND WASHER, Hex Nut-Coned Washer, .25-20




DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Air Cleaner 5.9L (ETB), 5.9L (ETC) Diesel Engine Figure 014-840



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
ET0 = All 5.9L Turbo Diesel Engines									
1	4864 443AA	1				ET0			GAUGE, Air Restriction Indicator
2	4897 530AA	1				ET0			COVER, Air Cleaner
3	5303 0294	1				ET0			DUCT, Ambient Air
4	4864 442	1				ET0			ELEMENT, Air Cleaner
5	4728 407	1				ET0			HOUSING, Air Cleaner
6	5303 0406	3				ET0			FASTENER, Mounting Post
7	5277 576	4				ET0			LATCH, Air Cleaner
8									CLAMP, Air Cleaner Duct
	53032 105AA	1				ET0			Air Cleaner End
	53032 134AA	1				ET0			Turbocharger End
9	4428 963	1				ET0			LABEL, Diesel Starting, 'Warning-Do
									Not Use Starting Fluids-Immediate
									Engine Damage Can Result'
10	4268 295	4				ET0			GROMMET, Air Cleaner Bracket, Air
									Cleaner Mounting
11	4728 405	1				ET0			FITTING, Indicator Gauge
12	6503 955	3				ET0			STUD, M6x1.00x18

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic


AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Air Intake System 3.9L (EHC), 5.2L (ELF), 5.9L (EML), 5.9L (EMM) Engine
Figure 014-920

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:									
EH0 = All 3.9L V6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
1	5303 0304	1				EH0, EL0, EM0			DUCT, Ambient Air, Air Cleaner to Fender



DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic


Air Intake System 8.0L (EWA) Engine Figure 014-930

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

EW0 = All 8.0L Gas Engines

1	5303 0165	1	EW0	HOSE, Air Cleaner to T/Body
2	5300 6584	2	EW0	CLAMP, Hose to Air Cleaner
3	5304 1043	1	EW0	DUCT, Ambient Air
4	0154 555	1	EW0	SCREW
5	5304 1042	1	EW0	DUCT, Ambient Air
6	6502 064	2	EW0	SCREW, Tapping, M6x1x20




DODGE RAM STANDARD CAB (BR)-

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500 3,8 = 3500	62 = Reg. Cab(134 WB) 63 = Reg. Cab(138 WB) 64 = Reg. Cab(162 WB) 65 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl. ETC,ETH = 5.9L 6 Cyl. EML,EMM = 5.9L 8 Cyl. EWA = 8.0L 10 Cyl. EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDP,DDX,DDC = 5 Spd. Manual DEE = 6 Spd. Manual DDO = All 5 Speed Manual DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Air Intake System 5.9L (ETB), 5.9L (ETC) Diesel Engine
Figure 014-935




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:									
ET0 = All 5.9L Turbo Diesel Engines									
1	5303 1610	1				ET0			DUCT, Ambient Air

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Charge Air Cooler System 5.9L (ETC) Diesel Engine
Figure 014-945




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:									
ETC = 5.9L Cummins 24V Diesel Engine									
ET0 = All 5.9L Turbo Diesel Engines									
1	52028 724AB	1				ETC			COOLER, Charge Air
2	5202 7827	1				ET0			ISOLATOR, Radiator
3	5202 7502	2				ETC			ISOLATOR, Radiator
4									BRACKET, Intercooler
	5202 7724	1				ET0			Right
	5202 7725	1				ET0			Left
5									SCREW, M8x1.25x20.00, (NOT SERVICED) (Not Serviced)
6									SCREW, M6x1.00x55.00, (NOT SERVICED) (Not Serviced)
7	6503 245	2				ET0			NUT/RIVET, Cooler To Closure Panel
8	5202 8489	1				ETC			DUCT, Charge Air Cooler
9	52027 815AB	1				ETC			HOSE, Charge Air Cooler
10	5202 7990	1				ETC			HOSE, Intercooler Intake
11	5202 7813	2				ET0			CLAMP, Hose
12	52028 492AB	1				ETC			DUCT, Charge Air Cooler, Left
13	5202 7516	1				ETC			HOSE, Outlet Duct To Cooler
14	5202 7813	2				ETC			CLAMP, Hose

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Speed Control All Engines
Figure 014-1030



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

EH0 = All 3.9L V6 Gas Engines
ELO = All 5.2L 8 Cyl Gas Engines
EM0 = All 5.9L 8 Cyl Gas Engines
ETB = 5.9L In-Line 6 Cummins Turbo Diesel Engine
ETC = 5.9L Cummins 24V Diesel Engine
ET0 = All 5.9L Turbo Diesel Engines
EW0 = All 8.0L Gas Engines

1									SERVO, Speed Control
	4669 977	1				EW0			
		1				EH0, ELO, EM0			
		1				ETC			
2									BRACKET, Speed Control Servo
	5300 7958	1				ETC			
		1				EH0, ELO, EM0			
		1				EW0			
3									CABLE, Speed Control
	5303 1574	1				ETC			
	5207 8598	1				EH0, ELO, EM0			
		1				EW0			
	5207 9311	1				EW0			
4	6100 775	2				EH0, ELO, EM0,			NUT, Hex Flange, M5x.8
						EW0			
5	5503 5614	1				EH0, ELO, EM0,			RESERVOIR, Vacuum
						EW0			
6	6032 988	3							SCREW
7									NUT, Hex Flange Serration, M6x1
	6502 493	2				ETC			
		2				EH0, ELO, EM0			

DODGE RAM STANDARD CAB (BR)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Speed Control All Engines

Figure 014-1030



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		2				EW0			
8	6025 867	1				ETC			CLIP, Cable to Servo Attach
		1				EH0, EL0, EM0			
9	5207 8323	1				EW0			HARNESS, Vacuum Speed Control
	5207 8320	1				ETC			
	5207 8323	1				EH0, EL0, EM0			
10	5207 8479	1				EW0			CLIP, Vacuum Harness
11	6503 441	1				EH0, EL0, EM0			CLIP, Cruise Control
12	5505 5705	1				EH0, EL0, EM0			HARNESS ASSEMBLY, vacuum
-13	4549 209	1				EW0			VALVE PACKAGE, Check
						EH0, EL0, EM0			

DODGE RAM STANDARD CAB (BR)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500 3,8 = 3500	62 = Reg. Cab(134 WB) 63 = Reg. Cab(138 WB) 64 = Reg. Cab(162 WB) 65 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl. ETC,ETH = 5.9L 6 Cyl. EML,EMM = 5.9L 8 Cyl. EWA = 8.0L 10 Cyl.	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDP,DDX,DDC = 5 Spd. Manual DEE = 6 Spd. Manual DDO = All 5 Speed Manual DGO = All Automatic
			EAA = All engines EAG = All gas engines	

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Accelerator Pedal All Engines
Figure 014-1120

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5303 1526	1							LEVER, Accelerator Linkage, w/ Pedal, Accelerator
2	5207 8653	2							BUSHING, Accelerator Pedal, Lever



DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Group – 016

Propeller Shafts and U-Joints


GROUP 16 - Propeller Shafts and U-Joints

Illustration Title

Group-Fig. No.


Propeller Shaft

Shaft,Propeller,Front,BR 6,7,8	Fig. 016-110
Shaft,Propeller,Rear,1 Piece,Body 61,62,65,BR 1,2,3,6,7,8	Fig. 016-120
Shaft,Propeller,Rear,1 Piece,Body 63,BR 8	Fig. 016-130
Shaft,Propeller,Rear,2 Piece,Body 62,65,BR 1,2,3	Fig. 016-140
Shaft,Propeller,Rear,2 Piece,Body 63,64,BR 3,8	Fig. 016-150



<div>016-100</div> <div>Propeller Shaft</div> <div></div>			
---	--	--	--

Shaft,Propeller,Front,BR 6,7,8
 Figure 016-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:Sales Codes:

DJC = Dana 44 Front Axle
 DJF = Dana 60 Front Axle
 DBB = All Manual Transmissions
 DDP = 5 Speed Manual Transmission
 DDX = 5 Speed HD Manual Transmission
 DGK = 4 Speed Automatic Transmission 42RE
 DGP = 4 Speed Automatic Transmission 47RE
 DGT = 4 Speed Automatic Transmission 46RE
 DGO = All Automatic Transmissions
 DHG = Shift-on-the-Fly Transfer Case, 241 HD
 DHH = Shift-on-the-Fly Transfer Case, 241
 DRD = Rear Axle - Dana M60 HD/248MM RBI

1									SHAFT, Drive, Front
	52105 871AA	1	6, 7, 8				DBB		[DJC]
	52105 860AA	1	6, 7, 8				DGO		[DJC]
	52105 840AA	1	6, 7, 8				DDP		[DJF]
	52105 871AA	1	6, 7, 8				DDX, DGT		[DJF]
	52105 866AA	1	6, 7, 8				DEE		[DJF]
	52105 862AA	1	6, 7, 8				DGP		[DJF,DHG]
	52105 860AA	1	6, 7, 8				DGP		[DJF,DHH]
2									U JOINT
	5014 062AA	2	6, 7, 8				DBB		[DJC], Rear
		2	6, 7, 8				DGO		[DJC], Rear
		2	6, 7, 8				DDP		[DJF], Rear
		2	6, 7, 8				DDX, DGT		[DJF], Rear
		2	6, 7, 8				DDQ		[DJF], Rear
		2	6, 7, 8				DGP		[DJF,DHG], Rear
		2	6, 7, 8				DGP		[DJF,DHH], Rear
3	6033 358	4	6, 7, 8						SCREW AND WASHER, Hex Head Locking, .437-14x1.25, Drive Shaft to Transfer Case Flange
4	2781 904	2	6, 7, 8						CLAMP, U-Joint
5	6029 562	4	6, 7, 8						BOLT, Hex Head, U-Joint Clamp
6									BOOT, Driveshaft
	5012 793AA	1	6, 7, 8				DBB		[DJC]
		1	6, 7, 8				DGO		[DJC]
		1	6, 7, 8				DDP		[DJF]


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Shaft,Propeller,Front,BR 6,7,8
Figure 016-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6, 7, 8				DDX, DGT		[DJF]
		1	6, 7, 8				DEE		[DJF]
		1	6, 7, 8				DGP		[DJF,DHG]
		1	6, 7, 8				DGP		[DJF,DHH]
7	5014 056AA	1	6, 7, 8				DBB		YOKE, Drive Shaft [DJC]
		1	6, 7, 8				DG0		[DJC]
		1	6, 7, 8				DDP		[DJF]
		1	6, 7, 8				DDX, DGT		[DJF]
		1	6, 7, 8				DEE		[DJF]
		1	6, 7, 8				DGP		[DJF,DHG]
		1	6, 7, 8				DGP		[DJF,DHH]
8	5014 063AA	1	6, 7, 8				DBB		U JOINT [DJC], Front
		1	6, 7, 8				DG0		[DJC], Front
		1	6, 7, 8				DDP		[DJF], Front
		1	6, 7, 8				DDX, DGT		[DJF], Front
		1	6, 7, 8				DEE		[DJF], Front
		1	6, 7, 8				DGP		[DJF,DHG], Front
		1	6, 7, 8				DGP		[DJF,DHH], Front

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Shaft,Propeller,Rear,1 Piece,Body 61,62,65,BR 1,2,3,6,7,8
Figure 016-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

DDC = 5 Speed HD Manual Transmission
DDP = 5 Speed Manual Transmission
DDX = 5 Speed HD Manual Transmission
DGK = 4 Speed Automatic Transmission 42RE
DGP = 4 Speed Automatic Transmission 47RE
DGT = 4 Speed Automatic Transmission 46RE
DHG = Shift-on-the-Fly Transfer Case, 241 HD
DHH = Shift-on-the-Fly Transfer Case, 241
EH0 = All 3.9L V6 Gas Engines
EL0 = All 5.2L 8 Cyl Gas Engines
EM0 = All 5.9L 8 Cyl Gas Engines
ET0 = All 5.9L Turbo Diesel Engines
EW0 = All 8.0L Gas Engines

1									SHAFT, Drive
	52088 060AB	1	1		61		DDC		
	52105 870AA	1	1		61		DGK,		
							DGT		
	52105 839AA	1	6		61		DDC		
	52105 865AA	1	6		61		DGT		
2									YOKE, Drive Shaft
	52097 682AB	1	1		61		DDC		With Shaft 52088060AB
	5014 040AA	1	1		61		DGK,		With Shaft 52105870AA
							DGT		
	5014 042AA	1	6		61		DDC		With Shaft 52105839AA
	5014 043AA	1	6		61		DGT		With Shaft 52105865AA
3									SHAFT, Drive
	52105 479AD	1	1		62	EL0	DGT		
		1	1		62	EH0,	DGK,		
						EM0	DGT		
	5210 5320	1	3		62	EM0	DGT		
	5210 5321	1	3		62	ET0,	DGP		
						EW0			
	52105 875AA	1	6		62		DDC		
	5210 5105	1	8		62		DDP		
	5210 5232	1	8		62	ET0,	DGP		DHG
						EW0			
	5210 5233	1	8		62	EM0	DGT		DHG
	52105 282AB	1	7, 8		62, 65		DEE		DHG
	5210 5233	1	7, 8		62, 65	ET0	DDX		DHG


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Shaft,Propeller,Rear,1 Piece,Body 61,62,65,BR 1,2,3,6,7,8
 Figure 016-120




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8		62, 65	EW0	DDX		DHG
	5210 5104	1	7		62, 65		DDP		DHG
	5210 5103	1	7		62, 65		DGT		DHG
	5210 5233	1	7		62, 65	ET0, EW0	DGP		
	52105 855AA	1	6, 7		62, 65		DGT		
	5209 8243	1	7		62, 65	ET0	DDX		DHH
	5209 9190	1	7		62, 65		DGP		
	5209 8243	1	7		62, 65	EW0	DDX		DHH
	5209 9113	1	7		62, 65		DGT		DHH
	5210 5320	1	2		62, 65	ET0, EW0	DGP		
	52105 281AB	1	7		62, 65		DEE		DHH
	5208 8055	1	7		62, 65		DDP		DHH
4	5003 633AA	1	1		62	EH0, EM0	DGK, DGT		YOKE, Drive Shaft with Shaft 52105479AD
		1	1		62	EL0	DGT		with Shaft 52105479AD
	5003 625AA	1	2		62, 65	ET0, EW0	DGP		with Shaft 52105320
		1	3		62	EM0	DGT		Kwith Shaft 52105320
		1	3		62	ET0, EW0	DGP		with Shaft 52105321
	5014 042AA	1	6		62		DDC		with Shaft 52105875AA
	5014 043AA	1	6, 7		62, 65		DGT		with Shaft 52105855AA
	4882 185	1	7		62, 65		DDP		with Shaft 52105104
	4773 017	1	7		62, 65		DDP		with Shaft 52088055
		1	7		62, 65	EW0	DDX		with Shaft 52098243
		1	7		62, 65	ET0	DDX		with Shaft 52098243
		1	7		62, 65		DEE		with Shaft 52105281AB
	4882 185	1	7		62, 65	ET0, EW0	DGP		with Shaft 52105233
	4773 021	1	7		62, 65		DGP		with Shaft 52105320
	4882 185	1	7		62, 65		DGT		with Shaft 52105103
	4773 021	1	7		62, 65		DGT		with Shaft 52099113
	4882 185	1	7, 8		62, 65	EW0	DDX		with Shaft 52105233
		1	7, 8		62, 65	ET0	DDX		with Shaft 52105233
		1	7, 8		62, 65		DEE		with Shaft 52105282AB
		1	8		62		DDP		with Shaft 52105105

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Shaft,Propeller,Rear,1 Piece,Body 61,62,65,BR 1,2,3,6,7,8
 Figure 016-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	8		62	ET0, EW0	DGP		with Shaft 52105232
5	6034 965	4	8		62	EM0	DGT		with Shaft 52105233
6	2781 904	2							BOLT, Hex Head, .312-24x.88
7									CLAMP, U-Joint
	4504 575	1	1		61		DDC		U JOINT
	5014 062AA	1	1		61		DGT		With Shaft 52088060AB, Front or Rear
	5014 063AA	1	1		61		DGT		with Shaft 52105870AA, Front
	5014 062AA	1	6		61		DGT		with Shaft 52105870AA, Rear
	5014 063AA	1	6		61		DDC		with Shaft 52105839AA, Front
	5014 062AA	1	6		61		DDC		with Shaft 52105839AA, Rear
	5014 063AA	1	6		61		DGT		with Shaft 52105865AA, Front
	5014 062AA	1	6		61		DGT		with Shaft 52105865AA, Rear
	5014 063AA	1	6		62		DDC		with Shaft 52105875AA, Front
	5014 062AA	1	6		62		DDC		with Shaft 52105875AA, Rear
	5014 063AA	1	1		62	EL0	DGT		with Shaft 52105479AD, Front or Rear
		1	1		62	EH0,	DGT		with Shaft 52105479AD, Front or Rear
	5003 146AA	1	3		62	EM0	DGT		Rear
		1	3		62	ET0, EW0	DGP		with Shaft 52105320, Front or Rear
		1	8		62	ET0, EW0	DGT		with Shaft 52105321, Front or Rear
		1	8		62	ET0, EW0	DGP		with Shaft 52105232, Front or Rear
		1	8		62		DDP		with Shaft 52105105, Front or Rear
		1	2		62, 65	ET0, EW0	DGP		with Shaft 52105320, Front or Rear
	5014 062AA	1	6, 7		62, 65		DGT		with Shaft 52105855AA, Front
	5014 063AA	1	6, 7		62, 65		DGT		with Shaft 52105855AA, Rear
	5003 146AA	1	7		62, 65		DDP		with Shaft 52088055, Front or Rear
		1	7		62, 65		DDP		with Shaft 52105104
		2	7		62, 65	EW0	DDX		with Shaft 52098243, Front or Rear
		2	7		62, 65	ET0	DDX		with Shaft 52098243, Front or Rear
		2	7		62, 65		DEE		with Shaft 5210581AB
		1	7		62, 65	ET0, EW0	DGP		with Shaft 52105233, Front or Rear

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic




AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Shaft,Propeller,Rear,1 Piece,Body 61,62,65,BR 1,2,3,6,7,8
 Figure 016-120

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	-------------	-----	------	--------	------	--------	-------	------	-------------

		2	7		62, 65		DGP		with Shaft 52099190, Front or Rear
		2	7		62, 65		DGT		with Shaft 52099113, Front or Rear
		1	7		62, 65		DGT		with Shaft 52105103, Front or Rear
		2	7, 8		62, 65		DEE		with Shaft 5210582AB
		1	7, 8		62, 65	ET0	DDX		with Shaft 52105233
		1	7, 8		62, 65	EW0	DDX		with Shaft 52105233




DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Shaft,Propeller,Rear,1 Piece,Body 63,BR 8
 Figure 016-130




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: DDP = 5 Speed Manual Transmission DDX = 5 Speed HD Manual Transmission DEE = 6 Speed HD Manual Transmission DGP = 4 Speed Automatic Transmission 47RE DGT = 4 Speed Automatic Transmission 46RE EM0 = All 5.9L 8 Cyl Gas Engines ET0 = All 5.9L Turbo Diesel Engines EW0 = All 8.0L Gas Engines									
1	5210 5120	1	8		63	ET0, EW0	DGP		SHAFT, Drive
	5210 5122	1	8		63	EM0	DDP, DGT DDX		
		1	8		63	ET0, EW0	DEE		
	52105 283AB	1	8		63				
2	4882 185	1	8		63	ET0, EW0	DGP		YOKE, Drive Shaft with Shaft 52105120
		1	8		63	EM0	DDP, DGT DDX		with Shaft 52105122
		1	8		63	ET0, EW0	DEE		with Shaft 52105122
		1	8		63				with Shaft 52105283AB
3	6034 965	4							BOLT, Hex Head, .312-24x.88
4	2781 904	2							CLAMP, U-Joint
5	5003 146AA	1	8		63	ET0, EW0	DGP		U JOINT with Shaft 52105120
		1	8		63	EM0	DDP, DGT DDX		with Shaft 52105122
		1	8		63	ET0, EW0	DDX		with Shaft 52105122
		1	8		63		DEE		with Shaft 52105283AB

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Shaft,Propeller,Rear,2 Piece,Body 62,65,BR 1,2,3
Figure 016-140



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DDC = 5 Speed HD Manual Transmission									
DDP = 5 Speed Manual Transmission									
DDX = 5 Speed HD Manual Transmission									
DEE = 6 Speed HD Manual Transmission									
DGP = 4 Speed Automatic Transmission 47RE									
DGT = 4 Speed Automatic Transmission 46RE									
ELO = All 5.2L 8 Cyl Gas Engines									
EMO = All 5.9L 8 Cyl Gas Engines									
ETO = All 5.9L Turbo Diesel Engines									
EWO = All 8.0L Gas Engines									
1									SHAFT, Drive, 2 Piece
	52105 841AA	1	1		62		DDC		
	5210 5490	1	2		62, 65	EL0, EMO	DDP		
	52105 494AD	1	2, 3		62, 65	ET0, EWO	DDX, DEE		
	5210 5492	1	3		62	EL0, EMO	DDP		
2									YOKE, Drive Shaft
	5014 041AA	1	1		62		DDC		with Shaft 52105841AD
	4773 015	1	2		62, 65	EL0, EMO	DDP		with Shaft 52105490
	4882 170	1	2, 3		62, 65	ET0, EWO	DDX, DEE		with Shaft 52105494AD
	4773 015	1	3		62	EL0, EMO	DDP		with Shaft 52105492
3	5014 097AA	1	1		62		DDC		CENTER BEARING, Drive Shaft, with Shaft 52105841AD
4									BEARING, Drive Shaft
	4773 014	1	2		62, 65	EL0, EMO	DDP		with Shaft 52105490
		1	2, 3		62, 65	ET0, EWO	DDX, DEE		with Shaft 52105494AD
		1	3		62	EL0, EMO	DDP		with Shaft 52105492
5									CLAMP, Boot
	5212 720	1	2		62, 65	EL0, EMO	DDP		with Shaft 52105490

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Shaft,Propeller,Rear,2 Piece,Body 62,65,BR 1,2,3
Figure 016-140






ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	2, 3		62, 65	ET0, EW0	DDX, DEE		with Shaft 52105494AD
		1	3		62	EL0, EM0	DDP		with Shaft 52105492
6									BOOT, Driveshaft
	5012 793AA	1	1		62		DDC		with Shaft 52105841AD
	4428 807	1	2		62, 65	EL0, EM0	DDP		with Shaft 52105490
		1	2, 3		62, 65	ET0, EW0	DDX, DEE		with Shaft 52105494AD
		1	3		62	EL0, EM0	DDP		with Shaft 52105841AD
7									CLAMP, Boot
	4428 808	1	2		62, 65	EL0, EM0	DDP		with Shaft 52105490
		1	2, 3		62, 65	ET0, EW0	DDX, DEE		with Shaft 52105494AD
		1	3		62	EL0, EM0	DDP		with Shaft 52105492
8									YOKE, Drive Shaft
	5014 056AA	1	1		62		DDC		with Shaft 52105841AD
	4428 804	1	2		62, 65	EL0, EM0	DDP		with Shaft 52105490
		1	2, 3		62, 65	ET0, EW0	DDX, DEE		with Shaft 52105494AD
		1	3		62	EL0, EM0	DDP		with Shaft 52105492
9									SCREW AND WASHER, M10x1. 5x45
	6101 063	4	1, 2		62, 65		DBB		Center Bearing Bracket to Frame Crossmember Mounting
		4	2		62, 65		DGT		Center Bearing Bracket to Frame Crossmember Mounting
		4	2		62, 65		DGP		Center Bearing Bracket to Frame Crossmember Mounting
		4	3		62, 63	ET0, EW0	DGP		Center Bearing Bracket to Frame Crossmember Mounting
		4	3		62, 63	EM0	DGT		Center Bearing Bracket to Frame Crossmember Mounting
10									BRACKET, Drive Shaft Bearing

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Shaft,Propeller,Rear,2 Piece,Body 62,65,BR 1,2,3
Figure 016-140



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
11	5210 5267	1	1		62		DBB		
	5210 5279	1	2, 3		62, 65		DBB		SCREW AND WASHER, Hex Head, M10x1.5x30
	6101 060	2	1, 2		62, 65		DBB		Center Bearing Mounting
		2	2		62, 65		DGT		Center Bearing Mounting
12		2	2		62, 65		DGP		Center Bearing Mounting
		2	3		62, 63	ET0, EW0	DGP		Center Bearing Mounting
		4	3		62, 63	EM0	DGT		Center Bearing Mounting
	6101 696	6	1		62		DBB		NUT Center Bearing and Center Bearing Bracket Mounting
		6	2		62, 65				Center Bearing and Center Bearing Bracket Mounting
		4	2		62, 65				Center Bearing and Center Bearing Bracket Mounting
		4	3		62, 63	ET0, EW0	DGP		Center Bearing and Center Bearing Bracket Mounting
		4	3		62, 63	EM0	DGT		Center Bearing and Center Bearing Bracket Mounting
	13	5209 7944	1	2, 3	62, 63, 64	EMM, EW0	DBB		SHIELD, Center Bearing, Heat
	14	3420 1888	3						SCREW, Hex Head, Heat Shield Mounting
15	6034 965	4							BOLT, Hex Head, U-Joint Clamp Attaching
16	2781 904	2							CLAMP, U-Joint
17									U JOINT
	5014 062AA	2	1		62				with Shaft 52105841AA, Front
	5014 063AA	1	1		62		DDC		with Shaft 52105841AA, Rear
	5003 146AA	1	2		62, 65	EL0, EM0	DDP		with Shaft 52105490
		1	2, 3		62, 65	ET0, EW0	DDX, DEE		with Shaft 52105494AD
		1	3		62	EL0, EM0	DDP		with Shaft 52105492


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Shaft,Propeller,Rear,2 Piece,Body 63,64,BR 3,8
 Figure 016-150



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

DDC = 5 Speed HD Manual Transmission

DDP = 5 Speed Manual Transmission

DDX = 5 Speed HD Manual Transmission

DEE = 6 Speed HD Manual Transmission

DGK = 4 Speed Automatic Transmission 42RE

DGP = 4 Speed Automatic Transmission 47RE

DGT = 4 Speed Automatic Transmission 46RE

EM0 = All 5.9L 8 Cyl Gas Engines

ET0 = All 5.9L Turbo Diesel Engines

EW0 = All 8.0L Gas Engines

1	5210 5498	1	3		63	EM0	DDP		SHAFT, Drive, 2 Piece with Shaft 52105498
	5210 5500	1	3		63	EM0	DGT		with Shaft 52105500
	52105 502AD	1	3		63	ET0, EW0	DDX, DEE		with Shaft 52105502AD
	5210 5504	1	3		63	ET0, EW0	DGP		with Shaft 52105504
2	4773 015	1	3		63	EM0	DDP		YOKE, Drive Shaft with Shaft 52105498
		1	3		63	EM0	DGT		with Shaft 52105500
	4882 170	1	3		63	ET0, EW0	DDX, DEE		with Shaft 52105502AD
	4773 015	1	3		63	ET0, EW0	DGP		with Shaft 52105504
3	4773 014	1	3		63	EM0	DDP		BEARING, Drive Shaft with Shaft 52105498
		1	3		63	EM0	DGT		with Shaft 52105500
		1	3		63	ET0, EW0	DDX, DEE		with Shaft 52105502AD
		1	3		63	ET0, EW0	DGP		with Shaft 52105504
4	5212 720	1	3		63	EM0	DDP		CLAMP, Boot with Shaft 52105498
		1	3		63	EM0	DGT		with Shaft 52105500
		1	3		63	ET0, EW0	DDX, DEE		with Shaft 52105502AD
		1	3		63	ET0, EW0	DGP		with Shaft 52105504
5									BOOT, Driveshaft


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Shaft,Propeller,Rear,2 Piece,Body 63,64,BR 3,8
Figure 016-150



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4428 807	1	3		63	EM0	DDP		with Shaft 52105498
		1	3		63	EM0	DGT		with Shaft 52105500
		1	3		63	ET0, EW0	DDX, DEE		with Shaft 52105502AD
		1	3		63	ET0, EW0	DGP		with Shaft 52105504
6	4428 808	1	3		63	EM0	DDP		CLAMP, Boot with Shaft 52105498
		1	3		63	EM0	DGT		with Shaft 52105500
		1	3		63	ET0, EW0	DDX, DEE		with Shaft 52105502AD
		1	3		63	ET0, EW0	DGP		with Shaft 52105504
7	4428 804	1	3		63	EM0	DDP		YOKE, Drive Shaft with Shaft 52105498
		1	3		63	EM0	DGT		with Shaft 52105500
		1	3		63	ET0, EW0	DDX, DEE		with Shaft 52105502AD
		1	3		63	ET0, EW0	DGP		with Shaft 52105504
8	5210 5499	1	3		64	EM0	DDP		SHAFT, Drive, 2 Piece with Shaft 52105499
	5210 5501	1	3		64	EM0	DGT		with Shaft 52105501
	52105 503AD	1	3		64	ET0	DDX, DEE		with Shaft 52105503AD
		1	3		64	EW0	DDX, DEE		with Shaft 52105503AD
	5210 5505	1	3		64	ET0, EW0	DGP		with Shaft 52105505
	5210 5508	1	8		64	EM0	DDP		with Shaft 52105508
	5210 5509	1	8		64	EM0	DGT		with Shaft 52105509
	5210 5510	1	8		64	ET0, EW0	DGP		with Shaft 52105510
	52105 511AC	1	8		64	EW0	DDX		with Shaft 52105511AC
		1	8		64	ET0	DDX		with Shaft 52105511AC
	52105 271AB	1	8		64		DEE		with Shaft 52105271AB
9	4773 015	1	3		64	EM0	DDP		YOKE, Drive Shaft with Shaft 52105499
		1	3		64	EM0	DGT		with Shaft 52105501


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Shaft,Propeller,Rear,2 Piece,Body 63,64,BR 3,8
 Figure 016-150




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4882 170	1	3		64	ET0	DDX, DEE		with Shaft 52105503AD
		1	3		64	EW0	DDX, DEE		with Shaft 52105503AD
	4773 015	1	3		64	ET0, EW0	DGP		with Shaft 52105505
	4882 170	1	8		64	EM0	DDP		with Shaft 52105508
		1	8		64	EM0	DGT		with Shaft 52105509
		1	8		64	ET0, EW0	DGP		with Shaft 52105510
		1	8		64	EW0	DDX		with Shaft 52105511AC
		1	8		64	ET0	DDX		with Shaft 52105511AC
		1	8		64		DEE		with Shaft 52105271AB
10	4773 014	1	3		64	EM0	DDP		BEARING, Drive Shaft with Shaft 52105499
		1	3		64	EM0	DGT		with Shaft 52105501
		1	3		64	ET0	DDX, DEE		with Shaft 52105503AD
		1	3		64	EW0	DDX, DEE		with Shaft 52105503AD
		1	3		64	ET0, EW0	DGP		with Shaft 52105505
		1	8		64	EM0	DDP		with Shaft 52105508
		1	8		64	EM0	DGT		with Shaft 52105509
		1	8		64	ET0, EW0	DGP		with Shaft 52105510
		1	8		64	EW0	DDX		with Shaft 52105511AC
		1	8		64	ET0	DDX		with Shaft 52105511AC
		1	8		64		DEE		with Shaft 52105271AB
11	5212 720	1	3		64	EM0	DDP		CLAMP, Boot with Shaft 52105499
		1	3		64	ET0	DDX, DEE		with Shaft 52105503AD
		1	3		64	EW0	DDX, DEE		with Shaft 52105503AD
		1	3		64	ET0, EW0	DGP		with Shaft 52105505
		1	8		64	EM0	DDP		with Shaft 52105508
		1	8		64	EM0	DGT		with Shaft 52105509

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Shaft,Propeller,Rear,2 Piece,Body 63,64,BR 3,8
 Figure 016-150




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	8		64	ET0, EW0	DGP		with Shaft 52105510
		1	8		64	ET0	DDX		with Shaft 52105511AC
		1	8		64	EW0	DDX		with Shaft 52105511AC
		1	8		64		DEE		with Shaft 52105271AB
12	4428 807	1	3		64	EM0	DDP		BOOT, Driveshaft with Shaft 52105499
		1	3		64	EM0	DGT		with Shaft 52105501
		1	3		64	ET0	DDX, DEE		with Shaft 52105503AD
		1	3		64	EW0	DDX, DEE		with Shaft 52105503AD
		1	3		64	ET0, EW0	DGP		with Shaft 52105505
		1	8		64	EM0	DDP		with Shaft 52105508
		1	8		64	EM0	DGT		with Shaft 52105509
		1	8		64	ET0, EW0	DGP		with Shaft 52105510
		1	8		64	ET0	DDX		with Shaft 52105511AC
		1	8		64	EW0	DDX		with Shaft 52105511AC
		1	8		64		DEE		with Shaft 52105271AB
13	4428 808	1	3		64	EM0	DDP		CLAMP, Boot with Shaft 52105499
		1	3		64	EM0	DGT		with Shaft 52105501
		1	3		64	EW0	DDX, DEE		with Shaft 52105503AD
		1	3		64	ET0	DDX, DEE		with Shaft 52105503AD
		1	3		64	ET0, EW0	DGP		with Shaft 52105505
		1	8		64	EM0	DDP		with Shaft 52105508
		1	8		64	EM0	DGT		with Shaft 52105509
		1	8		64	ET0, EW0	DGP		with Shaft 52105510
		1	8		64	EW0	DDX		with Shaft 52105511AC
		1	8		64	ET0	DDX		with Shaft 52105511AC
		1	8		64		DEE		with Shaft 52105271AB
14	4428 804	1	3		64	EM0	DDP		YOKE, Drive Shaft with Shaft 52105499
		1	3		64	EM0	DGT		with Shaft 52105501

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Shaft,Propeller,Rear,2 Piece,Body 63,64,BR 3,8
 Figure 016-150




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	3		64	ET0	DDX, DEE		with Shaft 52105503AD
		1	3		64	EW0	DDX, DEE		with Shaft 52105503AD
		1	3		64	ET0, EW0	DGP		with Shaft 52105505
		1	8		64	EM0	DDP		with Shaft 52105508
		1	8		64	EM0	DGT		with Shaft 52105509
		1	8		64	ET0, EW0	DGP		with Shaft 52105510
		1	8		64	EW0	DDX		with Shaft 52105511AC
		1	8		64	ET0	DDX		with Shaft 52105511AC
		1	8		64		DEE		with Shaft 52105271AD
15									SCREW AND WASHER, M10x1.5x45
	6101 063	4	3		62, 63	EM0	DGT		Center bearing Bracket to Frame Mounting
		4	3		64				Center bearing Bracket to Frame Mounting
		4	8		64				Center bearing Bracket to Frame Mounting
16									BRACKET, Drive Shaft Bearing
	5210 5293	1	3		63				
	5210 5268	1	3, 8		64				
17									SCREW AND WASHER, Hex Head, M10x1.5x30
	6101 060	2	3		62, 63	ET0, EW0	DGP		Center Bearing Mounting
		2	3		64				Center Bearing Mounting
		2	8		64				Center Bearing Mounting
18									NUT
	6101 696	4	3		62, 63	EM0	DGT		Center Bearing and Center Bearing Bracket Mounting
		4	3		64				Center Bearing and Center Bearing Bracket Mounting
		4	8		64				Center Bearing and Center Bearing Bracket Mounting
19									SHIELD, Center Bearing
	5209 7944	1	2, 3		62, 63, 64	EMM, EW0	DBB		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Shaft,Propeller,Rear,2 Piece,Body 63,64,BR 3,8
 Figure 016-150



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	8		64	EMM, EWO			
20	3420 1888	3							SCREW, Hex Head, Heat Shield Mounting
21	6034 965	4							BOLT, Hex Head, U-Joint Clamp Attaching
22	2781 904	2							CLAMP, U-Joint [DRB]
	4428 723	2							[DRD,DRE,DRL]
23	5003 146AA	1	3		63	EM0	DDP		U JOINT with Shaft 52105498, Front and Rear
		1	3		64	EM0	DDP		with Shaft 52105499, Front and Rear
		1	3		63	EM0	DGT		with Shaft 52105500, Front and Rear
		1	3		64	EM0	DGT		with Shaft 52105501, Front and Rear
		1	3		63	ET0, EWO	DDX, DEE		with Shaft 52105502AD, Front and Rear
		1	3		64	ET0	DDX,		with Shaft 52105503AD, Front and Rear
		1	3		64	EWO	DDX, DEE		with Shaft 52105503AD, Front and Rear
		1	3		63	ET0,	DGP		with Shaft 52105504, Front and Rear
		1	3		64	ET0, EWO	DGP		with Shaft 52105505, Front and Rear
		2	8		64	EM0	DDP		with Shaft 52105508, Front and Rear
		1	8		64	EM0	DGT		with Shaft 52105509, Front and Rear
		1	8		64	ET0,	DGP		with Shaft 52105510, Front and Rear
		2	8		64	EWO	DDX		with Shaft 52105511AC, Front and Rear
		2	8		64	ET0	DDX		with Shaft 52105511AC, Front and Rear
		2	8		64		DEE		with Shaft 52105271AB, Front and Rear

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year


September 15, 2005

Group – 017

Rear Suspension


GROUP 17 - Rear Suspension

Illustration Title	Group-Fig. No.
Rear Suspension	
Suspension, Rear,Leaf With Shock Absorber	Fig. 017-110
Rear Stabilizer	
Stabilizer, Rear	Fig. 017-210



017-100 Rear Suspension	017-200 Rear Stabilizer		

Suspension, Rear, Leaf With Shock Absorber Figure 017-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: DRB=9.25 Light Duty Axle---DRG=9.25 Heavy Duty Axle---DRD=Dana 60 Heavy Duty Axle---DRE=Dana 70 Axle---DRL=Dana 80 Axle--- AHJ = Camper Special Group---Check the Vin Number for the 'Z' Code GVW Rating.									
1									SEAT, Spring
	5203 8217	2	1, 6		61, 62				[Z1A,Z6A,DRB,DRD]
	5203 8310	2	2, 7		62, 65				[Z2B,Z7B,DRD,DRE]
	5203 8311	2	2, 7		62, 65				[Z2B,Z7B,DRL]
		2	3, 8		62				[Z3A,Z8A,Z8B,DRL]
		2	3, 8		63, 64				[Z3B,Z8B,DRL]
2									CLIP, Spring
	5203 8482	4	1		61, 62				[Z1B]
	5203 8965	4	2		62, 65				[Z2B,DRD,DRE,AHJ]
	5203 7932	4	2, 3		62, 63, 64, 65				[Z2B,Z3A,DRL]
	5203 8484	4	2, 3		62, 63, 64, 65				[Z2B,Z3A,DRD,DRE]
	5203 8720	4	2, 3		62, 63, 64, 65				[Z2B,Z3A,DRL,AHJ]
	5210 6359	4	3, 8		63, 64				[Z3B,Z8B]
	5203 8485	4	6		61, 62				[Z6A]
	5203 8486	4	7		62, 65				[Z7B,DRD,DRE]
	5203 8966	4	7		62, 65				[Z7B,DRD,DRE,AHJ]
	5203 8650	4	7, 8		62, 65				[Z7B,Z8A,Z8B,DRL]
	5203 8721	4	7, 8		62, 65				[Z7B,Z8A,Z8B,DRL,AHJ]
3	5203 8718	2							BUMPER, Jounce
4	6502 817	2							LOCK NUT, M14-2.00, Upper Shock, Mounting
5									SCREW, Hex Head
	6101 223	12	2, 3, 7, 8		62, 65				[AHJ]
		4	3, 8		63, 64				[Z3B,Z8B]
6									BRACKET, Bumper
	52106 435AA	4	2, 3, 7, 8		62, 65				[AHJ],with Pad
		4	3, 8		63, 64				[Z3B,Z8B],with Pad
7									NUT, Hex Flange Lock, M14 x 2.00
	6502 698	6	1, 6		61, 62				[Z1B,Z6A] Spring and Shackle, Mounting
	6502 396	6	2, 3, 7, 8		62, 63, 64, 65				[Z2B,Z3A,Z3B,Z7B,Z8A,Z8B] Spring and Shackle, Mounting
8									SCREW, Pilot Point, M14 x 2.00 x 121.00
	6505 599AA	6	1, 6		61, 62				[Z1B,Z6A] Spring and Shackle


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Suspension, Rear,Leaf With Shock Absorber Figure 017-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	6504 782	6	2, 3, 7, 8		62, 63, 64, 65				[Z2B,Z3A,Z3B,Z7B,Z8A,Z8B] Spring and Shackle
9	5203 8359	4	2, 3, 7, 8		62, 65				NUT, Hex Flange Lock, M10x1.5, [AHJ]
10	6502 818	2							BOLT, Hex Flange Head, M14x2.00x80, Upper Shock, Mounting
11	52039 479AA	2	1, 6		61, 62				SHACKLE, Spring [Z1B,Z6A]
	5203 8664	2	2, 3, 7, 8		62, 63, 64, 65				[Z2B,Z3A,Z3B,Z7B,Z8A,Z8B]
12									SHOCK ABSORBER, Suspension, Rear
	52106 080AB	2	1		61, 62	EH0			[Z1B]
	52039 481AA	2	1		61, 62	EL0, EM0			[Z1B]
	52039 483AB	2	2, 3		62, 65				[Z2B,Z3A]
	52106 496AB	2	3, 8		64				[Z3B,Z8B]
	52106 495AB	2	3, 8		63				[Z3B,Z8B]
	52039 486AA	2	6		61, 62	EL0, EM0			[Z6A]
	52039 490AB	2	7		62	ET0			[Z7B]
	52039 491AB	2	7, 8		62, 65				[Z7B,Z8A]
13	6502 818	2							BOLT, Hex Flange Head, M14x2.00x80, Lower Shock, Mounting
14	6502 698	2							NUT, Hex Flange Lock, M14 x 2.00, Lower Shock, Mounting
15									PLATE, Rear Spring Clip
	5203 8457	2	1, 6		61, 62				[Z1B,Z6A,DRB,DRD]
	5203 8459	2	2, 7		62, 65				[Z2B,Z7B,DRL]
	5203 8458	2	2, 7		62, 65				[Z2B,Z7B,DRD,DRE]
	5203 7800	2	3, 8		63, 64				[Z3B,Z8B,DRL]
	5203 8459	2	3, 8		62				[Z3A,Z8A,Z8B,DRL]
16									NUT, Hex Flange Lock
	6502 698	8	1, 2, 3						[Z1B,Z2B,Z3A]
		8	1, 6		61, 62				[Z1B,Z6A]
	6502 530	8	3, 8		63, 64				[Z3B,Z8B]
	6502 698	8	6, 7		61, 62, 65				[Z6A,Z7B]
17									SPACER, Spring
	5203 9354	1	3, 8		63, 64				[Z3B,Z8B], Right

DODGE RAM STANDARD CAB (BR)

SERIES

E = WS RAM 1500
L = RAM 1500, 2500, 3500

LINE

1,6 = 1500
2,7 = 2500
3,8 = 3500

BODY

61 = Reg. Cab(118 WB)
62 = Reg. Cab(134 WB)
63 = Reg. Cab(138 WB)
64 = Reg. Cab(162 WB)
65 = Reg. Cab(134 WB)

ENGINE

EHC = 3.9L 6 Cyl.
ELF = 5.2L 8 Cyl.
ETC,ETH = 5.9L 6 Cyl.
EML,EMM = 5.9L 8 Cyl.
EWA = 8.0L 10 Cyl.
EAA = All engines
EAG = All gas engines


TRANSMISSION

DGK = 42RE 4 Spd. Auto.
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDP,DDX,DDC = 5 Spd. Manual
DEE = 6 Spd. Manual
DDO = All 5 Speed Manual
DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Suspension, Rear,Leaf With Shock Absorber
Figure 017-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5203 9355	1	3, 8		63, 64				[Z3B,Z8B], Left
	5203 8328	1	6		61, 62				[Z6A], Right
	5203 8329	1	6		61, 62				[Z6A], Left
	5203 8330	1	7, 8		62, 65				[Z7B,Z8A,Z8B], Right
	5203 8331	1	7, 8		62, 65				[Z7B,Z8A,Z8B], Left
18	52106 297AD	1							SPRING, Rear Leaf [ZAS,ZNS]
	52106 291AD	1							[ZBS,ZPS]
	52106 295AC	1							[ZCR,ZRR]
	52106 289AD	1							[ZDR,ZSR]
	52106 293AC	1							[ZGR,ZVR]
	52106 294AD	1							[ZHR,ZWR]
	52106 298AB	1							[ZJR,ZXR]
19	5203 8327	2	2, 3, 7, 8		62, 65				SPACER, Spring [AHJ]
		2	3, 8		63, 64				[Z3B,Z8B]
20	52039 181AB	2	2, 3		62, 65				SPRING, Rear Auxilliary [Z2B,Z3A,AHJ]
	52106 402AB	2	3, 8		63, 64				[Z3B,Z8B]
		2	7, 8		62, 65				[Z7B,Z8A,Z8B,AHJ]
21	6503 183	4							SCREW, Hex Head, M10x1.5x30
-22	5016 762AA-	1							ISOLATOR, Spring, Cinch Clip
-23									INSERT, Spring Tip, INTERLINER, Rear Spring (Serv. in Spring Assy.)
	4883 006AB-	AR							2.5 Inches Wide
	4883 007AB-	AR							3.0 Inches Wide


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Stabilizer, Rear Figure 017-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: AHJ = Camper Special Group Check the VIN Number for the 'Z' Code GVW Rating									
1	5203 8907	1	2, 3		62, 65				BAR, Rear Sway [Z2B,Z3A,+AHJ]
	5203 9120	1	3, 8		63, 64				[Z3B,Z8B]
		1	7, 8		62, 65				[Z7B,Z8A,Z8B,+AHJ]
2	5203 8713	2							PLATE, Sway Bar, Stud Plate to Frame or Axle
3	J400 0235	1							NUT, Push, .375, Stabilizer Bar Stud Plate Retaining
4	1150 5098	2							BOLT, Hex Flange Head, M12x1. 75x60, Stabilizer Bar Link
5	5203 8700	2							BRACKET, Stabilizer Bar, Rear
6	6502 697	2							NUT, Hex Flange Lock, M12x1.75, Stabilizer Bar Link to Frame
7									SCREW, Hex Head
	6101 223	12	2, 3, 7, 8		62, 65				Stabilizer Bar Bracket to Frame Mounting
		4	3, 8		63, 64				Stabilizer Bar Bracket to Frame Mounting
8	5203 8713	2							PLATE, Sway Bar, Stud Plate to Frame or Axle
9	1150 5098	2							BOLT, Hex Flange Head, M12x1. 75x60, Stabilizer Bar Link
10	5203 8700	2							BRACKET, Stabilizer Bar, Rear
11	6502 697	2							NUT, Hex Flange Lock, M12x1.75, Stabilizer Bar Link to Frame
12	6502 696	4							NUT, Hex Flange Lock, M10x1.5, Stabilizer Bar Retainer
13	52106 057AA	2	2, 3		62, 65				LINK, Sway Eliminator [Z2B,Z3A,+AHJ]
	52106 058AA	2	3, 8		63, 64				[Z3B,Z8B]
		2	7, 8		62, 65				[Z7B,Z8A,Z8B,+AHJ]
14	6502 748	2							NUT, Hex, M12x1.75, Stabilizer to Link Mounting
15	6100 017	2							PIN, Cotter, M2.5x28.00, Stabilizer Bar Link
16	5208 7865	2							RETAINER, Sway Bar, Bushing
17									BUSHING, Sway Bar


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Stabilizer, Rear
Figure 017-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5203 8843	2	2, 3		62, 63, 64, 65				[Z2B,Z3A,+AHJ]
	5203 7548	2	3, 8		63, 64				[Z3B,Z8B]
		2	7, 8		62, 63, 64, 65				[Z7B,Z8A,Z8B,+AHJ]
18	6502 696	4							NUT, Hex Flange Lock, M10x1.5, Stabilizer Bar Retainer

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year







September 15, 2005

Group – 019
Steering




GROUP 19 - Steering

Illustration Title	Group-Fig. No.
Steering Wheel	
Wheel, Steering	Fig. 019-110
Steering Column	
Column, Steering,Upper And Lower	Fig. 019-210
Steering Gear	
Power Steering Gear	Fig. 019-310
Steering Linkage	
Linkage,Steering,BR 1,2,3	Fig. 019-410
Linkage,Steering,BR 3 (with Z3B) BR 6,7,8	Fig. 019-420
Power Steering Pump	
Pump,Power Steering and Mounting,EH0,EL0,EM0 Gas	Fig. 019-510
Pump,Power Steering and Mounting,EW0 Gas	Fig. 019-520
Pump,Power Steering and Mounting,ET0 Diesel	Fig. 019-530
Power Steering Hoses	
Hoses,Power Steering with EH0,EL0,EM0 Gas	Fig. 019-710
Hoses,Power Steering with EW0 Gas	Fig. 019-720
Hoses,Power Steering,with Hydroboost System with EM0,ET0,EW0 Engines	Fig. 019-730

019-100 Steering Wheel	019-200 Steering Column	019-300 Steering Gear	019-400 Steering Linkage
			
019-500 Power Steering Pump	019-700 Power Steering Hoses		
			

Wheel, Steering
Figure 019-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:If Horn Switch is defective, you must replace the AIR BAG COVER WITH SWITCH and not the AIR BAG MODULE ASSEMBLY itself.

Note:

CGW = Air Bags-Next Generation

DG0 = All Automatic Transmissions

NHM = Speed Control

RDZ = Audio Controls-Steering Wheel Mounted

SCB = Steering Wheel-2 Spoke

SCV = Steering Wheel-Leather Wrapped

1	5EH10 DX9AC	1							WHEEL, Steering Black [SCB,-NHM]
	5FM14 DX9AC	1							Black [SCB,+NHM]
	5FL42 1X9AB	1							Black [SCV,+NHM]
	5GC42 1X9AF	1							Black [SCV,+NHM,+RDZ]
2	6505 248AA	1					DG0		NUT, Hex Flange Lock, Steering Wheel Mounting
3									SWITCH, Speed Control
	56021 332AB	1							Right
	56021 333AB	1							Left
4	6035 142	1							SCREW, .164-32x1.00, Speed Control Switch Mounting
5	5GT63 DX9AA	1							AIR BAG, Driver, Black
6	TK64 DX9AA	1							COVER, Air Bag Module, Includes Horn Switch
7	6503 771	2							SCREW, Hex Flange Head, M6x1x23, Air Bag Module to Steering Wheel Mounting
8	56045 454AC	1							CLOCKSPRING [-NHM,-RDZ]
	56045 455AC	1							[+NHM,-RDZ]
	56045 456AC	1							[+NHM,+RDZ]
-9									SWITCH, Radio Control
	4685 619AB-	1							Right
	4685 632AB-	1							Left


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Column, Steering,Upper And Lower
Figure 019-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:SUA=Tilt Steering Column---DBB=All Manual Transmissions---DGO=All Automatic Transmissions									
1	5CN6 7PX8	1					DBB		SHROUD, Steering Column Front Fixed with Floor Shift [DBB], Upper
	5CE58 JX8AB	1					DGO		Front Fixed with Column Shift [DGO], Upper
2	55351 014AD	1							BRACKET, Steering Column, Clutch and Brake Pedal
3	6503 761	2							STUD, M6x1.00mmx48.80mm, Steering Column Upper
4	4897 478AC	1					DGO		COLUMN, Steering, Tilt [DGO]
	4897 479AC	1					DBB		[DBB]
5	4897 480AC	1					DGO		COLUMN, steering, non tilt [DGO]
	4897 481AC	1					DBB		[DBB]
6									NUT AND WASHER, Hex Lock Nut- Coned Lock Washer, M8 x 1.25, (NOT SERVICED) (Not Serviced)
7									PIN, Pivot, Part of Column Assembly, (NOT SERVICED) (Not Serviced)
8	4690 522AB	1					DGO		LEVER, Gearshift, Includes Gap Hider and Overdrive Switch
9	5602 1048	1					DGO		SWITCH, Overdrive Lockout, [DGO]
10	4470 108AB	1					DGO		GAP HIDER, Steering Column Shroud, [DGO]
11	6503 014	2							NUT AND WASHER, Hex, M6x1
12	6504 926AA	2							SCREW, Hex Flange Head, M10x1. 5x40, Intermediate Shaft to Gear and Column Mounting
13	55351 114AA	1	1, 2, 3						SHAFT, Intermediate
	55351 113AA	1	3, 6, 7, 8						[R3] with [Z3B]
14	6035 142	1							SCREW, .164-32x1.00 Lower Fixed Shroud to Steering Column Attaching
		1							Lower Lock Housing to Steering Column
15	KJ95 PX8	1							SHROUD, Steering Column, Rear Lock Housing with Key Pad, Lower

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Column, Steering,Upper And Lower
Figure 019-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
16	4470 105	1							SCREW, Filister Head, #8-16x.25, Upper to Lower Lock Housing
17	5CT42 JX8AC	1					DG0		SHROUD, Steering Column Front Fixed, Lower
	5CU5 1PX8	1					DBB		Front Fixed, Lower
18	4470 103	1							LEVER, Tilt Column Release
19	DH72 KX8	1							SHROUD, Lock Housing Rear [-SUA], Upper
	DH69 JX8	1							Rear [+SUA], Upper
-20									SWITCH, Ignition
	5602 1346	1					DG0		
		1					DBB		
-21									SCREW, Ignition Switch
	6503 845	5					DG0		
		5					DBB		
-22									SCREW, 6 Lobed
	6506 514AA-	5					DBB		
		5					DG0		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Power Steering Gear
Figure 019-310




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:Check the VIN Number for the 'Z' Code Identification.									
1	52113 556AA	1	1, 6						GEAR, Power Steering
	52113 502AA	1	1, 6						[Z1B,Z6A] Body 61
	52113 500AA	1	2, 3, 7, 8						[Z1B,Z6A] Body 62
									[Z2B,Z3A,Z3B,Z7B,Z8A,Z8B]
2	3893 554	1	1, 6						COVER, Steering Gear Housing
		1	2, 3, 7, 8						[Z1B,Z6A]
									[Z2B,Z3A,Z3B,Z7B,Z8A,Z8B]
3	3893 558	1	1, 6						SEAL, Steering Gear Cover
		1	2, 3, 7, 8						[Z1B,Z6A]
									[Z2B,Z3A,Z3B,Z7B,Z8A,Z8B]
4	4210 545	1	1, 6						VALVE, Power Steering Gear
		1	2, 3, 7, 8						[Z1B,Z6A]
									[Z2B,Z3A,Z3B,Z7B,Z8A,Z8B]
5	J325 1183	1	1, 6						O RING, Power Steering Pump
		1	2, 3, 7, 8						[Z1B,Z6A]
									[Z2B,Z3A,Z3B,Z7B,Z8A,Z8B]
6	4897 000AA	1	1, 6						REPAIR KIT, Thrust Bearing,
		1	2, 3, 7, 8						Steering Gear
									[Z1B,Z6A]
									[Z2B,Z3A,Z3B,Z7B,Z8A,Z8B]
7	3491 350	1	1, 6						SEAL, Steering Gear Valve
		1	2, 3, 7, 8						[Z1B,Z6A]
									[Z2B,Z3A,Z3B,Z7B,Z8A,Z8B]
8	4886 349AA	1	1, 6						SEAL KIT, Steering gear adjuster
		1	2, 3, 7, 8						plug
									[Z1B,Z6A]
									[Z2B,Z3A,Z3B,Z7B,Z8A,Z8B]
9	J320 0501	1	1, 6						NUT, Steering Gear Arm
		1	2, 3, 7, 8						[Z1B,Z6A]
									[Z2B,Z3A,Z3B,Z7B,Z8A,Z8B]
10	4470 365	1	1, 6						SEAL KIT, Steering gear pitman
		1	2, 3, 7, 8						shaft
									[Z1B,Z6A]
									[Z2B,Z3A,Z3B,Z7B,Z8A,Z8B]
11	3893 559	1	1, 6						SEAL, Steering Gear
		1	2, 3, 7, 8						[Z1B,Z6A]
									[Z2B,Z3A,Z3B,Z7B,Z8A,Z8B]
12	3893 557	1	1, 6						SEAL KIT, Steering gear end plug
									[Z1B,Z6A]

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Power Steering Gear
Figure 019-310




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	2, 3, 7, 8						[Z2B,Z3A,Z3B,Z7B,Z8A,Z8B]
13	3822 799	1	1, 6						BALL, Steering Gear
		1	2, 3, 7, 8						[Z1B,Z6A]
									[Z2B,Z3A,Z3B,Z7B,Z8A,Z8B]
14	3491 343	1	1, 6						SHAFT, Pitman
		1	2, 3, 7, 8						[Z1B,Z6A]
									[Z2B,Z3A,Z3B,Z7B,Z8A,Z8B]
15	6504 742	3							SCREW AND WASHER, Hex Head, M14 x 2 x 115.0

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Linkage,Steering,BR 1,2,3
 Figure 019-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:Check the VIN Number for the 'Z' Code Identification.									
1	6503 814	2	2, 3						SCREW AND WASHER, M16x2x50, [Z2B,Z3A]
2	J320 0501	1	2, 3, 7, 8						NUT, Steering Gear Arm
3	6504 196	2	1						NUT, M12x1.75, [Z1B]
4	5203 8728	1	1						ARM, Idler [Z1B]
5	5203 8589	1	2, 3						[Z2B,Z3A]
	5203 7624	1	1						ARM, Pitman [Z1B]
	5203 8587	1	2, 3						[Z2B,Z3A]
6	6502 749	2	1, 2, 3						NUT, Castle, M14x1.5, Outer Tie Rod to Knuckle Mounting
7	5203 7584	1	1						SOCKET, Tie Rod, Outer [Z1B]
		1	2, 3						[Z2B,Z3A]
8	5200 4472	1	1						SLEEVE, Steering Linkage Adjusting,[Z1B]
		1	2, 3						Adjusting,[Z2B,Z3A]
9	5203 7583	1	1						SOCKET, Tie Rod, Inner [Z1B]
		1	2, 3						[Z2B,Z3A]
10	6502 749	2	1, 2, 3						NUT, Castle, M14x1.5, Inner Tie Rod to Center Link
11	6100 017	2							PIN, Cotter, M2.5x28.00
12	6502 749	2	1, 2, 3						NUT, Castle, M14x1.5, Steering Gear Arm to Center Link
13	5203 7562	1	1						LINK, Steering Center [Z1B]
	5203 7563	1	2, 3						[Z2B,Z3A]
14	6502 749	2	1, 2, 3						NUT, Castle, M14x1.5, Center Link to Idler Arm
15	6502 749	2	1, 2, 3						NUT, Castle, M14x1.5, Inner Tie Rod to Center Link
16	5203 7583	1	1						SOCKET, Tie Rod, Inner [Z1B]
		1	2, 3						[Z2B,Z3A]
17									SLEEVE, Steering Linkage

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Linkage,Steering,BR 1,2,3
 Figure 019-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
18	5200 4472	1	1						Adjusting,[Z1B]
		1	2, 3						Adjusting,[Z2B,Z3A]
	5203 7584	1	1						SOCKET, Tie Rod, Outer [Z1B]
		1	2, 3						[Z2B,Z3A]
19	6502 749	2	1, 2, 3						NUT, Castle, M14x1.5, Outer Tie Rod to Knuckle Mounting
20	5203 8856	1	1						STUD PLATE, Idler Arm, [Z1B]
21	6502 473	1	3						BOLT, Hex Flange Head, M12x1.75x65, [Z3A],Damper to Frame Bracket Mounting
22	6100 017	2							PIN, Cotter, M2.5x28.00
23	6502 748	1	3						NUT, Hex, M12x1.75, [Z3A],Damper Stud to Drag Link
24	5203 9282	1	3						DAMPER, Steering, [Z3A]
25	6502 697	1	3						NUT, Hex Flange Lock, M12x1.75, [Z3A],Damper to Frame Bracket Mounting

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic


AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Linkage,Steering,BR 3 (with Z3B) BR 6,7,8
 Figure 019-420



LIGHT DUTY



HEAVY DUTY


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: R3 With Z3B Suspension Code, Uses 4WD Style Front Suspension.									
1	0120 123	3							PIN, Cotter
2	6502 749	3	1, 2, 3, 6						NUT, Castle, M14x1.5
		3	3, 7, 8						Drag Link to Knuckle Mounting
									Drag Link to Knuckle Mounting
3	0120 123	3							PIN, Cotter
4	6502 749	3	1, 2, 3, 6						NUT, Castle, M14x1.5
		3	3, 7, 8						Tie Rod to Drag Link Mounting
									Tie Rod to Drag Link Mounting
5	5203 8934	1	3						SOCKET, Drag Link
	5203 9185	1	6						[Z3B], Outer
	5203 8934	1	7, 8						[Z6A], Outer
									[Z7B,Z8A,Z8B], Outer
6	5203 7600	1	3						TUBE, Tie Rod
		1	6						[Z3B]
		1	7, 8						[Z6A]
									[Z7B,Z8A,Z8B]
7	5203 7579	1	3						SOCKET, Drag Link
		1	6						[Z3B], Inner
		1	7, 8						[Z6A], Inner
									[Z7B,Z8A,Z8B], Inner
8	5203 8946	1	3						ARM, Pitman
	5203 7627	1	6						[Z3B]
	5203 8946	1	7, 8						[Z6A]
									[Z7B,Z8A,Z8B]
9	5203 8937	1	3						SOCKET, Tie Rod
	5203 9263	1	6						[Z3B], Inner
	5203 8937	1	7, 8						[Z6A], Inner
									[Z7B,Z8A,Z8B], Inner
10	5203 9182	1	3						TUBE, Tie Rod
	5203 7600	1	6						[Z3B]
	5203 9182	1	7, 8						[Z6A]
									[Z7B,Z8A,Z8B]
11	0120 123	3							PIN, Cotter
12	6502 749	3	1, 2, 3, 6						NUT, Castle, M14x1.5
		3	3, 7, 8						Tie Rod to Knuckle Mounting
									Tie Rod to Knuckle Mounting
13	5203 7579	1	6						SOCKET, Drag Link, [Z6A]-This Is A
									Outer Tie Rod Socket, Outer
14									SOCKET, Tie Rod

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic


AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Linkage,Steering,BR 3 (with Z3B) BR 6,7,8
 Figure 019-420



LIGHT DUTY



HEAVY DUTY


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
15	5203 9184	1	3						[Z3B], Outer
		1	7, 8						[Z7B,Z8A,Z8B], Outer
	5203 9179	1	3						BRACKET, Steering Damper
		1	6						[Z3B]
16	6502 473	1	7, 8						[Z7B,Z8A,Z8B]
		1	3, 6, 7, 8						BOLT, Hex Flange Head, M12x1.75x65, [Z3B,Z6A,Z7B,Z8A,Z8B]
	6502 748	2							Damper to Tie Rod Bracket Mounting
		1	3, 6, 7, 8						NUT, Hex, M12x1.75, Damper to Tie Rod Bracket Mounting
18	5203 9280	1	3, 6, 7, 8						DAMPER, Steering, [Z3B,Z6A,Z7B,Z8A,Z8B]
19	6502 473	1	3, 6, 7, 8						BOLT, Hex Flange Head, M12x1.75x65, [Z3B,Z6A,Z7B,Z8A,Z8B]
20	6502 697	2							NUT, Hex Flange Lock, M12x1.75, Damper to Axle Bracket Mounting

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Pump,Power Steering and Mounting,EH0,EL0,EM0 Gas
Figure 019-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: EH0=3.9L V-6---EL0=5.2L V-8,EM0=5.9L V-8									
1	4694 766	1	1, 2, 6, 7			EM0			CAP, Power Steering Pump
		1	3, 8			EM0			Reservior
		1				EH0,			Reservior
						EL0			Reservior
2	52039 145AB	1	1, 2, 6, 7			EM0			PUMP, Power Steering
	52039 042AB	1	3, 8			EM0			
	52039 145AB	1				EH0,			
						EL0			
3	5300 5613	1	1, 2, 6, 7			EM0			BRACKET, Power Steering Pump
		1	3, 8			EM0			Mounting, Front
		1				EH0,			Mounting
						EL0			Mounting
4									SCREW AND WASHER, Hex Head,
									M10-1.50x30, (NOT SERVICED)
									(Not Serviced)
5	6502 501	3	1, 2, 6, 7			EM0			BOLT, Hex Head, M10x1.50x28
		3	3, 8			EM0			Power Steering Bracket to Pump
		3				EH0,			Power Steering Bracket to Pump
						EL0			Power Steering Bracket to Pump
6	5300 5614	1	1, 2, 6, 7			EM0			PULLEY, Power Steering Pump
		1	3, 8			EM0			
		1				EH0,			
						EL0			
7	6034 247	1				EH0,			BOLT, Hex Head, .375-16x.25,
						EL0,			Power Steering Bracket to Cylinder
						EM0			Head
8	6034 249	1				EH0,			SCREW AND WASHER, Power
						EL0,			Steering Bracket to Cylinder Head
						EM0			
9	6034 985	1				EH0,			STUD, .375-16x3.04, Power Steering
						EL0,			Bracket to Cylinder Head
						EM0			

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Pump,Power Steering and Mounting,EW0 Gas
Figure 019-520

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

EW0 = All 8.0L Gas Engines

1	4694 766	1	1, 2, 6, 7			EW0			CAP, Power Steering Pump
		1	3, 8			EW0			
2	6034 549	2	1, 2, 6, 7			EW0			SCREW, Hex Head, .312-18x.94
		2	3, 8			EW0			Rear Bracket to Front Bracket
3	6502 135	2	1, 2, 6, 7			EW0			NUT, Hex Flange, M10x1.5
		2	3, 8			EW0			Pump Stud to Rear Bracket
4	5301 0011	1	1, 2, 6, 7			EW0			BRACKET, Power Steering Pump
		1	3, 8			EW0			Rear
5	52039 145AB	1	1, 2, 6, 7			EW0			PUMP, Power Steering
	52039 042AB	1	3, 8			EW0			
6	6502 501	1	1, 2, 6, 7			EW0			BOLT, Hex Head, M10x1.50x28
		1	3, 8			EW0			Front Bracket to Pump
7	6101 864	2	1, 2, 6, 7			EW0			SCREW, M10x1.5x35
		2	3, 8			EW0			Front Bracket to Pump
8	5300 5614	1	1, 2, 6, 7			EW0			PULLEY, Power Steering Pump
		1	3, 8			EW0			
9	5301 0002	1	1, 2, 6, 7			EW0			BRACKET, Power Steering Pump
		1	3, 8			EW0			Front




DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Pump,Power Steering and Mounting,ET0 Diesel
Figure 019-530

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DBB = All Manual Transmissions									
ET0 = All 5.9L Turbo Diesel Engines									
1	4883 960AA	1				ET0	DBB		PUMP, Power Steering
2	5003 637AA	1				ET0	DBB		NIPPLE, Pump
3	5011 428AA	1				ET0	DBB		HOSE, Vacuum Pump
4	5011 799AA	1				ET0	DBB		BRACKET, Vacuum Pump
5	4429 862	1				ET0	DBB		NUT, Hex Flange, M10x1.5
6	4429 862	1				ET0	DBB		NUT, Hex Flange, M10x1.5
7	4429 637	1				ET0	DBB		SCREW, Hex Head, m12X1.75X.35
8	5011 617AA	1				ET0	DBB		CHECK VALVE, Vacuum Pump
9	4638 531	1				ET0	DBB		GASKET, Hydraulic Pump
10	5011 797AA	1				ET0	DBB		GEAR, Accessory Drive
11	5011 796AA	1				ET0	DBB		PUMP, Vacuum
12	5011 421AA	1				ET0	DBB		SCREW
13	4728 162	1				ET0	DBB		HUB, Hydraulic Brake Pump
14	4761 972	4				ET0	DBB		STUD




DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Hoses,Power Steering with EH0,EL0,EM0 Gas
Figure 019-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
AHC=Trailer Tow Prep Group									
EH0 = All 3.9L V6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
ET0 = All 5.9L Turbo Diesel Engines									
1	5200 6724	1				EH0			HOSE, Power Steering Return
2	2448 761	1				EH0, EL0, EM0, ET0			CLAMP, Hose
3	5203 8430	1	1, 2, 3			EH0, EL0, EM0			HOSE, Power Steering Pressure
4	5205 254	1				EM0 EL0, EM0			O RING, Power Steering Hose, As Required On All Engines
5	5203 8430	1	1, 2, 3			EH0, EL0, EM0			HOSE, Power Steering Pressure Body 61,62,65
	5203 9356	1	3			EL0, EM0			Body 63,64
		1	6, 7, 8			EM0 EL0, EM0			
6	2448 761	1				EH0, EL0, EM0, ET0			CLAMP, Hose
7	52106 395AA	1				EL0, EM0			HOSE AND COOLER, Power Steering
8	2448 761	1				EH0, EL0, EM0,			CLAMP, Hose
9	6502 064	1				ET0 EL0, EM0			SCREW, Tapping, M6x1x20, Power Steering Cooler Mounting
10	5203 8432	1				EL0, EM0			HOSE, Power Steering Return -AHC

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Hoses,Power Steering with EH0,EL0,EM0 Gas Figure 019-710


[illegible]

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Hoses,Power Steering with EW0 Gas
Figure 019-720




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
EW0=8.0L Engine									
1	5205 254	1				EW0			O RING, Power Steering Hose, Use as required
2	5203 8434	1	1, 2, 3			EW0			HOSE, Power Steering Pressure
3	2448 761	1	6, 7, 8			EW0			CLAMP, Hose
4	52106 395AA	1				EW0			HOSE AND COOLER, Power Steering
5	2448 761	1				EW0			CLAMP, Hose
6	6502 064	1				EW0			SCREW, Tapping, M6x1x20, Power Steering Cooler Mounting
7	5203 8567	1				EW0			HOSE, Power Steering Return
8	2448 761	1				EW0			CLAMP, Hose
9	2448 761	1				EW0			CLAMP, Hose

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Hoses,Power Steering,with Hydroboost System with EM0,ET0,EW0 Engines
Figure 019-730



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:EM0=5.9L V8---ET0= All Diesel Engines---EW0= 8.0L V-10 Gas Engine									
1	5003 330AA	1	2, 7			ET0			HYDRO-BOOSTER, Power Brake
		1	3, 8						
2	4695 734	2	3, 8			EM0, EW0			CLIP, Power Steering Hose
		2				ET0			
3	52039 358AC	1	2, 3, 7, 8			ET0			HOSE, Power Steering Pressure
		1	3, 8			EM0, EW0			Gear to Hydroboost
4									HOSE, Power Steering Return
	52106 085AA	1	2, 3, 7, 8			ET0			Hydroboost
	52106 996AA	1	3, 8			EM0, EW0			Pump to Hydroboost
5	5205 254	2	2, 3, 7, 8			ET0			O RING, Power Steering Hose
		2	3, 8			EM0, EW0			as Required
6	5200 6724	1	2, 3, 7, 8			ET0			HOSE, Power Steering Return
	5203 8567	1				EL0, EM0			Gear to Pump
		1				EW0			Gear to Pump
7	2448 770	1	2, 3, 7, 8			ET0			CLAMP, Hose
	2448 761	1	3, 8			EMM			Return
8	52106 302AA	1	2, 3, 7, 8			ET0			HOSE, Power Steering Pressure
		1	3, 8			EM0, EW0			Pump to Hydroboost


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005









Group – 42RE

Automatic Transmission 4 Speed



GROUP 42RE - Automatic Transmission 4 Speed


Illustration Title	Group-Fig. No.
Transmission Assembly	
Transmission Assembly ,4 Speed, 42RE [DGK]	Fig. 42RE-110
Case and Extension	
Case and Related Parts,4 Speed, 42RE [DGK]	Fig. 42RE-210
Extension ,4 Speed, 42RE [DGK]	Fig. 42RE-220
Oil Pump	
Pump, Oil with Reaction Shaft, 4 Speed, 42RE (DGK)	Fig. 42RE-310
Gear Train	
Clutch, Front and Rear with Gear Train, 4 Speed, 42RE [DGK]	Fig. 42RE-410
Gear Train and Intermediate Shaft ,4 Speed,42RE [DGK]	Fig. 42RE-420
Output Shaft,4 Speed, 42RE [DGK]	Fig. 42RE-430
Bands, Reverse and Kickdown	
Bands, Reverse and Kickdown with Linkage ,4 Speed, 42RE [DGK]	Fig. 42RE-510
Valve Body	
Valve Body ,4 Speed,42RE [DGK]	Fig. 42RE-710
Servos, Accumulator Piston and Spring ,4 Speed,42RE [DGK]	Fig. 42RE-720
Parking Sprag ,4 Speed,42RE [DGK]	Fig. 42RE-730
Overdrive Gear Train	
Clutch, Overdrive with Gear Train ,4 Speed, 42RE [DGK]	Fig. 42RE-1010
Gearshift Controls	
Controls, Gearshift, Lower ,4 Speed, 42RE [DGK]	Fig. 42RE-1230

42RE-100 Transmission Assembly	42RE-200 Case and Extension	42RE-300 Oil Pump	42RE-400 Gear Train
			
42RE-500 Bands, Reverse and Kickdown	42RE-700 Valve Body	42RE-1000 Overdrive Gear Train	42RE-1200 Gearshift Controls
			

Transmission Assembly ,4 Speed, 42RE [DGK]
Figure 42RE-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: Sales Codes									
[DGK] = 42RE 4 Speed Automatic Transmission									
[EH0] = All 3.9L V-6 Gas Engines									
1	5013 025AA	1	1, 2, 3			EH0	DGK		TRANSMISSION PACKAGE
-2	5211 8782	1	1, 2, 3			EH0	DGK		OVERDRIVE, With Stamp #
(52119510, 52119510AB, 52119510AC)									



DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Case and Related Parts,4 Speed, 42RE [DGK]
Figure 42RE-210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DGK] = 42RE 4 Speed Automatic Transmission									
[DG0] = All Automatic Transmissions									
[EH0] = All 3.9L V6 Gas Engines									
[EL0] = All 5.2L 8 Cylinder Gas Engines									
[EM0] = All 5.9L 8 Cylinder Gas Engines									
[EW0] = All 8.0L Gas Engines									
-1	4863 907AC-	1	1, 2, 3			EH0	DGK		SEAL AND GASKET PACKAGE, Transmission
2	4412 879	1	1, 2, 3			EH0	DGK		SENSOR, Transmission Output Speed
3	5209 7541	1							TUBE, Transfer Case Vent
4	52107 769AA	1					DG0		INDICATOR, Transmission Fluid Level
5	6025 021	1					DGK		NUT, Hex, .437-14
6	5211 8637	1					DGK		TUBE, Transmission Oil Filler
7	6022 266	4				EH0, EL0, EM0, EW0	DG0		SCREW, Hex Head, .375-16x1.5, Case Mounting, 3/8-16x1.5
8	5211 8629	1					DG0		SEAL, Oil Filler Tube
9	5211 8175	1	1, 2, 3			EH0	DGK		CASE, Transmission
10	6024 473	1					DGK		SCREW AND WASHER, Hex Head, .437-14x2.00
11	6501 701	1	1, 2, 3			EH0	DGK		O RING, Trans Speed Sensor
12	6033 879	2	1, 2, 3			EH0	DGK		NUT, Inverted Flare, .62-18
13	2408 143	1	1, 2, 3			EH0	DGK		WASHER, Switch
14	5602 8181	1	1, 2, 3			EH0	DGK		SWITCH, Neutral, Safety, Back Up
15	3681 601	1	1, 2, 3			EH0	DGK		MAGNET, Transmission
16	4295 875	1	1, 2, 3			EH0	DGK		GASKET, Oil Pan
17	52118 779AB	1	1, 2, 3			EH0	DGK		PAN, Transmission Oil
18	4723 548	12	1, 2, 3			EH0	DGK		SCREW AND WASHER, Hex Head, .312-18x.625
19	6028 095	1	1, 2, 3			EH0	DGK		PLUG, Pressure Check
20	5211 7755	1	1, 2, 3				DGK		COVER, Converter

DODGE RAM STANDARD CAB (BR)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Extension ,4 Speed, 42RE [DGK]
Figure 42RE-220

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Sales Codes									
[DGK] = 42RE 4 Speed Automatic Transmission									
[EH0] = All 3.9L V-6 Gas Engines									
1	4531 216	1	1, 2, 3			EH0	DGK		SEAL, Extension Yoke
2									SCREW, (NOT SERVICED) (Not Serviced)
3	2466 957	1	1, 2, 3			EH0	DGK		COVER, Transmission Converter
4	2801 398	1	1, 2, 3			EH0	DGK		GASKET, Transmission
5	4471 564	1	1, 2, 3			EH0	DGK		GASKET, Overdrive Piston Retainer
6	6036 046AA	7	1, 2, 3			EH0	DGK		SCREW, Hex Flange Head, .375-16x1.38
7	5003 231AA	1	1, 2, 3			EH0	DGK		CASE, Transmission Rear



DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Pump, Oil with Reaction Shaft, 4 Speed, 42RE (DGK)
Figure 42RE-310

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE:Sales Codes

[DGK] = 42RE 4 Speed Automatic Transmission

[EH0] = All 3.9L V-6 Gas Engines

1	4412 475	1	1, 2, 3			EH0	DGK		SEAL, Impeller Hub, 57.25mm OD
2	2466 796	1	1, 2, 3			EH0	DGK		BUSHING, Front Pump
3	2204 709	1	1, 2, 3			EH0	DGK		SEAL, Front Pump Housing
4									HOUSING, Pump, Serviced in Pump Assy., (NOT SERVICED) (Not Serviced)
5	0104 918	1	1, 2, 3			EH0	DGK		BALL, Valve Body Check
6									ROTOR, Oil Pump, Serviced in Pump Assy., (NOT SERVICED) (Not Serviced)
7									SHAFT, Serviced in Pump Assy., (NOT SERVICED) (Not Serviced)
8									WASHER, Serviced in Pump Assy., (NOT SERVICED) (Not Serviced)
9	0179 815	6	1, 2, 3			EH0	DGK		SCREW, Hex Head, .312-18x.687
10	5211 8266	1	1, 2, 3			EH0	DGK		GASKET, Transmission Oil Pump
11	4058 635	1	1, 2, 3			EH0	DGK		BUSHING, Reaction Shaft
12	4471 874	2	1, 2, 3			EH0	DGK		SEAL, Ring Reaction Support, 2 1/16 O.D.
13	4617 786	1	1, 2, 3			EH0	DGK		THRUST WASHER, Front Clutch
14	4778 552	1	1, 2, 3			EH0	DGK		PUMP, Transmission Oil
15	6023 943	6	1, 2, 3			EH0	DGK		SCREW AND WASHER, Hex Flange Head, .312-18x1.375


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

**Clutch, Front and Rear with Gear Train, 4 Speed, 42RE [DGK]
Figure 42RE-410**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Sales Codes									
[DGK] = 42RE 4 Speed Automatic Transmission									
[EH0] = All 3.9L V-6 Gas Engines									
-1	5252 926	1	1, 2, 3			EH0	DGK		SEAL PACKAGE, Transmission Clutch, Front and Rear Clutch
2	4531 285	1	1, 2, 3			EH0	DGK		RETAINER AND BUSHING, Transmission Front Clutch
3	4617 157	1	1, 2, 3			EH0	DGK		BUSHING, Front Clutch
4	3515 176	1	1, 2, 3			EH0	DGK		SEAL, Front Clutch Piston, Rubber, Inner
5	4058 487	1	1, 2, 3			EH0	DGK		SEAL, Front Piston Clutch, Outer
6	4617 154	1	1, 2, 3			EH0	DGK		PISTON, Clutch
-7	0147 483	1	1, 2, 3			EH0	DGK		CHECK BALL, Dia-.187
8	4329 809	1	1, 2, 3			EH0	DGK		SPRING, Front Clutch
9	4617 516AB	1	1, 2, 3			EH0	DGK		RETAINER, Transmission Front Clutch Piston Spring
-10	0147 483	1	1, 2, 3			EH0	DGK		CHECK BALL, Dia-.187
11	1942 400	1	1, 2, 3			EH0	DGK		SNAP RING, Frt. Clutch Inner, 2-7/ 16" O.D.
12	4617 362	4	1, 2, 3			EH0	DGK		DISC, Direct Clutch
13	3410 571	1	1, 2, 3			EH0	DGK		SNAP RING, Frt. Clutch, Outer
14	4617 176	1	1, 2, 3			EH0	DGK		PLATE, Transmission Clutch Reaction, Frt. Clutch Pressure
15	1942 403AB	3	1, 2, 3			EH0	DGK		PLATE, Clutch Separator
16	4505 199	1	1, 2, 3			EH0	DGK		RETAINER, Transmission Rear Clutch
-17	0147 483	1	1, 2, 3			EH0	DGK		CHECK BALL, Dia-.187
18	6022 859	1	1, 2, 3			EH0	DGK		SNAP RING, .890625, Input Shaft
19	4505 185	1	1, 2, 3			EH0	DGK		THRUST WASHER, Output Shaft, Gray .052
-20	4505 186	1	1, 2, 3			EH0	DGK		THRUST WASHER, Output Shaft, Red .068
-21	4505 187	1	1, 2, 3			EH0	DGK		THRUST WASHER, Output Shaft, Green .083
22	4028 333	1	1, 2, 3			EH0	DGK		SEAL, Rear Clutch, 1.50 ODx.009 Thk
23	4617 786	1	1, 2, 3			EH0	DGK		THRUST WASHER, Front Clutch
24	1401 221	1	1, 2, 3			EH0	DGK		SEAL, Input Shaft
25	4505 189	1	1, 2, 3			EH0	DGK		INPUT SHAFT, Transmission
26	4713 880	4	1, 2, 3			EH0	DGK		DISC, Clutch


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Clutch, Front and Rear with Gear Train, 4 Speed, 42RE [DGK]
Figure 42RE-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
27	4130 761	1	1, 2, 3			EH0	DGK		SNAP RING
-28	4539 121	1	1, 2, 3			EH0	DGK		SNAP RING, Rear Clutch, .076
-29	4539 122	1	1, 2, 3			EH0	DGK		SNAP RING, Rear Clutch, .098
-30	4539 123	1	1, 2, 3			EH0	DGK		SNAP RING, Rear Clutch, .095
-31	4539 124	1	1, 2, 3			EH0	DGK		SNAP RING, Rear Clutch, .107
32	4617 176	1	1, 2, 3			EH0	DGK		PLATE, Transmission Clutch Reaction
33	1942 403AB	3	1, 2, 3			EH0	DGK		PLATE, Clutch Separator
34	2466 281	1	1, 2, 3			EH0	DGK		PLATE, Clutch Pressure, Front
35	2466 283	1	1, 2, 3			EH0	DGK		SPRING, Rear Clutch, Wave
36	4728 487	1	1, 2, 3			EH0	DGK		SPRING, Rear Clutch Piston, Piston
37	2538 695	1	1, 2, 3			EH0	DGK		SEAL, Rear Clutch Piston, Rubber, Outer
38	3515 716	1	1, 2, 3			EH0	DGK		PISTON, Clutch, Rear
39	2538 510	1	1, 2, 3			EH0	DGK		SEAL, Rear Clutch Piston, Rubber, Inner

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Gear Train and Intermediate Shaft ,4 Speed,42RE [DGK] Figure 42RE-420



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Sales Codes									
[DGK] = 42RE 4 Speed Automatic Transmission									
[EH0] = All 3.9L V-6 Gas Engines									
1	6026 289	1	1, 2, 3			EH0	DGK		SNAP RING, .946 ID
-2	6030 938	1	1, 2, 3			EH0	DGK		SNAP RING
-3	6030 404	1	1, 2, 3			EH0	DGK		SNAP RING, Output Shaft, 1.029 OD
-4	6030 576	1	1, 2, 3			EH0	DGK		SNAP RING, Annulus Gear, 1.375 ID
5	3681 969	1	1, 2, 3			EH0	DGK		THRUST WASHER, Annulus Gear
6	6035 238	1	1, 2, 3			EH0	DGK		SNAP RING
7	4617 774	1	1, 2, 3			EH0	DGK		SUPPORT, Annulus Gear
8	4130 512	1	1, 2, 3			EH0	DGK		GEAR, Front Annulus
9	4130 518	2	1, 2, 3			EH0	DGK		THRUST WASHER, Planetary Carrier
10	4130 514	1	1, 2, 3			EH0	DGK		CARRIER, Planetary Pinion
11	4130 685	1	1, 2, 3			EH0	DGK		GEAR, Sun
12	4130 736	1	1, 2, 3			EH0	DGK		SPACER, Sun Gear, 4 Inner Teeth, 2" O.D.
13	4471 566	2	1, 2, 3			EH0	DGK		PLATE, Transmission Module
14	4531 288	1	1, 2, 3			EH0	DGK		SHELL, Sun Gear
15	1942 439	1	1, 2, 3			EH0	DGK		SNAP RING, Sun Gear Shell
16	4431 438	1	1, 2, 3			EH0	DGK		CARRIER, Planetary Pinion
17	3681 935	1	1, 2, 3			EH0	DGK		THRUST WASHER, Planetary Carrier
18	3743 184	1	1, 2, 3			EH0	DGK		GEAR, Rear Annulus
19	3515 501	AR							SUPPORT, Annulus Gear
20	1942 444	1	1, 2, 3			EH0	DGK		SNAP RING
21	6033 480	1	1, 2, 3			EH0	DGK		SNAP RING, Reverse Drum
22	4471 564	1	1, 2, 3			EH0	DGK		GASKET, Overdrive Piston Retainer
23	4637 956	1	1, 2, 3			EH0	DGK		DRUM PACKAGE, Transmission
24	4431 690	1	1, 2, 3			EH0	DGK		CAM, Overrunning Clutch
25	4431 432	1	1, 2, 3			EH0	DGK		CLUTCH, Overrunning, w/Rollers and Springs, "O"
26	6033 616	5	1, 2, 3			EH0	DGK		SCREW, Hex Flange Head, .25-28x.875
27	4617 246	1	1, 2, 3			EH0	DGK		RETAINER, Transmission Overdrive Clutch Piston
28	4505 188	1	1, 2, 3			EH0	DGK		PLATE, Transmission Module
29	4617 604	1	1, 2, 3			EH0	DGK		INTERMEDIATE SHAFT, Transmission
30	4617 775	1	1, 2, 3			EH0	DGK		PLATE, Annulus Gear Thrust


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Output Shaft,4 Speed, 42RE [DGK]
Figure 42RE-430



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Sales Codes									
[DGK] = 42RE 4 Speed Automatic Transmissiion									
[EH0] = All 3.9L V-6 Gas Engines									
1									BUSHING, (NOT SERVICED) (Not Serviced)
2									BUSHING, (NOT SERVICED) (Not Serviced)
3	5003 232AA	1	1, 2, 3			EH0	DGK		SHAFT, Output
4	2466 224	1	1, 2, 3			EH0	DGK		BEARING, Output Shaft
5	4461 008	1	1, 2, 3			EH0	DGK		BEARING, Output Shaft
6	4461 068	1	1, 2, 3			EH0	DGK		SNAP RING
7	4461 057	1	1, 2, 3			EH0	DGK		SNAP RING
8	4461 069	1	1, 2, 3			EH0	DGK		SNAP RING


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500 3,8 = 3500	62 = Reg. Cab(134 WB) 63 = Reg. Cab(138 WB) 64 = Reg. Cab(162 WB) 65 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl. ETC,ETH = 5.9L 6 Cyl. EML,EMM = 5.9L 8 Cyl. EWA = 8.0L 10 Cyl. EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDP,DDX,DDC = 5 Spd. Manual DEE = 6 Spd. Manual DDO = All 5 Speed Manual DGO = All Automatic


AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Bands, Reverse and Kickdown with Linkage ,4 Speed, 42RE [DGK]
Figure 42RE-510



KICKDOWN BAND




DOUBLE WRAP REVERSE BAND

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Sales Codes									
[DGK] = 42RE 4Speed Automatic Transmission									
[EH0] = All 3.9L V-6 Gas Engines									
1	5211 8264	1	1, 2, 3			EH0	DGK		LEVER, Kickdown
2	4531 181	1	1, 2, 3			EH0	DGK		SHAFT, Band Lever
3	3515 084	1	1, 2, 3			EH0	DGK		STRUT, Kickdown Band
4									PLUG, (NOT SERVICED) (Not Serviced)
5	6036 141AA	1	1, 2, 3			EH0	DGK		SCREW
6	0124 934	1	1, 2, 3			EH0	DGK		NUT, Hex Jam, .50-20
7	4617 849	1	1, 2, 3			EH0	DGK		BAND, Kickdown
8	4202 764AB	1	1, 2, 3			EH0	DGK		LEVER, Reverse Band
9	2538 472	1	1, 2, 3			EH0	DGK		SCREW, Trans Reverse Band
									Adjusting, .375-24-1.88
10	0114 942	1	1, 2, 3			EH0	DGK		NUT, Hex, .375-24
11	3410 102	1	1, 2, 3			EH0	DGK		SHAFT, Reverse Band
12	4431 406	1	1, 2, 3			EH0	DGK		BAND, Reverse
13	6030 657	1	1, 2, 3			EH0	DGK		O RING, Steering Gear
14	3410 102	1	1, 2, 3			EH0	DGK		SHAFT, Reverse Band

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Valve Body ,4 Speed,42RE [DGK] Figure 42RE-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Sales Codes									
[DGK] = 42RE 4 Speed Automatic Transmission									
[EH0] = All 3.9L V-6 Gas Engines									
-1	4863 933AB-	1	1, 2, 3			EH0	DGK		SEAL AND GASKET PACKAGE, Valve Body and Servo
2	52119 633AA	1	1, 2, 3			EH0	DGK		BODY, Transfer Plate
3	5211 8510	1	1, 2, 3			EH0	DGK		GASKET, Transmission Solenoid, Solenoid
4	5211 8500	1	1, 2, 3			EH0	DGK		SOLENOID, Transmission Overdrive
5	0181 071	3	1, 2, 3			EH0	DGK		BOLT, Valve Body, .25-20x1.75
6	5211 8789	1	1, 2, 3			EH0	DGK		FILTER, Valve Body
7	6033 826	3	1, 2, 3			EH0	DGK		SCREW AND WASHER, Oil Filter Mounting, Fillester Head .190-24x2. 500
8	6034 748	2	1, 2, 3			EH0	DGK		O RING, Solenoid Wiring, Transmission
9	6033 985	1	1, 2, 3			EH0	DGK		SCREW, Tapping, .19-24x.75
10	3681 227	1	1, 2, 3			EH0	DGK		LEVER, Throttle Valve
11	4617 439	1	1, 2, 3			EH0	DGK		LEVER, Manual Valve, w/Insulator,
12	0147 488	1	1, 2, 3			EH0	DGK		BALL, Manual Lever Detent, .343 Diameter
13	2466 548	1	1, 2, 3			EH0	DGK		SEAL, Valve Lever Shift, Rubber, 5/8" O.D.
14	2538 062	1	1, 2, 3			EH0	DGK		WASHER, Manual Valve Lever
15	6035 208	2	1, 2, 3			EH0	DGK		SNAP RING
16	4505 098	1	1, 2, 3			EH0	DGK		SEAL, Manual Shift Valve, 1.25 OD, 1-1/4" O.D.
17	6030 609	1	1, 2, 3			EH0	DGK		SCREW, Cap Head Lock, .312-24x1. 25
18	4617 010	1	1, 2, 3			EH0	DGK		BRACKET, Valve Body Switch
19	4130 492	1	1, 2, 3			EH0	DGK		SPRING, Switch Valve
20	4505 036	1	1, 2, 3			EH0	DGK		VALVE, Trans Lockup Switch
21	4617 008	1	1, 2, 3			EH0	DGK		TUBE, Boost Valve
22	5211 7958	1	1, 2, 3			EH0	DGK		RETAINER, Boost Valve Oil Supply Tube
23	4617 219	1	1, 2, 3			EH0	DGK		CLIP, Transmission Governor Transducer
24	56041 403AA	1	1, 2, 3			EH0	DGK		TRANSDUCER, Pressure Sensor
25	6034 493	1	1, 2, 3			EH0	DGK		O RING, Pressure Switch
26	4617 216	1	1, 2, 3			EH0	DGK		GASKET, Transmission Solenoid


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Valve Body ,4 Speed,42RE [DGK]
Figure 42RE-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
27	4617 211	1	1, 2, 3			EH0	DGK		RETAINER, Transmission Governor Solenoid
28	4723 549	1	1, 2, 3			EH0	DGK		O RING PACKAGE, Valve Body, Transmission
29	4617 210	1	1, 2, 3			EH0	DGK		SOLENOID, Transmission Governor, 2 Prong Connector
-30	3878 313	1	1, 2, 3			EH0	DGK		SCREEN, Transmission Regulator Valve, Regulator Valve (Not Shown)
-31	4348 907	1	1, 2, 3			EH0	DGK		SPRING, Limit Valve

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic


AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Servos, Accumulator Piston and Spring ,4 Speed,42RE [DGK]
Figure 42RE-720



KICKDOWN SERVO



LOW AND REVERSE SERVO



ACCUMULATOR PISTON AND SPRING

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: Sales Codes

[DGK] = 42RE 4 Speed Automatic Transmission

[EH0] = All 3.9L V-6 Gas Engines

1	6028 863	1	1, 2, 3			EH0	DGK		SNAP RING, Kickdown, 2.377
2	4295 966	1	1, 2, 3			EH0	DGK		SEAL, Servo Guide
3	3410 332	1	1, 2, 3			EH0	DGK		GUIDE, Kickdown Servo
4	4531 119	1	1, 2, 3			EH0	DGK		SPRING, Kickdown Servo Piston
5	6031 392	1	1, 2, 3			EH0	DGK		SNAP RING, Brake Master Cylinder
6	4058 780	1	1, 2, 3			EH0	DGK		ROD, Kickdown Servo Piston
7	6028 864	1	1, 2, 3			EH0	DGK		O RING, Kick Down Servo
8	4295 966	1	1, 2, 3			EH0	DGK		SEAL, Servo Guide, Large 2-3/8" O.D.
9	4058 777	1	1, 2, 3			EH0	DGK		PISTON, Kickdown Servo
-10	6028 864	1	1, 2, 3			EH0	DGK		O RING, Kick Down Servo
11	3743 033	1	1, 2, 3			EH0	DGK		SEAL, Kickdown Servo, Small 1" O.D.
-12	6027 153	1	1, 2, 3			EH0	DGK		SNAP RING, .435 ID
13	5211 8744	1	1, 2, 3			EH0	DGK		PISTON, Reverse Servo
14	4202 864	1	1, 2, 3			EH0	DGK		SEAL, Reverse Servo Piston
15	4130 824	1	1, 2, 3			EH0	DGK		SPRING, Reverse Servo Piston
16	52118 740AB	1	1, 2, 3			EH0	DGK		PLUG, Reverse Servo Piston
17	2801 274	1	1, 2, 3			EH0	DGK		SPRING, Reverse Servo Piston
18	2464 463	1	1, 2, 3			EH0	DGK		RETAINER, Transmission Rear Clutch
19	2464 464	1	1, 2, 3			EH0	DGK		SNAP RING
20	4531 259	1	1, 2, 3			EH0	DGK		SPRING, Transmission Accumulator
21	3743 013	1	1, 2, 3			EH0	DGK		SEAL, Piston Accumulator
22	3743 650	1	1, 2, 3			EH0	DGK		PISTON, Accumulator
23	3743 010	1	1, 2, 3			EH0	DGK		SEAL, Piston Accumulator
24	4617 529	1	1, 2, 3			EH0	DGK		SPRING, Accumulator Piston


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Parking Sprag ,4 Speed,42RE [DGK]
Figure 42RE-730



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


NOTE: Sales Codes									
[DGK] = 42RE 4 Sped Automatic Transmission									
[EH0] = All 3.9L V-6 Gas Engines									
1	2466 909	1	1, 2, 3			EH0	DGK		SPRING, Parking Sprag
2	4471 415	1	1, 2, 3			EH0	DGK		SPRAG, Transmission Parking, (5/8" Thick)
3	2466 892	1	1, 2, 3			EH0	DGK		SHAFT, Parking Sprag
4	2538 042	1	1, 2, 3			EH0	DGK		PLUG, Parking Sprag
5	2538 034	1	1, 2, 3			EH0	DGK		SNAP RING, Transmission, Reaction Plug
6	4431 748	1	1, 2, 3			EH0	DGK		ROD, Parking Sprag
7	6035 256	1	1, 2, 3			EH0	DGK		SNAP RING, Rod

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Clutch, Overdrive with Gear Train ,4 Speed, 42RE [DGK] Figure 42RE-1010



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Sales Codes									
[DGK] = 42RE 4 Speed Automatic Transmission									
[EH0] = All 3.9L V-6 Gas Engines									
1	4740 774	1	1, 2, 3			EH0	DGK		PLATE PACKAGE, Transmission Module
2									BEARING, Serviced In (04740774), (NOT SERVICED) (Not Serviced)
3									BUSHING, Serviced With Sun Gear, (NOT SERVICED) (Not Serviced)
4	4778 742	1	1, 2, 3			EH0	DGK		GEAR, Overdrive Sun
5	4798 520	1	1, 2, 3			EH0	DGK		CARRIER, O/Drive Planet Pinion
6	4461 124	1	1, 2, 3			EH0	DGK		RACE, Overrunning Clutch
7	4461 014	1	1, 2, 3			EH0	DGK		THRUST BEARING, Ovedrive Third Position
8	4461 015	1	1, 2, 3			EH0	DGK		CLUTCH, Overdrive Overrunning
9	4761 010	1	1, 2, 3			EH0	DGK		GEAR, Overdrive Annulus
10	4461 059	1	1, 2, 3			EH0	DGK		SNAP RING, 5.25 OD
11	4461 060	2	1, 2, 3			EH0	DGK		SNAP RING, 6.00 OD
12	4461 040	1	1, 2, 3			EH0	DGK		DRUM, Automatic Transmission
13	4461 063	1	1, 2, 3			EH0	DGK		SNAP RING, 2.1875 OD
14	4461 027	1	1, 2, 3			EH0	DGK		SPRING, Direct Clutch
15	4461 072	1	1, 2, 3			EH0	DGK		HUB, Direct Clutch
16	4446 724	1	1, 2, 3			EH0	DGK		THRUST BEARING, Overdrive, O/ Drive Clutch Piston, Thrust
17	4461 030	1	1, 2, 3			EH0	DGK		PLATE, Transmission Clutch Reaction
18	4461 042	6	1, 2, 3			EH0	DGK		DISC, Direct Clutch
19	4461 054	5	1, 2, 3			EH0	DGK		PLATE, Transmission Clutch Reaction
20	4461 031	1	1, 2, 3			EH0	DGK		PLATE, Transmission Clutch Reaction
21	4461 032	1	1, 2, 3			EH0	DGK		SPRING, Direct Clutch
22	4461 064	1	1, 2, 3			EH0	DGK		SNAP RING, 1.875" OD
23	4412 583	1	1, 2, 3			EH0	DGK		FILTER, Overdrive Clutch, Piston Retainer
24	4617 246	1	1, 2, 3			EH0	DGK		RETAINER, Transmission Overdrive Clutch Piston, O/Drive Clutch Piston
25	5211 8599	1	1, 2, 3			EH0	DGK		PISTON, Overdrive Clutch, O/Drive Clutch ***


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

**Clutch, Overdrive with Gear Train ,4 Speed, 42RE [DGK]
Figure 42RE-1010**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
26	6033 479	6	1, 2, 3			EH0	DGK		BOLT, Hex Head, .25-28x1-5/8, Retainer to Case, 1/4-28 x 1-5/8"
27	4431 697	1	1, 2, 3			EH0	DGK		SEAL, Overdrive Clutch Piston, O/ Drive Clutch Piston, Inner
28	4431 696	1	1, 2, 3			EH0	DGK		SEAL, Overdrive Clutch Piston, O/ Drive Clutch Piston, Outer
29	4431 585	1	1, 2, 3			EH0	DGK		PLATE, Transmission O/Drive Clutch .123"-.125" Thick
	4431 586	1	1, 2, 3			EH0	DGK		.153"-.170" Thick
	4431 587	1	1, 2, 3			EH0	DGK		.183"-.185" Thick
	4431 588	1	1, 2, 3			EH0	DGK		.213"-.215" Thick
	4431 590	1	1, 2, 3			EH0	DGK		.243"-.245" Thick
	4431 731	1	1, 2, 3			EH0	DGK		.138"-.140" Thick
	4431 732	1	1, 2, 3			EH0	DGK		.168"-.170" Thick
	4431 733	1	1, 2, 3			EH0	DGK		.198"-.200" Thick
	4431 734	1	1, 2, 3			EH0	DGK		.228"-.230" Thick
30	4431 916	1	1, 2, 3			EH0	DGK		SPACER, Intermediate Shaft, 1. 58mm
31	4461 082	1	1, 2, 3			EH0	DGK		SNAP RING, Overdrive Clutch
32	4461 048	1	1, 2, 3			EH0	DGK		PLATE, Transmission Clutch Reaction
33	4461 047	2	1, 2, 3			EH0	DGK		PLATE, Transmission Clutch Reaction, O/Drive Clutch Separator
34	4461 181	1	1, 2, 3			EH0	DGK		DISC, Direct Clutch
35	4461 033	1	1, 2, 3			EH0	DGK		PLATE, Transmission Clutch Reaction
36	4461 066	1	1, 2, 3			EH0	DGK		SPRING, Overdrive Clutch
37	4461 065	1	1, 2, 3			EH0	DGK		SNAP RING, 6.50 OD


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Controls, Gearshift, Lower ,4 Speed, 42RE [DGK]
Figure 42RE-1230



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DGK] =4 Speed Automatic Transmission 47RE									
[DGT] = 4 Speed Automatic Transmission 46RE									
[DG0] = All Automatic Transmissions									
[EL0] = All 5.2L 8 Cylinder Gas Engines									
[EM0] = All 5.9L 8 Cylinder Gas Engines									
1	3575 333	2					DG0		GROMMET, Control Rod Front
2	J012 0393	1					DG0		WASHER, Flat, Flat
3	3575 354	1					DG0		SPRING, Gearshift Control Rod,
									Control Rod Adjusting
4	3467 800	2					DG0		BUSHING, Gearshift Torque Shaft,
									Torque Shaft
5	6504 763	2					DG0		WASHER, Flat, M13.5
6	6504 763	2					DG0		WASHER, Flat, M13.5
7	J400 4295	1					DG0		PIN, Rod To Trans Shaft Lever, Rod
									or Swivel To T/Shaft Lever
8	6028 114	1					DG0		NUT, Hex, .437-14, Bracket Mtg.
									Lock 7/16-14
9	0391 888	1					DG0		WASHER, Wave, .359x.593x.010,
									Spring
10	0181 082	1					DG0		BOLT, Hex Head, 5/16-18x1/2
11	5207 7802	1					DG0		BRACKET, Gearshift, Torque Shaft,
									Frame End
12									SCREW, (NOT SERVICED) (Not
									Serviced)
13	6032 475	1					DG0		RING, Transmission Torque Shaft
14	5210 7734	1					DG0		CLAMP
15	3575 334	1					DG0		SWIVEL, Gearshift Control Rod,
									Control Rod Clamp
16	5207 7803	1				EL0, EM0	DGT		BRACKET, Gearshift, Torque Shaft
									Mtg., Trans. End
17	5207 8718	1					DG0		BRACKET, Throttle Valve Spring
18	5300 9055	1					DG0		SPRING, Throttle Valve Return
19	52107 699AB	1					DG0		ROD, Gear Shift Control
20	52079 030AB	1					DGK, DGT		TORQUE SHAFT, Gearshift
21	5207 7621	1					DGT		ROD, Gear Shift Control,
									Transmission, G/Shift Control, Rear
22	52117 565AB	1					DGK		LEVER, Manual Control
23	0180 034	1					DGK		SCREW AND WASHER, Hex Head,
									.25-20x1.50


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Controls, Gearshift, Lower ,4 Speed, 42RE [DGK]
Figure 42RE-1230



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
24	J012 0375	1					DGK		NUT, Hex, .250-20
25	5207 9065	1					DG0		LEVER, Throttle Valve
26	0181 065	1					DG0		BOLT, Hex Head, .25-20x1.00
27	0138 165	1					DG0		WASHER, Lock
28	J012 0375	1					DG0		NUT, Hex, .250-20


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005









Group – 46RE

Automatic Transmission 4 Speed




GROUP 46RE - Automatic Transmission 4 Speed

Illustration Title	Group-Fig. No.
Transmission Assembly	
Transmission Assembly, 4 Speed, 46RE [DGT]	Fig. 46RE-110
Case and Extension	
Case and Related Parts,4 Speed, 46RE [DGT]	Fig. 46RE-210
Extension, 4 Speed, 46RE [DGT]	Fig. 46RE-220
Oil Pump	
Pump, Oil with Reaction Shaft, 4 Speed, 46RE [DGT]	Fig. 46RE-320
Gear Train	
Clutch, Front and Rear with Gear Train, 4 Speed, 46RE [DGT]	Fig. 46RE-410
Gear Train and Intermediate Shaft, 4 Speed, 46RE [DGT]	Fig. 46RE-420
Output Shaft, 4 Speed, 46RE [DGT]	Fig. 46RE-430
Bands, Reverse and Kickdown	
Bands, Reverse and Kickdown with Linkage, 4 Speed, 46RE [DGT]	Fig. 46RE-510
Valve Body	
Valve Body, 4 Speed, 46RE [DGT]	Fig. 46RE-710
Servos, Accumulator Piston and Spring, 4 Speed, 46RE [DGT]	Fig. 46RE-720
Parking Sprag, 4 Speed, 46RE [DGT]	Fig. 46RE-730
Overdrive Gear Train	
Clutch, Overdrive with Gear Train, 4 Speed, 46RE [DGT]	Fig. 46RE-1010
Gearshift Controls	
Controls, Gearshift, Column Shift, 4 Speed, 46RE [DGT]	Fig. 46RE-1220

46RE-100 Transmission Assembly	46RE-200 Case and Extension	46RE-300 Oil Pump	46RE-400 Gear Train
			
46RE-500 Bands, Reverse and Kickdown	46RE-700 Valve Body	46RE-1000 Overdrive Gear Train	46RE-1200 Gearshift Controls
			

Transmission Assembly, 4 Speed, 46RE [DGT]
Figure 46RE-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes
[DGT] = 4 Speed Automatic Transmission 46RE
[EL0] = All 5.2L 8 Cylinder Gas Engines
[EM0] = All 5.9L 8 Cylinder Gas Engines

1	TRANSMISSION PACKAGE								
	5013 405AA	1	1, 2, 3			EL0	DGT		
	5013 406AA	1	6, 7, 8			EL0	DGT		
	5013 407AA	1	1, 2, 3			EM0	DGT		
	5013 408AA	1	6, 7, 8			EM0	DGT		
-2	OVERDRIVE								
	5211 8156	1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
	5211 8784	1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Case and Related Parts,4 Speed, 46RE [DGT]
Figure 46RE-210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes

[DGT] = 4 Speed Automatic Transmission 46RE

[ELO] = All 5.2L 8 Cylinder Gas Engines

[EM0] = All 5.9L 8 Cylinder Gas Engines

-1									SEAL AND GASKET PACKAGE, Transmission
4863 884						EL0	DGT		
						EL0	DGT		
						EM0	DGT		
						EM0	DGT		
2	5211 8629	1					DG0		SEAL, Oil Filler Tube
3	0181 112	1					DG0		SCREW AND WASHER, .375-16x1.00
4	5211 8620	1					DGT		TUBE, Transmission Oil Filler
5	52107 769AA	1					DG0		INDICATOR, Transmission Fluid Level
6	6024 473	2					DG0		SCREW AND WASHER, Hex Head, .437-14x2.00
7	6023 092	3					DGK, DGT		SCREW AND WASHER, Hex Head, .25-20x.50
8	6022 266	4				EH0, EL0, EM0, EW0	DG0		SCREW, Hex Head, .375-16x1.5
9									SCREW AND WASHER, Hex Head, .437-14x.25, (NOT SERVICED) (Not Serviced)
10	5211 7771	1					DGK, DGT		STRUT, Transmission to Block, Right
11	4130 503	1				EL0, EM0	DGT		COVER, Transmission Dust
12	5211 7709	1				EH0, EL0, EM0			GROMMET, Timing Probe
13									CLIP
5211 8181						EL0	DGT		
						EM0	DGT		
						EL0	DGT		
						EM0	DGT		

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Case and Related Parts,4 Speed, 46RE [DGT]
Figure 46RE-210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
14	6022 266	4				EH0, EL0, EM0, EW0	DG0		SCREW, Hex Head, .375-16x1.5
15									CASE, Transmission
	5211 8756	1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
16	6028 095	1	1, 2, 3			EL0	DGT		PLUG, Pressure Check
		1	1, 2, 3			EM0	DGT		
17									SWITCH, Neutral, Safety, Back Up
	5602 8181	1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
18	2408 143	1	1, 2, 3			EL0	DGT		WASHER, Switch
		1	6, 7, 8			EM0	DGT		
19									SCREW AND WASHER, Hex Head, .312-18x.625
	4723 548	12	6, 7, 8			EM0	DGT		
		12	1, 2, 3			EL0	DGT		
		12	1, 2, 3			EM0	DGT		
		12	6, 7, 8			EL0	DGT		
20	5211 8780	1	1, 2, 3			EL0	DGT		PAN, Transmission Oil
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
21	3681 601	1	1, 2, 3			EM0	DGT		MAGNET, Transmission
		1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
22									GASKET, Oil Pan
	2464 324	1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Case and Related Parts,4 Speed, 46RE [DGT]
Figure 46RE-210


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6, 7, 8			EM0	DGT		
23	6036 115AA	1	1, 2, 3			EL0	DGT		SCREW
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
24	5211 7772	1	6, 7, 8			EM0	DGT		STRUT, Transmission to Block, Left
25									SCREW
	6036 036AA	1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
26	6033 879	2	1, 2, 3			EL0	DGT		NUT, Inverted Flare, .62-18
		2	6, 7, 8			EL0	DGT		
		2	1, 2, 3			EM0	DGT		
		2	6, 7, 8			EM0	DGT		
27									O RING, Trans Speed Sensor
	6501 701	1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
28									SENSOR, Transmission Output Speed
	4412 879	1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Extension, 4 Speed, 46RE [DGT]
Figure 46RE-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DGT] = 4 Speed Automatic Transmission 46RE									
[ELO] = All 5.2L 8 Cylinder Gas Engines									
[EM0] = All 5.9L 8 Cylinder Gas Engines									
1									CASE, Transmission Rear
	5003 231AA	1	1, 2, 3			ELO	DGT		
		1	1, 2, 3			EM0	DGT		
2									SEAL, Extension Yoke
	4531 216	1	1, 2, 3			ELO	DGT		
		1	1, 2, 3			EM0	DGT		
3									SCREW, (NOT SERVICED) (Not Serviced)
4									COVER, Transmission Converter
	2466 957	1	6, 7, 8			ELO	DGT		
		1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			ELO	DGT		
		1	1, 2, 3			EM0	DGT		
5									GASKET, Transmission
	2801 398	1	6, 7, 8			ELO	DGT		
		1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			ELO	DGT		
		1	1, 2, 3			EM0	DGT		
6									GASKET, Overdrive Piston Retainer
	4471 565	1	1, 2, 3			ELO	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			ELO	DGT		
		1	6, 7, 8			EM0	DGT		
7									SCREW, Hex Flange Head, .375-16x1.38
	6036 046AA	7	1, 2, 3			ELO	DGT		
		7	1, 2, 3			EM0	DGT		
		7	6, 7, 8			EM0	DGT		
		7	6, 7, 8			ELO	DGT		
8									ADAPTER, Transfer Case
	4798 535	1	6, 7, 8			ELO	DGT		
		1	6, 7, 8			EM0	DGT		
9									SEAL, Adapter
	4269 956	1	6, 7, 8			ELO	DGT		
		1	6, 7, 8			EM0	DGT		

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Pump, Oil with Reaction Shaft, 4 Speed, 46RE [DGT]
Figure 46RE-320

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes

[DGT] = 4 Speed Automatic Transmission 46RE

[EL0] = All 5.2L 8 Cylinder Gas Engines

[EM0] = All 5.9L 8 Cylinder Gas Engines


-1						GASKET AND SEAL PACKAGE,
						Transmission Oil Pump
	4746 109	1	1, 2, 3	EL0	DGT	
		1	1, 2, 3	EM0	DGT	
		1	6, 7, 8	EL0	DGT	
		1	6, 7, 8	EM0	DGT	
2						SEAL, Impeller Hub, 57.25mm OD
	4531 225	1	1, 2, 3	EM0	DGT	T/C Impeller Hub
		1	6, 7, 8	EM0	DGT	T/C Impeller Hub
		1	1, 2, 3	EL0	DGT	T/C Impeller Hub
		1	6, 7, 8	EL0	DGT	T/C Impeller Hub
3						SEAL, Front Pump Housing
	1942 021	1	1, 2, 3	EM0	DGT	Frnt. Pump Housing
		1	6, 7, 8	EM0	DGT	Frnt. Pump Housing
		1	1, 2, 3	EL0	DGT	Frnt. Pump Housing
		1	6, 7, 8	EL0	DGT	Frnt. Pump Housing
4						PUMP PACKAGE, Transmission
	4796 467	1	1, 2, 3	EL0	DGT	
		1	1, 2, 3	EM0	DGT	
		1	6, 7, 8	EL0	DGT	
		1	6, 7, 8	EM0	DGT	
5						HOUSING, Pump, Serviced In Pump Package, (NOT SERVICED) (Not Serviced)
6						ROTOR, Oil Pump, Serviced In Pump Package, (NOT SERVICED) (Not Serviced)
7						ROTOR, Oil Pump, Serviced In Pump Package, (NOT SERVICED) (Not Serviced)
8						SHAFT, Oil Pump, Serviced In Pump Package, (NOT SERVICED) (Not Serviced)
9						BUSHING, Serviced In Pump Package, (NOT SERVICED) (Not Serviced)

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Pump, Oil with Reaction Shaft, 4 Speed, 46RE [DGT]
Figure 46RE-320


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
10									BUSHING, Serviced In Pump Package, (NOT SERVICED) (Not Serviced)
11	0179 815	6	6, 7, 8			EL0	DGT		SCREW, Hex Head, .312-18x.687 Suppt, 5/16-18 x 11/16"
		6	1, 2, 3			EM0	DGT		Suppt, 5/16-18 x 11/16"
		6	1, 2, 3			EL0	DGT		Suppt, 5/16-18 x 11/16"
		6	6, 7, 8			EM0	DGT		Suppt, 5/16-18 x 11/16"
12									BAFFLE PACKAGE, Pump
	3420 087	1	1, 2, 3			EM0	DGT		w/Nail, Front Pump Housing Vent ***
		1	6, 7, 8			EM0	DGT		w/Nail, Front Pump Housing Vent ***
		1	1, 2, 3			EL0	DGT		w/Nail, Front Pump Housing Vent ***
		1	6, 7, 8			EL0	DGT		w/Nail, Front Pump Housing Vent ***
13	4028 377	1	1, 2, 3			EM0	DGT		GASKET, Transmission Oil Pump Front Pump Housing
		1	6, 7, 8			EM0	DGT		Front Pump Housing
		1	1, 2, 3			EL0	DGT		Front Pump Housing
		1	6, 7, 8			EL0	DGT		Front Pump Housing
14	4617 161	1	1, 2, 3			EM0	DGT		THRUST WASHER, Front Clutch .062" Thick
		1	6, 7, 8			EM0	DGT		.062" Thick
		1	1, 2, 3			EL0	DGT		.062" Thick
		1	6, 7, 8			EL0	DGT		.062" Thick
-15									THRUST WASHER, Front Clutch, Pink .085
	4617 162	1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
-16									THRUST WASHER, Front Clutch, Yellow .103
	4617 163	1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
-17									THRUST WASHER, Front Clutch, Orange .121

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Pump, Oil with Reaction Shaft, 4 Speed, 46RE [DGT]
Figure 46RE-320



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4617 164	1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
-18									THRUST WASHER, Front Clutch, Blue .139"
	4617 165	1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
-19									THRUST WASHER, Front Clutch, Black .157
	4617 166	1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
20									SEAL, Reaction Shaft
	3743 689	2	1, 2, 3			EL0	DGT		Reaction Shaft Support ***
		2	6, 7, 8			EL0	DGT		Reaction Shaft Support ***
		2	1, 2, 3			EM0	DGT		Reaction Shaft Support ***
		2	6, 7, 8			EM0	DGT		Reaction Shaft Support ***
21									SCREW AND WASHER, Hex Flange Head, .312-18x1.375
	6023 943	7	6, 7, 8			EL0	DGT		w/Washer, Hsg. 5/16-18 x 1-3/8"
		7	1, 2, 3			EM0	DGT		w/Washer, Hsg. 5/16-18 x 1-3/8"
		7	1, 2, 3			EL0	DGT		w/Washer, Hsg. 5/16-18 x 1-3/8"
		7	6, 7, 8			EM0	DGT		w/Washer, Hsg. 5/16-18 x 1-3/8"

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Clutch, Front and Rear with Gear Train, 4 Speed, 46RE [DGT]
Figure 46RE-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes

[DGT] = 4 Speed Automatic Transmission 46RE

[EL0] = All 5.2L 8 Cylinder Gas Engines

[EM0] = All 5.9L 8 Cylinder Gas Engines


-1	SEAL PACKAGE, Transmission							
	Clutch							
	4637 078	1	6, 7, 8			EL0	DGT	
		1	6, 7, 8			EM0	DGT	
2	4058 437AB	1	1, 2, 3			EL0	DGT	RETAINER, Clutch
		1	1, 2, 3			EM0	DGT	
		1	6, 7, 8			EM0	DGT	
		1	6, 7, 8			EL0	DGT	
3	3410 226	1	6, 7, 8			EM0	DGT	SEAL, Front Clutch Piston
		1	1, 2, 3			EL0	DGT	Inner, Inner
		1	1, 2, 3			EM0	DGT	Inner, Inner
		1	6, 7, 8			EL0	DGT	Inner, Inner
4	4058 484	1	6, 7, 8			EM0	DGT	SEAL, Front Piston Clutch
		1	1, 2, 3			EL0	DGT	Outer, Outer
		1	1, 2, 3			EM0	DGT	Outer, Outer
		1	6, 7, 8			EL0	DGT	Outer, Outer
5	2464 651AB	1	1, 2, 3			EL0	DGT	PISTON, Clutch
		1	1, 2, 3			EM0	DGT	
		1	6, 7, 8			EM0	DGT	
		1	6, 7, 8			EL0	DGT	
6	2801 243	9	1, 2, 3			EL0	DGT	SPRING, Front Clutch
		9	6, 7, 8			EL0	DGT	
	4617 205	9	6, 7, 8			EM0	DGT	
		9	1, 2, 3			EM0	DGT	
7	2801 949	1	6, 7, 8			EM0	DGT	RETAINER, Transmission
		1	1, 2, 3			EL0	DGT	
		1	1, 2, 3			EM0	DGT	
		1	6, 7, 8			EL0	DGT	
8	SNAP RING							

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005




Clutch, Front and Rear with Gear Train, 4 Speed, 46RE [DGT]
Figure 46RE-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	2124 824	1	6, 7, 8			EM0	DGT		Inner, .060" Thk., 3" I.D.
		1	1, 2, 3			EL0	DGT		Inner, .060" Thk., 3" I.D.
		1	1, 2, 3			EM0	DGT		Inner, .060" Thk., 3" I.D.
		1	6, 7, 8			EL0	DGT		Inner, .060" Thk., 3" I.D.
9									PLATE, Clutch Separator
	52118 812AA	3	1, 2, 3			EL0	DGT		
		3	6, 7, 8			EL0	DGT		
		3	1, 2, 3			EM0	DGT		
		3	6, 7, 8			EM0	DGT		
10	3410 570	1	6, 7, 8			EM0	DGT		SNAP RING Frt. Clutch, .050" Thk., 7-8/64" O.D.
		1	1, 2, 3			EL0	DGT		Frt. Clutch, .050" Thk., 7-8/64" O.D.
		1	1, 2, 3			EM0	DGT		Frt. Clutch, .050" Thk., 7-8/64" O.D.
		1	6, 7, 8			EL0	DGT		Frt. Clutch, .050" Thk., 7-8/64" O.D.
11									PLATE, Transmission Clutch Reaction
	4617 567	1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
12									DISC, Direct Clutch
	4617 201AB	3	1, 2, 3			EL0	DGT		
		3	1, 2, 3			EM0	DGT		
		3	6, 7, 8			EM0	DGT		
		3	6, 7, 8			EL0	DGT		
13									PISTON, Clutch
	3743 624AB	1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
14									SEAL, Rear Clutch Piston
	1942 054	1	6, 7, 8			EM0	DGT		Inner
		1	1, 2, 3			EL0	DGT		Inner
		1	1, 2, 3			EM0	DGT		Inner
		1	6, 7, 8			EL0	DGT		Inner
15									SEAL, Rear Clutch Piston

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Clutch, Front and Rear with Gear Train, 4 Speed, 46RE [DGT]
Figure 46RE-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	2124 835	1	6, 7, 8			EM0	DGT		Outer
		1	1, 2, 3			EL0	DGT		Outer
		1	1, 2, 3			EM0	DGT		Outer
		1	6, 7, 8			EL0	DGT		Outer
16									RETAINER, Transmission
	4617 855	1	6, 7, 8			EM0	DGT		Rear Clutch Piston
		1	1, 2, 3			EL0	DGT		Rear Clutch Piston
		1	1, 2, 3			EM0	DGT		Rear Clutch Piston
		1	6, 7, 8			EL0	DGT		Rear Clutch Piston
-17									SEAL, Rear Clutch Retainer
	4058 443	1	6, 7, 8			EM0	DGT		Piston Ret. Oil Seal Lock, 1-7/8" O.D.
		1	1, 2, 3			EL0	DGT		Piston Ret. Oil Seal Lock, 1-7/8" O.D.
		1	1, 2, 3			EM0	DGT		Piston Ret. Oil Seal Lock, 1-7/8" O.D.
		1	6, 7, 8			EL0	DGT		Piston Ret. Oil Seal Lock, 1-7/8" O.D.
18									THRUST WASHER, Front Clutch
	4617 161	1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
19									INPUT SHAFT, Transmission
	4617 396	1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
20									SEAL, Input Shaft
	4741 836	1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
21									SNAP RING
	2124 872	1	6, 7, 8			EM0	DGT		Rr. Clutch Piston , .060" Thk., 1-31/64" O.D.
		1	1, 2, 3			EL0	DGT		Rr. Clutch Piston , .060" Thk., 1-31/64" O.D.
		1	1, 2, 3			EM0	DGT		Rr. Clutch Piston .060" Thk., 1-31/64" O.D.

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Clutch, Front and Rear with Gear Train, 4 Speed, 46RE [DGT]
Figure 46RE-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
22	3743 622	1	6, 7, 8			EL0	DGT		Rr. Clutch Piston .060" Thk., 1-31/64" O.D.
		1	1, 2, 3			EM0	DGT		RETAINER, Rear Clutch
		1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
23	2801 992AB	4	1, 2, 3			EL0	DGT		DISC, Clutch
		4	1, 2, 3			EM0	DGT		
		4	6, 7, 8			EM0	DGT		
		4	6, 7, 8			EL0	DGT		
24	3743 621AB	1	1, 2, 3			EL0	DGT		SPRING, Rear Clutch Piston
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
25	3515 077	1	6, 7, 8			EM0	DGT		SPACER, Rear Clutch Piston
		1	1, 2, 3			EL0	DGT		Plastic, 6-13/16" O.D
		1	1, 2, 3			EM0	DGT		Plastic, 6-13/16" O.D
		1	1, 2, 3			EM0	DGT		Plastic, 6-13/16" O.D
26	2466 806	1	6, 7, 8			EL0	DGT		Plastic, 6-13/16" O.D
		1	1, 2, 3			EM0	DGT		SPRING, Rear Clutch
		1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
27	2466 803	1	6, 7, 8			EM0	DGT		PLATE, Clutch Pressure
		1	1, 2, 3			EL0	DGT		Front
		1	1, 2, 3			EM0	DGT		Front
		1	6, 7, 8			EL0	DGT		Front
28	52118 812AA	3	1, 2, 3			EL0	DGT		PLATE, Clutch Separator
		3	6, 7, 8			EL0	DGT		
		3	1, 2, 3			EM0	DGT		
		3	6, 7, 8			EM0	DGT		
29	4617 567	1	6, 7, 8			EM0	DGT		PLATE, Transmission Clutch
									Reaction
									Rear

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005




Clutch, Front and Rear with Gear Train, 4 Speed, 46RE [DGT]
Figure 46RE-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
30		1	1, 2, 3			EL0	DGT		Rear
		1	1, 2, 3			EM0	DGT		Rear
		1	6, 7, 8			EL0	DGT		Rear
	1942 063								SNAP RING
		1	6, 7, 8			EM0	DGT		.060" Thick
		1	1, 2, 3			EL0	DGT		.060" Thick
	1942 064	1	1, 2, 3			EM0	DGT		.060" Thick
		1	6, 7, 8			EL0	DGT		.060" Thick
		1	6, 7, 8			EM0	DGT		.074" Thick
	1942 065	1	1, 2, 3			EL0	DGT		.074" Thick
		1	1, 2, 3			EM0	DGT		.074" Thick
		1	6, 7, 8			EL0	DGT		.074" Thick
		1	6, 7, 8			EM0	DGT		.088" Thick
	2466 811	1	1, 2, 3			EL0	DGT		.088" Thick
		1	1, 2, 3			EM0	DGT		.088" Thick
		1	6, 7, 8			EL0	DGT		.088" Thick
31		1	6, 7, 8			EM0	DGT		.106" Thick
		1	1, 2, 3			EL0	DGT		.106" Thick
		1	1, 2, 3			EM0	DGT		.106" Thick
	4505 186	1	6, 7, 8			EL0	DGT		.106" Thick
		1	1, 2, 3			EM0	DGT		.106" Thick
		1	6, 7, 8			EL0	DGT		.106" Thick
	32	1	1, 2, 3			EL0	DGT		.106" Thick
		1	6, 7, 8			EL0	DGT		.106" Thick
		1	6, 7, 8			EL0	DGT		.106" Thick
	-33	1	1, 2, 3			EL0	DGT		.106" Thick
32	4058 647	1	1, 2, 3			EL0	DGT		THRUST WASHER, Output Shaft,
		1	6, 7, 8			EL0	DGT		Red .068
		1	1, 2, 3			EL0	DGT		Intermediate Shaft, Thrust, w/ 3
		1	6, 7, 8			EL0	DGT		Point Bronze Face, .068" Thk.
		1	1, 2, 3			EL0	DGT		Intermediate Shaft, Thrust, w/ 3
-33		1	1, 2, 3			EL0	DGT		Point Bronze Face, .068" Thk.
		1	6, 7, 8			EL0	DGT		Intermediate Shaft, Thrust, w/ 3
	0147 483	1	1, 2, 3			EL0	DGT		Point Bronze Face, .068" Thk.
		1	6, 7, 8			EL0	DGT		Intermediate Shaft, Thrust, w/ 3
		1	6, 7, 8			EL0	DGT		Point Bronze Face, .068" Thk.

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005




Gear Train and Intermediate Shaft, 4 Speed, 46RE [DGT]
Figure 46RE-420

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DGT] = 4 Speed Automatic Transmission 46RE									
[EL0] = All 5.2L 8 Cylinder Gas Engines									
[EM0] = All 5.9L 8 Cylinder Gas Engines									
1									SNAP RING, 1.108 Free Diameter
	6024 312	1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
2									CARRIER, Planetary Pinion
	4617 612	1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
	5211 8693	1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EM0	DGT		
3									THRUST WASHER, Planetary Carrier
	2801 060	1	6, 7, 8			EM0	DGT		Frnt. Carrier Thrust, w/4 Tabs, 3-13/32" O.D.
		1	1, 2, 3			EL0	DGT		Frnt. Carrier Thrust, w/4 Tabs, 3-13/32" O.D.
		1	1, 2, 3			EM0	DGT		Frnt. Carrier Thrust, w/4 Tabs, 3-13/32" O.D.
		1	6, 7, 8			EL0	DGT		Frnt. Carrier Thrust, w/4 Tabs, 3-13/32" O.D.
	4539 129	1	1, 2, 3			EM0	DGT		With 5 Tabs
		1	6, 7, 8			EM0	DGT		With 5 Tabs
4									GEAR, Front Annulus
	2892 656	1	6, 7, 8			EM0	DGT		w/Support 2-1/2" I.D. Center Hole ***
		1	1, 2, 3			EL0	DGT		w/Support 2-1/2" I.D. Center Hole ***
		1	1, 2, 3			EM0	DGT		w/Support 2-1/2" I.D. Center Hole ***
		1	6, 7, 8			EL0	DGT		w/Support, 2-1/2" I.D. Center Hole ***
5									WASHER, Sun Gear, (NOT SERVICED) (Not Serviced)
6									SNAP RING, Sun Gear
	1736 521	1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic


AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



FRONT & REAR PLANET PINION CARRIER GEARS

Gear Train and Intermediate Shaft, 4 Speed, 46RE [DGT]
Figure 46RE-420



FRONT & REAR PLANET PINION CARRIER GEARS

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
7	2801 311	1	6, 7, 8			EM0	DGT		GEAR, Sun w/Bushing,
		1	1, 2, 3			EL0	DGT		w/Bushing,
		1	1, 2, 3			EM0	DGT		w/Bushing,
		1	6, 7, 8			EL0	DGT		w/Bushing,
8	4617 978	1	6, 7, 8			EM0	DGT		SHELL, Sun Gear
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
9									INTERMEDIATE SHAFT, Transmission
	4617 611	1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
10	4505 188	1	6, 7, 8			EM0	DGT		PLATE, Transmission Module Intermediate Shaft, Thrust .060" Thick
		1	1, 2, 3			EL0	DGT		Intermediate Shaft, Thrust .060" Thick
		1	1, 2, 3			EM0	DGT		Intermediate Shaft, Thrust .060" Thick
		1	6, 7, 8			EL0	DGT		Intermediate Shaft, Thrust .060" Thick
11	1942 080	1	6, 7, 8			EM0	DGT		PLATE, Sun Gear Driving Shell Thrust, w/4 Inside Tongs
		1	1, 2, 3			EL0	DGT		Thrust, w/4 Inside Tongs
		1	1, 2, 3			EM0	DGT		Thrust, w/4 Inside Tongs
		1	6, 7, 8			EL0	DGT		Thrust, w/4 Inside Tongs
12									SNAP RING, Sun Gear
	1736 521	1	6, 7, 8			EM0	DGT		Shell Lock
		1	1, 2, 3			EL0	DGT		Shell Lock
		1	1, 2, 3			EM0	DGT		Shell Lock
		1	6, 7, 8			EL0	DGT		Shell Lock
13									THRUST WASHER, Planetary Carrier
	2801 060	1	6, 7, 8			EM0	DGT		Rear, w/4 Tabs, 3-13/32" O.D.

DODGE RAM STANDARD CAB (BR)

DODGE
SERIES

E = WS RAM 1500

L = RAM 1500, 2500.

L = KAV
3500

CAD (BR) _____
LINE _____ BODY _____

61 = Req. Cab(118 WB)

62 = Reg. Cab(134 WB)

63 = Reg. Cab(138 WB)

64 = Reg. Cab(162 WB)

65 = Reg. Cab(134 WB)

65 = Reg. Cab(134 WB)

ENGINE

ENGINE
EHC = 3.9L 6 Cyl.

ELF = 5.2L 8 Cyl.

FTC.FTH = 5.9 | 6 Cyl.

FMI, FMM = 5.9 | 8 Cyl

FWA = 8.0l 10 Cyl.

EWA = 8.0L 10 Cyl.
FAA = All engines

EAA = All engines
EAG = All gas engines

EAG = All gas engines

TRANSMISSION

TRANSMISSION
DGK = 42RE 4 Spd. Auto.

DGP = 47RE 4 Spd. Auto.

DGT = 46RF 4 Spd. Auto.

DDP/DDX/DDC = 5 Spd. Ma

DEF = 6 Spd. Manual

DDO = All 5 Speed Manual

DDO = All 5 Speed Manual
DGO = All Automatic

DGO = All Automatic


AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Gear Train and Intermediate Shaft, 4 Speed, 46RE [DGT]
Figure 46RE-420

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4617 888	1	1, 2, 3			EL0	DGT		Rear, w/4 Tabs, 3-13/32" O.D.
		1	1, 2, 3			EM0	DGT		Rear, w/4 Tabs, 3-13/32" O.D.
		1	6, 7, 8			EL0	DGT		Rear, w/4 Tabs, 3-13/32" O.D.
		1	1, 2, 3			EL0	DGT		2 1/4 ID
		1	1, 2, 3			EM0	DGT		2 1/4 ID
14	2801 061	1	6, 7, 8			EL0	DGT		2 1/4 ID
		1	6, 7, 8			EM0	DGT		2 1/4 ID
									CARRIER, Planetary Pinion
		1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
15	2400 580	1	6, 7, 8			EM0	DGT		PLATE, Annulus Gear Thrust
		1	1, 2, 3			EL0	DGT		w/31 Inside Teeth, 3-23/64" O.D.
		1	1, 2, 3			EM0	DGT		w/31 Inside Teeth, 3-23/64" O.D.
		1	1, 2, 3			EM0	DGT		w/31 Inside Teeth, 3-23/64" O.D.
		1	6, 7, 8			EL0	DGT		w/31 Inside Teeth, 3-23/64" O.D.
16	4810 002AB	1	1, 2, 3			EL0	DGT		GEAR, Rear Annulus
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
17	6033 591	1	6, 7, 8			EM0	DGT		SNAP RING
		1	1, 2, 3			EL0	DGT		Reverse Drum Retaining
									Reverse Drum Retaining
		1	1, 2, 3			EM0	DGT		Reverse Drum Retaining
		1	6, 7, 8			EL0	DGT		Reverse Drum Retaining
18	6024 666	5	6, 7, 8			EM0	DGT		DOWEL, .108x1.00
									Front and Rear. Planet Pinion
									Shaft
		4	1, 2, 3			EL0	DGT		Front and Rear. Planet Pinion
		4	1, 2, 3			EM0	DGT		Shaft
19	4428 223	4	1, 2, 3			EL0	DGT		Front and Rear. Planet Pinion
		4	6, 7, 8			EL0	DGT		Shaft
		5	6, 7, 8			EL0	DGT		Front and Rear. Planet Pinion
		4	1, 2, 3			EL0	DGT		Shaft
		5	1, 2, 3			EM0	DGT		SHAFT, Planetary

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic




FRONT & REAR PLANET PINION CARRIER GEARS

Gear Train and Intermediate Shaft, 4 Speed, 46RE [DGT]
Figure 46RE-420

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
20	2801 315	4	6, 7, 8			EL0	DGT		Front and Rear Planet Pinion
		10	6, 7, 8			EM0	DGT		THRUST WASHER, Planetary Carrier
		8	6, 7, 8			EM0	DGT		Front and Rear Planet Pinion
		8	1, 2, 3			EL0	DGT		Front and Rear Planet Pinion
		10	1, 2, 3			EM0	DGT		Front and Rear Planet Pinion
		8	1, 2, 3			EM0	DGT		Front and Rear Planet Pinion
		8	6, 7, 8			EL0	DGT		Front and Rear Planet Pinion
		10	6, 7, 8			EM0	DGT		THRUST WASHER, Planet Pinion
		8	6, 7, 8			EM0	DGT		Front and Rear Pinion Roller Thrust
		8	6, 7, 8			EM0	DGT		Front and Rear Pinion Roller Thrust
21	2204 649	8	1, 2, 3			EL0	DGT		Thrust
		10	1, 2, 3			EM0	DGT		Front and Rear Pinion Roller Thrust
		8	1, 2, 3			EM0	DGT		Front and Rear Pinion Roller Thrust
		8	1, 2, 3			EM0	DGT		Front and Rear Pinion Roller Thrust
		8	6, 7, 8			EL0	DGT		Front and Rear Pinion Roller Thrust
		8	6, 7, 8			EL0	DGT		Front and Rear Pinion Roller Thrust
		5	6, 7, 8			EM0	DGT		Thrust
		4	6, 7, 8			EM0	DGT		PINION, Transmission Planetary
		4	1, 2, 3			EL0	DGT		Front and Rear Planet ***
		5	1, 2, 3			EM0	DGT		Front and Rear Planet ***
22	2400 667	4	1, 2, 3			EL0	DGT		Front and Rear Planet ***
		5	1, 2, 3			EM0	DGT		Front and Rear Planet ***
		4	1, 2, 3			EM0	DGT		Front and Rear Planet ***
		4	1, 2, 3			EM0	DGT		Front and Rear Planet ***
		4	6, 7, 8			EL0	DGT		Front and Rear Planet ***
		92	1, 2, 3			EL0	DGT		ROLLER, Front and Rear Pinion
		92	1, 2, 3			EM0	DGT		Front and Rear Pinion
		115	1, 2, 3			EM0	DGT		Front and Rear Pinion
		115	6, 7, 8			EM0	DGT		Front and Rear Pinion
		92	6, 7, 8			EL0	DGT		Front and Rear Pinion
23	3743 664	92	1, 2, 3			EL0	DGT		ROLLER, Front and Rear Pinion
		92	1, 2, 3			EM0	DGT		Front and Rear Pinion
		115	1, 2, 3			EM0	DGT		Front and Rear Pinion
		115	6, 7, 8			EM0	DGT		Front and Rear Pinion
		92	6, 7, 8			EL0	DGT		Front and Rear Pinion
24	5211 8057	1	6, 7, 8			EM0	DGT		DRUM, Automatic Transmission w/Race, Reverse ***
		1	1, 2, 3			EL0	DGT		w/Race, Reverse ***
		1	1, 2, 3			EM0	DGT		w/Race, Reverse ***
		1	1, 2, 3			EM0	DGT		w/Race, Reverse ***
		1	6, 7, 8			EL0	DGT		w/Race, Reverse ***
25									CAM, Overrunning Clutch

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic




FRONT & REAR PLANET PINION CARRIER GEARS

Gear Train and Intermediate Shaft, 4 Speed, 46RE [DGT]
Figure 46RE-420


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4471 473	1	6, 7, 8			EM0	DGT		(14 Cam Lobes)
		1	1, 2, 3			EL0	DGT		(14 Cam Lobes)
		1	1, 2, 3			EM0	DGT		(14 Cam Lobes)
		1	6, 7, 8			EL0	DGT		(14 Cam Lobes)
26									CLUTCH, Overrunning
	4617 199	1	6, 7, 8			EM0	DGT		14 Rollers Nylon Caged, "O" Running Clutch ***
		1	1, 2, 3			EL0	DGT		14 Rollers Nylon Caged, "O" Running Clutch ***
		1	1, 2, 3			EM0	DGT		14 Rollers Nylon Caged, "O" Running Clutch ***
		1	6, 7, 8			EL0	DGT		14 Rollers Nylon Caged, "O" Running Clutch ***
27									SCREW, .25-20
	0152 796	6	1, 2, 3			EL0	DGT		
		6	6, 7, 8			EL0	DGT		
		6	1, 2, 3			EM0	DGT		
		6	6, 7, 8			EM0	DGT		
28									THRUST WASHER, Reverse Drum
	5211 8059	1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
29	2400 580	1	1, 2, 3			EM0	DGT		PLATE, Annulus Gear Thrust

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic



FRONT & REAR PLANET PINION CARRIER GEARS

Output Shaft, 4 Speed, 46RE [DGT]
Figure 46RE-430




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DGT] = 4 Speed Automatic Transmission 46RE									
[EL0] = All 5.2L 8 Cylinder Gas Engines									
[EM0] = All 5.9L 8 Cylinder Gas Engines									
1									SHAFT, Output
	4798 536	1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
2									BUSHING, (NOT SERVICED) (Not Serviced)
3									BUSHING, (NOT SERVICED) (Not Serviced)
4									BEARING, Output Shaft
	4461 008	1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
5									BEARING, Output Shaft
	2466 224	1	1, 2, 3			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
6									SNAP RING
	4461 068	1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
7									SNAP RING
	4461 057	1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
8									SNAP RING
	4461 069	1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Bands, Reverse and Kickdown with Linkage, 4 Speed, 46RE [DGT]
Figure 46RE-510




REVERSE BAND

KICKDOWN BAND

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DGT] = 4 Speed Automatic Transmission 46RE									
[ELO] = All 5.2L 8 Cylinder Gas Engines									
[EM0] = All 5.9L 8 Cylinder Gas Engines									
1									LINK, Transmission Reverse Band
	4617 044	1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			ELO	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			ELO	DGT		
2									SEAL, Reverse Band
	6030 910	2	6, 7, 8			EM0	DGT		
		2	1, 2, 3			ELO	DGT		
		2	1, 2, 3			EM0	DGT		
		2	6, 7, 8			ELO	DGT		
3									SHAFT, Band Lever
	2124 857	1	6, 7, 8			EM0	DGT		Reverse
		1	1, 2, 3			ELO	DGT		Reverse
		1	1, 2, 3			EM0	DGT		Reverse
		1	6, 7, 8			ELO	DGT		Reverse
4									NUT, Hex, .42-20
	0271 506	1	6, 7, 8			EM0	DGT		Adj. Screw Lock,
		1	1, 2, 3			ELO	DGT		Adj. Screw Lock,
		1	1, 2, 3			EM0	DGT		Adj. Screw Lock,
		1	6, 7, 8			ELO	DGT		Adj. Screw Lock,
5									LEVER, Reverse Band
	4617 028AB	1	1, 2, 3			ELO	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
		1	6, 7, 8			ELO	DGT		
6									STRUT, Reverse Band
	4471 497AB	1	1, 2, 3			ELO	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
		1	6, 7, 8			ELO	DGT		
7									BAND, Reverse
	4471 476AB	1	1, 2, 3			ELO	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
		1	6, 7, 8			ELO	DGT		
8									LEVER, Reverse Band

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Bands, Reverse and Kickdown with Linkage, 4 Speed, 46RE [DGT]
Figure 46RE-510




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4617 014AB	1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
9									SCREW, Trans Reverse Band Adjusting, .437-20x1.5
	1942 141	1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
10									LEVER, Kickdown
	5211 8264	1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
11									SHAFT, Band Lever
	4531 181	1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
12									STRUT, Kickdown Band
	2124 848	1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
13									PLUG, (NOT SERVICED) (Not Serviced)
14									ANCHOR, Kickdown Band
	3743 338	1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
15									SCREW
	6036 115AA	1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
16									NUT, Hex Jam, .50-20
	0124 934	1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic


AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Bands, Reverse and Kickdown with Linkage, 4 Speed, 46RE [DGT]
Figure 46RE-510



REVERSE BAND




KICKDOWN BAND

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
17	4329 853	1	1, 2, 3			EM0	DGT		BAND, Kickdown
		1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Valve Body, 4 Speed, 46RE [DGT]
Figure 46RE-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DGT] = 4 Speed Automatic Transmission 46RE									
[EL0] = All 5.2L 8 Cylinder Gas Engines									
[EM0] = All 5.9L 8 Cylinder Gas Engines									
-1									SEAL AND GASKET PACKAGE, Valve Body and Servo
	4863 892AC-	1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
2	5211 8793	1	1, 2, 3			EL0	DGT		VALVE BODY ASSEMBLY
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
3									BODY, Governor, (NOT SERVICED) (Not Serviced)
4									GASKET PACKAGE, Transmission Solenoid
	4886 333AA	1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
5	5211 8500	1	1, 2, 3			EL0	DGT		SOLENOID, Transmission Overdrive
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
6	0181 071	3	1, 2, 3			EL0	DGT		BOLT, Valve Body, .25-20x1.75
		3	6, 7, 8			EL0	DGT		
		3	1, 2, 3			EM0	DGT		
		3	6, 7, 8			EM0	DGT		
7	5211 8789	1	1, 2, 3			EL0	DGT		FILTER, Valve Body
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
8									SCREW AND WASHER, Oil Filter Mounting, Fillester Head .190-24x2. 500
	6033 826	3	6, 7, 8			EM0	DGT		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Valve Body, 4 Speed, 46RE [DGT]
Figure 46RE-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
9		3	1, 2, 3			EL0	DGT		O RING, Solenoid Wiring, Transmission
		3	1, 2, 3			EM0	DGT		
		3	6, 7, 8			EL0	DGT		
	6034 748	2	1, 2, 3			EL0	DGT		
		2	6, 7, 8			EL0	DGT		
		2	1, 2, 3			EM0	DGT		
		2	6, 7, 8			EM0	DGT		
10	6033 985	1	6, 7, 8			EL0	DGT		SCREW, Tapping, .19-24x.75
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
11	3681 227	1	6, 7, 8			EM0	DGT		LEVER, Throttle Valve
		1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
12	4617 439	1	1, 2, 3			EM0	DGT		LEVER, Manual Valve
		1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
13	0147 488	1	1, 2, 3			EL0	DGT		BALL, Manual Lever Detent, .343 Diameter
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
14	2466 548	1	1, 2, 3			EL0	DGT		SEAL, Valve Lever Shift Rubber, 5/8" O.D.
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
15	2538 062	1	1, 2, 3			EL0	DGT		WASHER, Manual Valve Lever
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Valve Body, 4 Speed, 46RE [DGT] Figure 46RE-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
16	6035 208	1	6, 7, 8			EM0	DGT		SNAP RING
17	4505 098	1	1, 2, 3			EL0	DGT		SEAL, Manual Shift Valve, 1.25 OD
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
18	6030 609	1	1, 2, 3			EL0	DGT		SCREW, Cap Head Lock, .312-24x1.25
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
19	4617 010	1	1, 2, 3			EL0	DGT		BRACKET, Valve Body Switch
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
20	4130 492	1	1, 2, 3			EL0	DGT		SPRING, Switch Valve
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
21	4505 036	1	1, 2, 3			EL0	DGT		VALVE, Trans Lockup Switch
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
22	4617 008	1	1, 2, 3			EL0	DGT		TUBE, Boost Valve
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
23	5211 7958	1	1, 2, 3			EL0	DGT		RETAINER, Boost Valve Oil Supply Tube
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
24									CLIP, Transmission Governor Transducer


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Valve Body, 4 Speed, 46RE [DGT]
Figure 46RE-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4617 219	1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
25									TRANSDUCER, Pressure Sensor
	56041 403AA	1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
26									O RING, Pressure Switch
	6034 493	1	1, 2, 3			EL0	DGT		.369 I.D.
		1	6, 7, 8			EL0	DGT		.369 I.D.
		1	1, 2, 3			EM0	DGT		.369 I.D.
		1	6, 7, 8			EM0	DGT		.369 I.D.
27									GASKET, Transmission Solenoid
	4617 216	1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
28									RETAINER, Transmission Governor Solenoid
	4617 211	1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
29									O RING PACKAGE, Valve Body, Transmission
	4723 549	1	1, 2, 3			EL0	DGT		Solenoid, .494 I.D., .873 I.D. ***
		1	6, 7, 8			EL0	DGT		Solenoid, .494 I.D., .873 I.D. ***
		1	1, 2, 3			EM0	DGT		Solenoid, .494 I.D., .873 I.D. ***
		1	6, 7, 8			EM0	DGT		Solenoid, .494 I.D., .873 I.D. ***
30									SOLENOID, Transmission Governor
	4617 210	1	1, 2, 3			EL0	DGT		Pressure, 2 Prong Connector
		1	6, 7, 8			EL0	DGT		Pressure, 2 Prong Connector
		1	1, 2, 3			EM0	DGT		Trans. Governor Pressure, 2 Prong Connector ***
		1	6, 7, 8			EM0	DGT		Pressure, 2 Prong Connector
-31									SCREEN, Transmission Regulator Valve
	3878 313	1	1, 2, 3			EL0	DGT		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Valve Body, 4 Speed, 46RE [DGT]
Figure 46RE-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


1	6, 7, 8					EL0	DGT		
1	1, 2, 3					EM0	DGT		
1	6, 7, 8					EM0	DGT		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic


Servos, Accumulator Piston and Spring, 4 Speed, 46RE [DGT]
Figure 46RE-720



KICKDOWN SERVO



LOW AND REVERSE SERVO



ACCUMULATOR PISTON AND SPRING

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DGT] = 4 Speed Automatic Transmission 46RE									
[ELO] = All 5.2L 8 Cylinder Gas Engines									
[EM0] = All 5.9L 8 Cylinder Gas Engines									
1									SNAP RING
	1942 130	1	1, 2, 3			ELO	DGT		Kickdown Servo Guide
		1	6, 7, 8			ELO	DGT		Kickdown Servo Guide
		1	1, 2, 3			EM0	DGT		Kickdown Servo Guide
		1	6, 7, 8			EM0	DGT		Kickdown Servo Guide
2									SEAL
	1942 123	1	1, 2, 3			ELO	DGT		Kickdown Servo Guide
		1	6, 7, 8			ELO	DGT		Kickdown Servo Guide
		1	1, 2, 3			EM0	DGT		Kickdown Servo Guide
		1	6, 7, 8			EM0	DGT		Kickdown Servo Guide
3									Kickdown Servo Guide
	3410 441	1	1, 2, 3			ELO	DGT		GUIDE, Kickdown Servo
		1	6, 7, 8			ELO	DGT		GUIDE, Kickdown Servo
		1	1, 2, 3			EM0	DGT		GUIDE, Kickdown Servo
		1	6, 7, 8			EM0	DGT		GUIDE, Kickdown Servo
4									SPRING, Kickdown Servo Piston
	4617 528	1	1, 2, 3			ELO	DGT		Except 5.9
		1	1, 2, 3			EM0	DGT		5.9 With PTO
	4617 573	1	1, 2, 3			EM0	DGT		5.9 W/O PTO
		1	6, 7, 8			EM0	DGT		5.9 W/O PTO
5									SPRING, Kickdown Servo Piston
	3410 444	1	1, 2, 3			ELO	DGT		Piston, Inner, 6 Coils
		1	6, 7, 8			ELO	DGT		Piston, Inner, 6 Coils
		1	1, 2, 3			EM0	DGT		Piston, Inner, 6 Coils
		1	6, 7, 8			EM0	DGT		Piston, Inner, 6 Coils
6									PISTON, Kickdown Servo
	3410 445	1	1, 2, 3			ELO	DGT		Inner
		1	6, 7, 8			ELO	DGT		Inner
		1	1, 2, 3			EM0	DGT		Inner
		1	6, 7, 8			EM0	DGT		Inner
7									SEAL
	1942 123	1	1, 2, 3			ELO	DGT		Large
		1	6, 7, 8			ELO	DGT		Large
		1	1, 2, 3			EM0	DGT		Large
		1	6, 7, 8			EM0	DGT		Large
8									PISTON, Kickdown Servo
	3410 440	1	1, 2, 3			ELO	DGT		Piston, Kickdown Servo
		1	1, 2, 3			ELO	DGT		Piston, Kickdown Servo

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Servos, Accumulator Piston and Spring, 4 Speed, 46RE [DGT]
Figure 46RE-720

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
9	4412 444	1	1, 2, 3			EL0	DGT		SEAL
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
10	1942 130	1	1, 2, 3			EL0	DGT		SNAP RING
		1	6, 7, 8			EL0	DGT		Reverse Servo Piston Spring Retainer
		1	6, 7, 8			EL0	DGT		Reverse Servo Piston Spring Retainer
		1	1, 2, 3			EM0	DGT		Reverse Servo Piston Spring Retainer
		1	6, 7, 8			EM0	DGT		Reverse Servo Piston Spring Retainer
		1	6, 7, 8			EM0	DGT		Reverse Servo Piston Spring Retainer
11	1942 150	1	1, 2, 3			EL0	DGT		RETAINER, Transmission Reverse Servo Piston Spring
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
12	2801 241	1	1, 2, 3			EL0	DGT		SPRING, Reverse Servo Piston
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
13	52118 740AB	1	1, 2, 3			EL0	DGT		PLUG, Reverse Servo Piston
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
14	52118 759AB	1	1, 2, 3			EL0	DGT		SPRING, Reverse Servo Piston
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
15	4058 741	1	1, 2, 3			EL0	DGT		SEAL, Piston Reverse Servo, Rubber Rubber

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Servos, Accumulator Piston and Spring, 4 Speed, 46RE [DGT]
Figure 46RE-720


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
16	2801 281	1	6, 7, 8			EL0	DGT		Rubber
		1	1, 2, 3			EM0	DGT		Rubber
		1	6, 7, 8			EM0	DGT		Rubber
		1	1, 2, 3			EL0	DGT		PISTON, Reverse Servo
17	6027 153	1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
		1	6, 7, 8			EM0	DGT		SNAP RING, .435 ID
18	3515 079	1	1, 2, 3			EL0	DGT		SPRING, Accumulator Piston
		1	6, 7, 8			EL0	DGT		Lower
		1	1, 2, 3			EM0	DGT		Lower
		1	6, 7, 8			EM0	DGT		Lower
19	3743 013	1	1, 2, 3			EL0	DGT		SEAL, Piston Accumulator
		1	6, 7, 8			EL0	DGT		Large
		1	1, 2, 3			EM0	DGT		Large
		1	6, 7, 8			EM0	DGT		Large
20	3743 650	1	1, 2, 3			EL0	DGT		PISTON, Accumulator
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
21	3743 010	1	1, 2, 3			EL0	DGT		SEAL, Piston Accumulator
		1	6, 7, 8			EL0	DGT		Small
		1	1, 2, 3			EM0	DGT		Small
		1	6, 7, 8			EM0	DGT		Small
22	6031 392	1	1, 2, 3			EL0	DGT		SNAP RING, Brake Master Cylinder
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
23	3410 437	1	1, 2, 3			EL0	DGT		RETAINER, Kick Down
		1	1, 2, 3			EL0	DGT		Piston Inner

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic


AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Servos, Accumulator Piston and Spring, 4 Speed, 46RE [DGT]
Figure 46RE-720



KICKDOWN SERVO



LOW AND REVERSE SERVO



ACCUMULATOR PISTON AND SPRING


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6, 7, 8			EL0	DGT		Piston Inner
		1	1, 2, 3			EM0	DGT		Piston Inner
		1	6, 7, 8			EM0	DGT		Piston Inner
24									O RING, Kick Down Servo
	6028 864	1	1, 2, 3			EL0	DGT		Inner, 15/16 x 1-1/8" x3/32"
		1	6, 7, 8			EL0	DGT		Inner, 15/16 x 1-1/8" x3/32"
		1	1, 2, 3			EM0	DGT		Inner, 15/16 x 1-1/8" x3/32"
		1	6, 7, 8			EM0	DGT		Inner, 15/16 x 1-1/8" x3/32"
25	4617 529	1	6, 7, 8			EL0	DGT		SPRING, Accumulator Piston

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Parking Sprag, 4 Speed, 46RE [DGT]
Figure 46RE-730



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DGT] = 4 Speed Automatic Transmission 46RE									
[EL0] = All 5.2L 8 Cylinder Gas Engines									
[EM0] = All 5.9L 8 Cylinder Gas Engines									
1									SPRING, Parking Sprag
	2466 909	1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
2									SPRAG, Transmission Parking
	4471 415	1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
3									SHAFT, Parking Sprag
	2466 892	1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
4									SNAP RING, Rod
	6035 256	1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
5									PLUG, Parking Sprag
	2538 042	1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
6									SNAP RING, Transmission
	2538 034	1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
7									ROD, Parking Sprag
	4471 478	1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Clutch, Overdrive with Gear Train, 4 Speed, 46RE [DGT]
Figure 46RE-1010



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes
[DGT] = 4 Speed Automatic Transmission 46RE
[ELO] = All 5.2L 8 Cylinder Gas Engines
[EM0] = All 5.9L 8 Cylinder Gas Engines


1	4740 774	1	1, 2, 3			EM0	DGT		PLATE PACKAGE, Transmission Module
2									BEARING, (NOT SERVICED) (Not Serviced)
3									GEAR, Overdrive Sun
	4778 742	1	1, 2, 3			ELO	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			ELO	DGT		
		1	6, 7, 8			EM0	DGT		
4									BUSHING, (NOT SERVICED) (Not Serviced)
5									CARRIER, O/Drive Planet Pinion
	4798 520	1	1, 2, 3			ELO	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			ELO	DGT		
		1	6, 7, 8			EM0	DGT		
6									RACE, Overrunning Clutch
	4461 124	1	1, 2, 3			ELO	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			ELO	DGT		
		1	6, 7, 8			EM0	DGT		
7									THRUST BEARING, Ovedrive Third Position
	4461 014	1	1, 2, 3			ELO	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			ELO	DGT		
		1	6, 7, 8			EM0	DGT		
8									CLUTCH, Overdrive Overrunning
	4461 015	1	1, 2, 3			ELO	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			ELO	DGT		
		1	6, 7, 8			EM0	DGT		
9									GEAR, Overdrive Annulus
	4761 010	1	1, 2, 3			ELO	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			ELO	DGT		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Clutch, Overdrive with Gear Train, 4 Speed, 46RE [DGT]
Figure 46RE-1010




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
10	4461 059	1	6, 7, 8			EM0	DGT		SNAP RING, 5.25 OD
		1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
11	4461 060	1	6, 7, 8			EM0	DGT		SNAP RING, 6.00 OD
		2	6, 7, 8			EL0	DGT		
		2	6, 7, 8			EM0	DGT		
12	4461 089	1	1, 2, 3			EL0	DGT		DRUM, Automatic Transmission
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
13	4461 063	1	1, 2, 3			EL0	DGT		SNAP RING, 2.1875 OD
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
14	4461 027	1	1, 2, 3			EL0	DGT		SPRING, Direct Clutch
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
15	4461 072	1	1, 2, 3			EL0	DGT		HUB, Direct Clutch
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
16	4446 724	1	6, 7, 8			EM0	DGT		THRUST BEARING, Overdrive
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
17	4461 030	1	1, 2, 3			EM0	DGT		PLATE, Transmission Clutch Reaction
		1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
18	4461 031	1	1, 2, 3			EL0	DGT		DISC, Direct Clutch
		1	1, 2, 3			EL0	DGT		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Clutch, Overdrive with Gear Train, 4 Speed, 46RE [DGT]
Figure 46RE-1010



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4461 042	8	6, 7, 8			EL0	DGT		
		8	6, 7, 8			EM0	DGT		
19	4461 054	7	1, 2, 3			EL0			PLATE, Transmission Clutch Reaction
20									PLATE, Transmission Clutch Reaction
	4461 031	1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
21		1	6, 7, 8			EM0	DGT		SPRING, Direct Clutch
	4461 032	1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
22									SNAP RING, 1.875" OD
	4461 064	1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
23									FILTER, Overdrive Clutch
	4412 583	1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
24									RETAINER, Transmission O/Drive Clutch Piston
	5211 7975	1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
25									PISTON, Overdrive Clutch
	5211 8599	1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
26									SCREW, .25-20
	0152 796	6	1, 2, 3			EL0	DGT		
		6	1, 2, 3			EM0	DGT		
		6	6, 7, 8			EL0	DGT		
27									SEAL, Overdrive Clutch Piston


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Clutch, Overdrive with Gear Train, 4 Speed, 46RE [DGT] Figure 46RE-1010



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4431 697	1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
28									SEAL, Overdrive Clutch Piston
	4431 696	1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
29									PLATE, Transmission O/Drive Clutch
	4431 585	1	6, 7, 8			EM0	DGT		.123-.125" Thick
		1	1, 2, 3			EL0	DGT		.123-.125" Thick
		1	1, 2, 3			EM0	DGT		.123-.125" Thick
	4431 586	1	6, 7, 8			EL0	DGT		.123-.125" Thick
		1	6, 7, 8			EM0	DGT		.153-.155" Thick
		1	1, 2, 3			EL0	DGT		.153-.155" Thick
	4431 587	1	1, 2, 3			EM0	DGT		.153-.155" Thick
		1	6, 7, 8			EL0	DGT		.153-.155" Thick
		1	6, 7, 8			EM0	DGT		.183-.185" Thick
	4431 588	1	1, 2, 3			EL0	DGT		.183-.185" Thick
		1	6, 7, 8			EM0	DGT		.183-.185" Thick
		1	1, 2, 3			EM0	DGT		.183-.185" Thick
	4431 590	1	6, 7, 8			EL0	DGT		.183-.185" Thick
		1	6, 7, 8			EM0	DGT		.213-.215" Thick
		1	1, 2, 3			EL0	DGT		.213-.215" Thick
	4431 731	1	1, 2, 3			EM0	DGT		.213-.215" Thick
		1	6, 7, 8			EL0	DGT		.243-.245" Thick
		1	6, 7, 8			EM0	DGT		.243-.245" Thick
	4431 732	1	1, 2, 3			EL0	DGT		.243-.245" Thick
		1	6, 7, 8			EM0	DGT		.243-.245" Thick
		1	6, 7, 8			EM0	DGT		.243-.245" Thick
	4431 733	1	6, 7, 8			EL0	DGT		.138-.140" Thick
		1	6, 7, 8			EM0	DGT		.138-.140" Thick
		1	1, 2, 3			EL0	DGT		.138-.140" Thick

DODGE RAM STANDARD CAB (BR)

SERIES

E = WS RAM 1500
L = RAM 1500, 2500,
3500

LINE

1,6 = 1500
2,7 = 2500
3,8 = 3500

BODY

61 = Reg. Cab(118 WB)
62 = Reg. Cab(134 WB)
63 = Reg. Cab(138 WB)
64 = Reg. Cab(162 WB)
65 = Reg. Cab(134 WB)


ENGINE

EHC = 3.9L 6 Cyl.
ELF = 5.2L 8 Cyl.
ETC,ETH = 5.9L 6 Cyl.
EML,EMM = 5.9L 8 Cyl.
EWA = 8.0L 10 Cyl.
EAA = All engines
EAG = All gas engines

TRANSMISSION

DGK = 42RE 4 Spd. Auto.
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDP,DDX,DDC = 5 Spd. Manual
DEE = 6 Spd. Manual
DDO = All 5 Speed Manual
DGO = All Automatic

Clutch, Overdrive with Gear Train, 4 Speed, 46RE [DGT]
Figure 46RE-1010




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	1, 2, 3			EM0	DGT		.198-.200" Thick
	4431 734	1	6, 7, 8			EL0	DGT		.198-.200" Thick
		1	6, 7, 8			EM0	DGT		.228-.230" Thick
		1	1, 2, 3			EL0	DGT		.228-.230" Thick
		1	1, 2, 3			EM0	DGT		.228-.230" Thick
	4431 735	1	6, 7, 8			EL0	DGT		.228-.230" Thick
		1	6, 7, 8			EM0	DGT		.108-.110" Thick
		1	1, 2, 3			EL0	DGT		.108-.110" Thick
		1	1, 2, 3			EM0	DGT		.108-.110" Thick
30		1	6, 7, 8			EL0	DGT		.108-.110" Thick SPACER, Intermediate Shaft, 1.58mm
	4431 916	1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
-31									SPACER, Intermediate Shaft, .175
	4431 917	1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
-32									SPACER, Intermediate Shaft, .193
	4431 918	1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
-33									SPACER, Intermediate Shaft, .211
	4431 919	1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
34									SNAP RING, 6.50 OD
	4461 065	1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
35									PLATE, Transmission Clutch Reaction
	4461 033	2	6, 7, 8			EM0	DGT		
		2	6, 7, 8			EL0	DGT		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Clutch, Overdrive with Gear Train, 4 Speed, 46RE [DGT]
Figure 46RE-1010



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		2	1, 2, 3			EL0			
36									PLATE, Transmission Clutch Reaction
	4461 047	3	6, 7, 8			EL0	DGT		
		3	6, 7, 8			EM0	DGT		
37									DISC, Direct Clutch
	4461 181	4	6, 7, 8			EL0	DGT		
		4	6, 7, 8			EM0	DGT		
38									PLATE, Transmission Clutch Reaction
	4461 033	2	6, 7, 8			EM0	DGT		
		2	1, 2, 3			EL0			
39									SPRING, Overdrive Clutch
	4461 066	1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Controls, Gearshift, Column Shift, 4 Speed, 46RE [DGT]
Figure 46RE-1220

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DGT] = 4 Speed Automatic Transmission 46RE									
[DG0] = All Automatic Transmissions									
[EL0] = All 5.2L 8 Cylinder Gas Engines									
[EM0] = All 5.9L 8 Cylinder Gas Engines									
1	3575 333	2					DG0		GROMMET, Control Rod Front
2	J012 0393	1					DG0		WASHER, Flat, Flat
3	3575 354	1					DG0		SPRING, Gearshift Control Rod, Control Rod Adjusting
4	3467 800	2					DG0		BUSHING, Gearshift Torque Shaft, Torque Shaft
5	6504 763	2					DG0		WASHER, Flat, M13.5
6	6504 763	2					DG0		WASHER, Flat, M13.5
7	J400 4295	1					DG0		PIN, Rod To Trans Shaft Lever, Rod or Swivel To T/Shaft Lever
8	6028 114	1					DG0		NUT, Hex, .437-14, Bracket Mounting. Lock 7/16-14
9	0391 888	1					DG0		WASHER, Wave, .359x.593x.010, Spring
10	0181 082	1					DG0		BOLT, Hex Head, 5/16-18x1/2
11	5207 7802	1					DG0		BRACKET, Gearshift, Torque Shaft, Frame End
12									SCREW, (NOT SERVICED) (Not Serviced)
13	6032 475	1					DG0		RING, Transmission Torque Shaft
14	5210 7734	1					DG0		CLAMP, w/Screw, Control Rod Swivel ***
15	3575 334	1					DG0		SWIVEL, Gearshift Control Rod, Control Rod Clamp ***
16	5207 7803	1				EL0, EM0	DGT		BRACKET, Gearshift, Torque Shaft Mounting Transmission End
17	52107 699AB	1					DG0		ROD, Gear Shift Control
18	5207 8718	1					DG0		BRACKET, Throttle Valve Spring
19	5300 9055	1					DG0		SPRING, Throttle Valve Return
20	52079 030AB	1					DGK, DGT		TORQUE SHAFT, Gearshift
21	5207 7621	1					DGT		ROD, Gear Shift Control, Transmission, G/Shift Control, Rear
22	52077 804AC	1					DGP, DGT		LEVER, Manual Control


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Controls, Gearshift, Column Shift, 4 Speed, 46RE [DGT]
Figure 46RE-1220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
23	0180 034	1					DGP, DGT		SCREW AND WASHER, Hex Head, .25-20x1.50
24	0115 984	1					DGP, DGT		NUT, Brake Line
25	5207 9065	1					DG0		LEVER, Throttle Valve
26	0181 065	1					DG0		BOLT, Hex Head, .25-20x1.00
27	0138 165	1					DG0		WASHER, Lock


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – 47RE

Automatic Transmission 4 Speed



GROUP 47RE - Automatic Transmission 4 Speed

Illustration Title	Group-Fig. No.
Transmission Assembly	
Transmission Assembly, 4 Speed, 47RE	Fig. 47RE-110
Case and Extension	
Case and Related Parts,4 Speed, 47RE	Fig. 47RE-210
Extension,4 Speed, 47RE	Fig. 47RE-220
Oil Pump	
Pump, Oil with Reaction Shaft, 4 Speed, 47RE	Fig. 47RE-320
Gear Train	
Clutch, Front and Rear with Gear Train,4 Speed, 47RE	Fig. 47RE-410
Gear Train and Intermediate Shaft,4 Speed, 47RE	Fig. 47RE-420
Output Shaft, 4 Speed, 47RE	Fig. 47RE-430
Bands, Reverse and Kickdown	
Bands, Reverse and Kickdown with Linkage, 4 Speed, 47RE	Fig. 47RE-510
Valve Body	
Valve Body, 4 Speed, 47RE	Fig. 47RE-710
Servos, Accumulator Piston and Spring, 4 Speed, 47RE	Fig. 47RE-720
Parking Sprag, 4 Speed, 47RE	Fig. 47RE-730
Overdrive Gear Train	
Clutch, Overdrive with Gear Train, 4 Speed, 47RE	Fig. 47RE-1010
Gearshift Controls	
Controls, Gearshift, Lower, 4 Speed, 47RE	Fig. 47RE-1210

47RE-100 Transmission Assembly	47RE-200 Case and Extension	47RE-300 Oil Pump	47RE-400 Gear Train
47RE-500 Bands, Reverse and Kickdown	47RE-700 Valve Body	47RE-1000 Overdrive Gear Train	47RE-1200 Gearshift Controls

Transmission Assembly, 4 Speed, 47RE
Figure 47RE-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes
[DGP] = 4 Speed Automatic Transmission 47RE
[ET0] = All 5.9L Turbo Diesel Engines
[EW0] = All 8.0L Gas Engines

1	TRANSMISSION PACKAGE								
	5013 628AA	1	1, 2, 3			ET0	DGP		
	5013 629AA	1	1, 2, 3			EW0	DGP		
	5013 630AA	1	6, 7, 8			ET0	DGP		
	5013 631AA	1	6, 7, 8			EW0	DGP		
-2	OVERDRIVE								
	5211 8158	1	6, 7, 8			ET0, EW0	DGP		
	5211 8786	1	1, 2, 3			ET0, EW0	DGP		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Case and Related Parts,4 Speed, 47RE
Figure 47RE-210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes

[DGP] = 4 Speed Automatic Transmission 47RE

[DG0] = All Automatic Transmissions

[EH0] = All 3.9L V6 Gas Engines

[EL0] = All 5.2L 8 Cylinder Gas Engines

[EM0] = All 5.9L 8 Cylinder Gas Engines

[ET0] = All 5.9L Turbo Diesel Engines

[EW0] = All 8.0L Gas Engines

-1									SEAL AND GASKET PACKAGE, Transmission
	4863 884	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
2 3	5211 7614	1				EW0 EW0	DGP		COVER, Transmission Case SCREW, (NOT SERVICED) (Not Serviced)
4 5	5211 8629	1					DG0		SEAL, Oil Filler Tube SCREW
	6036 115AA	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
6	3681 601	1	1, 2, 3			ET0, EW0	DGP		MAGNET, Transmission
		1	6, 7, 8			ET0, EW0	DGP		
7	2464 324	1	1, 2, 3			ET0, EW0	DGP		GASKET, Oil Pan
		1	6, 7, 8			ET0, EW0	DGP		
8	6024 473	2					DG0		SCREW AND WASHER, Hex Head, .437-14x2.00
9	5211 8621	1					DGP		TUBE, Transmission Oil Filler
10	52107 769AA	1					DG0		INDICATOR, Transmission Fluid Level
11	6024 473	2					DG0		SCREW AND WASHER, Hex Head, .437-14x2.00

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Case and Related Parts,4 Speed, 47RE
Figure 47RE-210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
12									SCREW, (NOT SERVICED) (Not Serviced)
13	5211 7709	1				EH0, EL0, EM0			GROMMET, Timing Probe
14	5211 8780	1	1, 2, 3			ET0, EW0	DGP		PAN, Transmission Oil
		1	6, 7, 8			ET0, EW0	DGP		
15	4723 548	12	1, 2, 3			ET0, EW0	DGP		SCREW AND WASHER, Hex Head, .312-18x.625
		12	6, 7, 8			ET0, EW0	DGP		
16	4428 472	1					DGP		COVER, Transmission Dust
17	6028 095	1	1, 2, 3			ET0, EW0	DGP		PLUG, Pressure Check
		1	6, 7, 8			ET0, EW0	DGP		
18	6022 266	4				EW0 EH0, EL0, EM0, EW0	DG0		SCREW, Hex Head, .375-16x1.5
19	5211 8758	1	1, 2, 3			ET0, EW0	DGP		CASE, Transmission
		1	6, 7, 8			ET0, EW0	DGP		
20	52028 764AA	2	1, 2, 3			ET0, EW0	DGP		CONNECTOR, Oil Cooler Tube
		2	6, 7, 8			ET0, EW0	DGP		
21	5602 8181	1	1, 2, 3			ET0, EW0	DGP		SWITCH, Neutral, Safety, Back Up


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Case and Related Parts,4 Speed, 47RE Figure 47RE-210

[illegible]


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Extension,4 Speed, 47RE
Figure 47RE-220




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes									
[DGP] = 4 Speed Automatic Transmission 47RE									
[ET0] = All 5.9L Turbo Diesel Engines									
[EW0] = All 8.0L Gas Engines									
1	5003 231AA	1	1, 2, 3			ET0, EW0	DGP		CASE, Transmission Rear
2	4531 216	1	1, 2, 3			ET0, EW0	DGP		SEAL, Extension Yoke
3									SCREW, (NOT SERVICED) (Not Serviced)
4	2466 957	1	1, 2, 3			ET0, EW0	DGP		COVER, Transmission Converter
5	2801 398	1	1, 2, 3			ET0, EW0	DGP		GASKET, Transmission
6	4471 565	1	1, 2, 3			ET0, EW0	DGP		GASKET, Overdrive Piston Retainer
7		1	6, 7, 8			ET0, EW0	DGP		SCREW, Hex Flange Head, .375-16x1.38
	6036 046AA	7	1, 2, 3			ET0, EW0	DGP		
		7	6, 7, 8			ET0, EW0	DGP		
8	4798 535	1	6, 7, 8			ET0, EW0	DGP		ADAPTER, Transfer Case
9	4269 956	1	6, 7, 8			ET0, EW0	DGP		SEAL, Adapter

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic


Pump, Oil with Reaction Shaft, 4 Speed, 47RE
Figure 47RE-320



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DGP] = 4 Speed Automatic Transmission 47RE									
[ET0] = All 5.9L Turbo Diesel Engines									
[EW0] = All 8.0L Gas Engines									
		-1							GASKET AND SEAL PACKAGE, Transmission Oil Pump
	4746 109	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
2	4531 225	1	1, 2, 3			ET0, EW0	DGP		SEAL, Impeller Hub, 57.25mm OD
		1	6, 7, 8			ET0, EW0	DGP		
3	1942 021	1	1, 2, 3			ET0, EW0	DGP		SEAL, Front Pump Housing
		1	6, 7, 8			ET0, EW0	DGP		
4	4505 030	1	1, 2, 3			ET0, EW0	DGP		PUMP, Transmission Oil
		1	6, 7, 8			ET0, EW0	DGP		
5									HOUSING, Pump, (NOT SERVICED) (Not Serviced)
6									ROTOR, Oil Pump, (NOT SERVICED) (Not Serviced)
7									ROTOR, Oil Pump, (NOT SERVICED) (Not Serviced)
8									SHAFT, (NOT SERVICED) (Not Serviced)
9									BUSHING, (NOT SERVICED) (Not Serviced)
10									BUSHING, (NOT SERVICED) (Not Serviced)
11	3420 087	1	1, 2, 3			ET0, EW0	DGP		BAFFLE PACKAGE, Pump

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Pump, Oil with Reaction Shaft, 4 Speed, 47RE
Figure 47RE-320



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6, 7, 8			ET0, EW0	DGP		
12	4028 377	1	1, 2, 3			ET0, EW0	DGP		GASKET, Transmission Oil Pump
		1	6, 7, 8			ET0, EW0	DGP		
13	4617 161	1	6, 7, 8			ET0, EW0	DGP		THRUST WASHER, Front Clutch
		1	1, 2, 3			ET0, EW0	DGP		
14	3743 689	2	1, 2, 3			ET0, EW0	DGP		SEAL, Reaction Shaft
		2	6, 7, 8			ET0, EW0	DGP		
15	0179 815	6	1, 2, 3			ET0, EW0	DGP		SCREW, Hex Head, .312-18x.687
		6	6, 7, 8			ET0, EW0	DGP		
16	6023 943	7	1, 2, 3			ET0, EW0	DGP		SCREW AND WASHER, Hex Flange Head, .312-18x1.375
		7	6, 7, 8			ET0, EW0	DGP		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Clutch, Front and Rear with Gear Train,4 Speed, 47RE
Figure 47RE-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes

[DGP] = 4 Speed Automatic Transmission 47RE

[ET0] = All 5.9L Turbo Diesel Engines

[EW0] = All 8.0L Gas Engines

-1 SEAL PACKAGE, Transmission

Clutch

4637 078 1 1, 2, 3 ET0, DGP

1 6, 7, 8 ET0, DGP

EW0

2 RETAINER, Clutch

4058 648AB 1 1, 2, 3 ET0, DGP

EW0

1 6, 7, 8 ET0, DGP

EW0

3 BUSHING, Front Clutch

4058 647 1 1, 2, 3 ET0, DGP

EW0

1 6, 7, 8 ET0, DGP

EW0

4 SEAL, Front Clutch Piston

3410 226 1 1, 2, 3 ET0, DGP

EW0

1 6, 7, 8 ET0, DGP

EW0

5 SEAL, Front Piston Clutch

4058 484 1 1, 2, 3 ET0, DGP

EW0

1 6, 7, 8 ET0, DGP

EW0

6 PISTON, Clutch

2464 651AB 1 1, 2, 3 ET0, DGP

EW0

1 6, 7, 8 ET0, DGP

EW0

7 SPRING, Front Clutch

2801 243 9 1, 2, 3 ET0, DGP

EW0

9 6, 7, 8 ET0, DGP

EW0

8 RETAINER, Transmission

DODGE RAM STANDARD CAB (BR)

SERIES LINE BODY ENGINE TRANSMISSION

E = WS RAM 1500 1,6 = 1500 61 = Reg. Cab(118 WB) EHC = 3.9L 6 Cyl. DGK = 42RE 4 Spd. Auto.

L = RAM 1500, 2500, 2,7 = 2500 62 = Reg. Cab(134 WB) ELF = 5.2L 8 Cyl. DGP = 47RE 4 Spd. Auto.

3500 3,8 = 3500 63 = Reg. Cab(138 WB) ETC,ETH = 5.9L 6 Cyl. DGT = 46RE 4 Spd. Auto.

64 = Reg. Cab(162 WB) EML,EMM = 5.9L 8 Cyl. DDP,DDX,DDC = 5 Spd. Manual

65 = Reg. Cab(134 WB) EWA = 8.0L 10 Cyl. DEE = 6 Spd. Manual

EAA = All engines DDO = All 5 Speed Manual

EAG = All gas engines DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Clutch, Front and Rear with Gear Train,4 Speed, 47RE
Figure 47RE-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	2801 949	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
9	2124 824	1	1, 2, 3			ET0, EW0	DGP		SNAP RING
		1	6, 7, 8			ET0, EW0	DGP		
10	2124 826AB	4	1, 2, 3			ET0, EW0	DGP		PLATE, Clutch Separator
		4	6, 7, 8			ET0, EW0	DGP		
11	3410 570	1	1, 2, 3			ET0, EW0	DGP		SNAP RING
		1	6, 7, 8			ET0, EW0	DGP		
12									PLATE, Transmission Clutch Reaction
	4617 567	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
13	4617 201AB	4	1, 2, 3			ET0, EW0	DGP		DISC, Direct Clutch
		4	6, 7, 8			ET0, EW0	DGP		
14	3743 624AB	1	1, 2, 3			ET0, EW0	DGP		PISTON, Clutch
		1	6, 7, 8			ET0, EW0	DGP		
15	1942 054	1	1, 2, 3			ET0, EW0	DGP		SEAL, Rear Clutch Piston Inner
		1	6, 7, 8			ET0, EW0	DGP		Inner
16									SEAL, Rear Clutch Piston

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Clutch, Front and Rear with Gear Train,4 Speed, 47RE
Figure 47RE-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	2124 835	1	1, 2, 3			ET0, EW0	DGP		Outer
		1	6, 7, 8			ET0, EW0	DGP		Outer
17	4617 855	1	1, 2, 3			ET0, EW0	DGP		RETAINER, Transmission
		1	6, 7, 8			ET0, EW0	DGP		Rear
-18	4058 443	1	1, 2, 3			ET0, EW0	DGP		SEAL, Rear Clutch Retainer
		1	6, 7, 8			ET0, EW0	DGP		
19	4617 161	1	1, 2, 3			ET0, EW0	DGP		THRUST WASHER, Front Clutch
		1	6, 7, 8			ET0, EW0	DGP		Rear
20	4617 396	1	1, 2, 3			ET0, EW0	DGP		INPUT SHAFT, Transmission
		1	6, 7, 8			ET0, EW0	DGP		
21	4741 836	1	1, 2, 3			ET0, EW0	DGP		SEAL, Input Shaft
		1	6, 7, 8			ET0, EW0	DGP		
22	2124 872	1	1, 2, 3			ET0, EW0	DGP		SNAP RING
		1	6, 7, 8			ET0, EW0	DGP		
23	3743 622	1	1, 2, 3			ET0, EW0	DGP		RETAINER, Rear Clutch
		1	6, 7, 8			ET0, EW0	DGP		
24									DISC, Clutch

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Clutch, Front and Rear with Gear Train,4 Speed, 47RE
Figure 47RE-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	2801 992AB	4	1, 2, 3			ET0, EW0	DGP		
		4	6, 7, 8			ET0, EW0	DGP		
25	3743 621AB	1	1, 2, 3			ET0, EW0	DGP		SPRING, Rear Clutch Piston
		1	6, 7, 8			ET0, EW0	DGP		
26	3515 077	1	1, 2, 3			ET0, EW0	DGP		SPACER, Rear Clutch Piston
		1	6, 7, 8			ET0, EW0	DGP		
27	2466 806	1	1, 2, 3			ET0, EW0	DGP		SPRING, Rear Clutch Wave
		1	6, 7, 8			ET0, EW0	DGP		Wave
28	2466 803	1	1, 2, 3			ET0, EW0	DGP		PLATE, Clutch Pressure Rear
		1	6, 7, 8			ET0, EW0	DGP		Rear
29	52118 812AA	3	1, 2, 3			ET0, EW0	DGP		PLATE, Clutch Separator
		3	6, 7, 8			ET0, EW0	DGP		
30	4617 567	1	1, 2, 3			ET0, EW0	DGP		PLATE, Transmission Clutch Reaction
		1	6, 7, 8			ET0, EW0	DGP		
31	1942 064	1	1, 2, 3			ET0, EW0	DGP		SNAP RING .074" Thick
		1	6, 7, 8			ET0, EW0	DGP		.074" Thick

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Figure 47RE-410



DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

September 15, 2005

Gear Train and Intermediate Shaft,4 Speed, 47RE
Figure 47RE-420




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DGP] = 4 Speed Automatic Transmission 47RE									
[ET0] = All 5.9L Turbo Diesel Engines									
[EW0] = All 8.0L Gas Engines									
1									SNAP RING, 1.108 Free Diameter
	6024 311	1	1, 2, 3			ET0, EW0	DGP		.055-.059" Thick
		1	6, 7, 8			ET0, EW0	DGP		.055-.059" Thick
	6024 312	1	1, 2, 3			ET0, EW0	DGP		.062-.066" Thick
		1	6, 7, 8			ET0, EW0	DGP		.062-.066" Thick
2									CARRIER, Planetary Pinion
	4617 998	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
3									THRUST WASHER, Planetary Carrier
	4539 129	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
4									BUSHING, Support Case
	4617 951	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
5									GEAR, Front Annulus
	2892 656	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
6									WASHER
	4618 000	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
7									SNAP RING, Sun Gear

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Gear Train and Intermediate Shaft,4 Speed, 47RE
Figure 47RE-420



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1736 521	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
8	2801 311	1	1, 2, 3			ET0, EW0	DGP		GEAR, Sun
		1	6, 7, 8			ET0, EW0	DGP		
9	4617 978	1	1, 2, 3			ET0, EW0	DGP		SHELL, Sun Gear
		1	6, 7, 8			ET0, EW0	DGP		
10						EW0			INTERMEDIATE SHAFT, Transmission
	4617 611	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
11	4505 188	1	1, 2, 3			ET0, EW0	DGP		PLATE, Transmission Module
		1	6, 7, 8			ET0, EW0	DGP		
12	1942 080	1	1, 2, 3			ET0, EW0	DGP		PLATE, Sun Gear Driving Shell
		1	6, 7, 8			ET0, EW0	DGP		
13	1736 521	1	1, 2, 3			ET0, EW0	DGP		SNAP RING, Sun Gear
		1	6, 7, 8			ET0, EW0	DGP		
14									THRUST WASHER, Planetary Carrier
	4617 888	1	1, 2, 3			ET0, EW0	DGP		


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Gear Train and Intermediate Shaft,4 Speed, 47RE
Figure 47RE-420




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
15	2801 061	1	6, 7, 8			ET0, EW0	DGP		CARRIER, Planetary Pinion
			1, 2, 3			ET0, EW0	DGP		
16	2400 580	1	6, 7, 8			ET0, EW0	DGP		PLATE, Annulus Gear Thrust
			1, 2, 3			ET0, EW0	DGP		
17	4810 002AB	1	6, 7, 8			ET0, EW0	DGP		GEAR, Rear Annulus
			1, 2, 3			ET0, EW0	DGP		
18	6033 591	1	6, 7, 8			ET0, EW0	DGP		SNAP RING
			1, 2, 3			ET0, EW0	DGP		
19	5211 8059	1	6, 7, 8			ET0, EW0	DGP		THRUST WASHER, Reverse Drum
			1, 2, 3			ET0, EW0	DGP		
20	5211 8057	1	6, 7, 8			ET0, EW0	DGP		DRUM, Automatic Transmission
			1, 2, 3			ET0, EW0	DGP		
21	2801 315	8	6, 7, 8			ET0, EW0	DGP		THRUST WASHER, Planetary
			1, 2, 3			ET0, EW0	DGP		
		10	6, 7, 8			ET0, EW0	DGP		Carrier
			1, 2, 3			ET0, EW0	DGP		
		8	6, 7, 8			ET0, EW0	DGP		Rear
			1, 2, 3			ET0, EW0	DGP		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Gear Train and Intermediate Shaft,4 Speed, 47RE
Figure 47RE-420



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
22	2204 649	10	6, 7, 8			ET0, EW0	DGP		Front
		8	1, 2, 3			ET0, EW0	DGP		THRUST WASHER, Planet Pinion Rear
		10	1, 2, 3			ET0, EW0	DGP		Front
		8	6, 7, 8			ET0, EW0	DGP		Rear
23	3743 664	10	6, 7, 8			ET0, EW0	DGP		Front
		92	1, 2, 3			ET0, EW0	DGP		ROLLER, Front and Rear Pinion Rear
		115	1, 2, 3			ET0, EW0	DGP		Front
		92	6, 7, 8			ET0, EW0	DGP		Rear
24	2400 667	115	6, 7, 8			ET0, EW0	DGP		Front
		4	1, 2, 3			ET0, EW0	DGP		PINION, Transmission Planetary Rear
		5	1, 2, 3			ET0, EW0	DGP		Front
		4	6, 7, 8			ET0, EW0	DGP		Rear
25	4428 223	5	6, 7, 8			ET0, EW0	DGP		Front
		4	1, 2, 3			ET0, EW0	DGP		SHAFT, Planetary Rear
		4	6, 7, 8			ET0, EW0	DGP		Rear
		5	1, 2, 3			ET0, EW0	DGP		
26		5	6, 7, 8			ET0, EW0	DGP		
									DOWEL, .108x1.00


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Gear Train and Intermediate Shaft,4 Speed, 47RE
Figure 47RE-420




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	6024 666	5	1, 2, 3			ET0, EW0	DGP		
		5	6, 7, 8			ET0, EW0	DGP		
27	4471 473	1	1, 2, 3			ET0, EW0	DGP		CAM, Overrunning Clutch
		1	6, 7, 8			ET0, EW0	DGP		
28	4617 199	1	1, 2, 3			ET0, EW0	DGP		CLUTCH, Overrunning
		1	6, 7, 8			ET0, EW0	DGP		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Output Shaft, 4 Speed, 47RE
Figure 47RE-430



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes
[DGP] = 4 Speed Automatic Transmission 47RE
[ET0] = All 5.9L Turbo Diesel Engines
[EW0] = All 8.0L Gas Engines


1									OUTPUT SHAFT, Transmission
	4874 036	1	6, 7, 8			ET0, EW0	DGP		With Transmission Stamp # [52119519 & 52119828AB]
	5003 233AA	1	1, 2, 3			ET0, EW0	DGP		
2									BUSHING, (NOT SERVICED) (Not Serviced)
3									BUSHING, (NOT SERVICED) (Not Serviced)
4	4461 008	1	6, 7, 8			ET0, EW0	DGP		BEARING, Output Shaft
		1	1, 2, 3			ET0, EW0	DGP		
5	4461 068	1	6, 7, 8			ET0, EW0	DGP		SNAP RING
		1	1, 2, 3			ET0, EW0	DGP		
6	4461 057	1	6, 7, 8			ET0, EW0	DGP		SNAP RING
		1	1, 2, 3			ET0, EW0	DGP		
7	4461 069	1	1, 2, 3			ET0, EW0	DGP		SNAP RING
8	2466 224	1	6, 7, 8				DG0		BEARING, Output Shaft
		1	1, 2, 3			ET0, EW0	DGP		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Bands, Reverse and Kickdown with Linkage, 4 Speed, 47RE
Figure 47RE-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes
[DGP] = 4 Speed Automatic Transmission 47RE
[ET0] = All 5.9L Turbo Diesel Engines
[EW0] = All 8.0L Gas Engines


1									O RING
	1556 385	2	6, 7, 8			ET0, EW0	DGP		
		2	1, 2, 3			ET0, EW0	DGP		
2									SHAFT, Band Lever
	4531 234	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
3									NUT, Hex, .375-24
	0114 942	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
4									LEVER, Reverse Band
	4531 226AB	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
5									BAND, Reverse
	4531 231	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
6									SCREW, Trans Reverse Band Adjusting, .375-24-1.88
	2538 472	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
7									LEVER, Kickdown
	2125 067	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
8									SHAFT, Band Lever

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic


AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Bands, Reverse and Kickdown with Linkage, 4 Speed, 47RE
Figure 47RE-510



REVERSE BAND



KICKDOWN BAND


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4531 181	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
9									STRUT, Kickdown Band
	2124 848	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
10									ANCHOR, Kickdown Band
	3743 338	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
11									SCREW, Trans Reverse Band Adjusting, .375-24-1.88
	2538 472	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
12									BAND, Kickdown
	4329 853	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
13									NUT, Hex Jam, .50-20
	0124 934	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Valve Body, 4 Speed, 47RE
Figure 47RE-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DGP] = 4 Speed Automatic Transmission 47RE									
[ET0] = All 5.9L Turbo Diesel Engines									
[EW0] = All 8.0L Gas Engines									
-1									SEAL AND GASKET PACKAGE, Valve Body and Servo
	4863 892AC-	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
2	5211 8796	1	1, 2, 3			ET0, EW0	DGP		BODY, Transfer Plate
		1	6, 7, 8			ET0, EW0	DGP		
3	5211 8510	1	1, 2, 3			ET0, EW0	DGP		GASKET, Transmission Solenoid
		1	6, 7, 8			ET0, EW0	DGP		
4	5211 8500	1	1, 2, 3			ET0, EW0	DGP		SOLENOID, Transmission Overdrive
		1	6, 7, 8			ET0, EW0	DGP		
5	0181 071	3	1, 2, 3			ET0, EW0	DGP		BOLT, Valve Body, .25-20x1.75
		3	6, 7, 8			ET0, EW0	DGP		
6	5211 8789	1	1, 2, 3			ET0, EW0	DGP		FILTER, Valve Body
		1	6, 7, 8			ET0, EW0	DGP		
7									SCREW AND WASHER, Oil Filter Mounting, Fillester Head .190-24x2.500
	6033 826	3	1, 2, 3			ET0, EW0	DGP		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Valve Body, 4 Speed, 47RE
Figure 47RE-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
8	6034 748	3	6, 7, 8			ET0, EW0	DGP		O RING, Solenoid Wiring, Transmission
		2	1, 2, 3			ET0, EW0	DGP		
		2	6, 7, 8			ET0, EW0	DGP		
9	6033 985	1	1, 2, 3			ET0, EW0	DGP		SCREW, Tapping, .19-24x.75
		1	6, 7, 8			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
10	3681 227	1	1, 2, 3			ET0, EW0	DGP		LEVER, Throttle Valve
		1	6, 7, 8			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
11	4617 439	1	1, 2, 3			ET0, EW0	DGP		LEVER, Manual Valve
		1	6, 7, 8			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
12	0147 488	1	1, 2, 3			ET0, EW0	DGP		BALL, Manual Lever Detent, .343 Diameter
		4	6, 7, 8			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
13	2466 548	1	1, 2, 3			ET0, EW0	DGP		SEAL, Valve Lever Shift
		1	6, 7, 8			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
14	2538 062	1	1, 2, 3			ET0, EW0	DGP		WASHER, Manual Valve Lever
		1	6, 7, 8			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
15									SNAP RING

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Valve Body, 4 Speed, 47RE
Figure 47RE-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	6035 208	2	1, 2, 3			ET0, EW0	DGP		
		2	6, 7, 8			ET0, EW0	DGP		
16	4505 098	1	1, 2, 3			ET0, EW0	DGP		SEAL, Manual Shift Valve, 1.25 OD
		1	6, 7, 8			ET0, EW0	DGP		
17	6030 609	1	1, 2, 3			ET0, EW0	DGP		SCREW, Cap Head Lock, .312-24x1.25
		1	6, 7, 8			ET0, EW0	DGP		
18	4617 010	1	1, 2, 3			ET0, EW0	DGP		BRACKET, Valve Body Switch
		1	6, 7, 8			ET0, EW0	DGP		
19	4130 492	1	1, 2, 3			ET0, EW0	DGP		SPRING, Switch Valve
		1	6, 7, 8			ET0, EW0	DGP		
20	4505 036	1	1, 2, 3			ET0, EW0	DGP		VALVE, Trans Lockup Switch
		1	6, 7, 8			ET0, EW0	DGP		
21	4617 008	1	1, 2, 3			ET0, EW0	DGP		TUBE, Boost Valve
		1	6, 7, 8			ET0, EW0	DGP		
22	5211 7958	1	1, 2, 3			ET0, EW0	DGP		RETAINER, Boost Valve Oil Supply Tube

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Valve Body, 4 Speed, 47RE
Figure 47RE-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
23	4617 219	1	6, 7, 8			ET0, EW0	DGP		CLIP, Transmission Governor Transducer
		1	1, 2, 3			ET0, EW0	DGP		
24	56041 403AA	1	6, 7, 8			ET0, EW0	DGP		TRANSDUCER, Pressure Sensor
		1	1, 2, 3			ET0, EW0	DGP		
25	6034 493	1	6, 7, 8			ET0, EW0	DGP		O RING, Pressure Switch
		1	1, 2, 3			ET0, EW0	DGP		
26	4617 216	1	6, 7, 8			ET0, EW0	DGP		GASKET, Transmission Solenoid
		1	1, 2, 3			ET0, EW0	DGP		
27	4617 211	1	6, 7, 8			ET0, EW0	DGP		RETAINER, Transmission Governor Solenoid
		1	1, 2, 3			ET0, EW0	DGP		
28	4723 549	1	6, 7, 8			ET0, EW0	DGP		O RING PACKAGE, Valve Body, Transmission
		1	1, 2, 3			ET0, EW0	DGP		
29	4617 210	1	6, 7, 8			ET0, EW0	DGP		SOLENOID, Transmission Governor
		1	1, 2, 3			ET0, EW0	DGP		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Valve Body, 4 Speed, 47RE
Figure 47RE-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-30									SCREEN, Transmission Regulator
	3878 313	1	1, 2, 3			ET0, EW0	DGP		Valve
		1	6, 7, 8			ET0, EW0	DGP		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic


Servos, Accumulator Piston and Spring, 4 Speed, 47RE
Figure 47RE-720



KICKDOWN SERVO



LOW AND REVERSE SERVO



ACCUMULATOR PISTON AND SPRING


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes
[DGP] = 4 Speed Automatic Transmission 47RE
[ET0] = All 5.9L Turbo Diesel Engines
[EW0] = All 8.0L Gas Engines


1									SNAP RING
	1942 130	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
2									SEAL
	1942 123	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
3									GUIDE, Kickdown Servo
	3410 441	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
4									SPRING, Kickdown Servo Piston
	3410 518	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
5									SPRING, Kickdown Servo Piston
	3410 444	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
6									SNAP RING, Brake Master Cylinder
	6031 392	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
7									RETAINER, Kick Down
	3410 437	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
8									PISTON, Kickdown Servo

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic


Servos, Accumulator Piston and Spring, 4 Speed, 47RE
Figure 47RE-720



KICKDOWN SERVO



LOW AND REVERSE SERVO




ACCUMULATOR PISTON AND SPRING


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	3410 445	1	1, 2, 3			ET0, EW0	DGP		Inner
		1	6, 7, 8			ET0, EW0	DGP		Inner
9	6028 864	1	1, 2, 3			ET0, EW0	DGP		O RING, Kick Down Servo
		1	6, 7, 8			ET0, EW0	DGP		
10	1942 123	1	1, 2, 3			ET0, EW0	DGP		SEAL
		1	6, 7, 8			ET0, EW0	DGP		
11	3410 440	1	1, 2, 3			ET0, EW0	DGP		PISTON, Kickdown Servo
		1	6, 7, 8			ET0, EW0	DGP		
12	4412 444	1	1, 2, 3			ET0, EW0	DGP		SEAL
		1	6, 7, 8			ET0, EW0	DGP		
13	1942 130	1	1, 2, 3			ET0, EW0	DGP		SNAP RING
		1	6, 7, 8			ET0, EW0	DGP		
14	5211 8342	1	1, 2, 3			ET0, EW0	DGP		RETAINER, Transmission Reverse Servo Piston Spring
		1	6, 7, 8			ET0, EW0	DGP		
15	4617 773	1	1, 2, 3			ET0, EW0	DGP		SPRING, Reverse Servo Piston
		1	6, 7, 8			ET0, EW0	DGP		
16									PLUG, Reverse Servo Piston

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic


Servos, Accumulator Piston and Spring, 4 Speed, 47RE
Figure 47RE-720



KICKDOWN SERVO



LOW AND REVERSE SERVO



ACCUMULATOR PISTON AND SPRING


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	52118 742AB	1	1, 2, 3			ET0,	DGP		
		1	6, 7, 8			EW0 ET0, EW0	DGP		
17									SPRING, Accumulator Piston
	3515 079	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
18									SEAL, Reverse Servo Piston
	4531 233	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
19									PISTON, Reverse Servo
	5211 8745	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
20									SNAP RING, .435 ID
	6027 153	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
21									SPRING, Accumulator Piston
	3515 079	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
22									SEAL, Piston Accumulator
	3743 013	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
23									PISTON, Accumulator
	3743 650	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
24									SEAL, Piston Accumulator

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic


AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Servos, Accumulator Piston and Spring, 4 Speed, 47RE
Figure 47RE-720



KICKDOWN SERVO



LOW AND REVERSE SERVO




ACCUMULATOR PISTON AND SPRING

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

3743 010	1	1, 2, 3	ET0, EW0	DGP
	1	6, 7, 8	ET0, EW0	DGP

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Parking Sprag, 4 Speed, 47RE
Figure 47RE-730



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes
[DGP] = 4 Speed Automatic Transmission 47RE
[ET0] = All 5.9L Turbo Diesel Engines
[EW0] = All 8.0L Gas Engines


1									SPRING, Parking Sprag
	2466 909	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
2									SPRAG, Transmission Parking
	4471 415	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
3									SHAFT, Parking Sprag
	2466 892	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
4									SCREW
	8350 3127	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
5									PLUG, Parking Sprag
	2538 042	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
6									SNAP RING, Transmission
	2538 034	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
7									ROD, Parking Sprag
	4471 478	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
8									SNAP RING, Rod

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Parking Sprag, 4 Speed, 47RE
Figure 47RE-730


[illegible]

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Clutch, Overdrive with Gear Train, 4 Speed, 47RE
Figure 47RE-1010



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes

[DGP] = 4 Speed Automatic Transmission 47RE

[ET0] = All 5.9L Turbo Diesel Engines

[EW0] = All 8.0L Gas Engines

1									PLATE PACKAGE, Transmission Module
	4740 774	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
2									BEARING, (NOT SERVICED) (Not Serviced)
3									GEAR, Overdrive Sun
	4778 742	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
4									BUSHING, (NOT SERVICED) (Not Serviced)
5									CARRIER, O/Drive Planet Pinion
	4761 011	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
6									RACE, Overrunning Clutch
	4461 124	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
7									THRUST BEARING, Ovedrive Third Position
	4461 014	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
8									CLUTCH, Overdrive Overrunning
	4461 015	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
9									GEAR, Overdrive Annulus


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Clutch, Overdrive with Gear Train, 4 Speed, 47RE
Figure 47RE-1010




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4761 010	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
10	4461 059	1	1, 2, 3			ET0, EW0	DGP		SNAP RING, 5.25 OD
		1	6, 7, 8			ET0, EW0	DGP		
11	4461 060	2	6, 7, 8			ET0, EW0			SNAP RING, 6.00 OD
12	5211 8057	1	1, 2, 3			ET0, EW0	DGP		DRUM, Automatic Transmission
		1	6, 7, 8			ET0, EW0	DGP		
13	4461 063	1	1, 2, 3			ET0, EW0	DGP		SNAP RING, 2.1875 OD
		1	6, 7, 8			ET0, EW0	DGP		
14	4461 032	1	6, 7, 8			ET0, EW0	DGP		SPRING, Direct Clutch
		1	1, 2, 3			ET0, EW0	DGP		
15	4461 072	1	1, 2, 3			ET0, EW0	DGP		HUB, Direct Clutch
		1	6, 7, 8			ET0, EW0	DGP		
16	4446 724	1	1, 2, 3			ET0, EW0	DGP		THRUST BEARING, Overdrive
		1	6, 7, 8			ET0, EW0	DGP		
17	4461 030	1	1, 2, 3			ET0, EW0	DGP		PLATE, Transmission Clutch Reaction

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Clutch, Overdrive with Gear Train, 4 Speed, 47RE
Figure 47RE-1010




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6, 7, 8			ET0, EW0	DGP		
18	4461 042	10	1, 2, 3			ET0, EW0	DGP		DISC, Direct Clutch
19	4864 053	9	1, 2, 3			ET0, EW0	DGP		PLATE, Transmission Valve Body
		9	6, 7, 8			ET0, EW0	DGP		
20	4461 183	1	1, 2, 3			ET0, EW0	DGP		PLATE, Pressure
		1	6, 7, 8			ET0, EW0	DGP		
21	4461 032	1	1, 2, 3			ET0, EW0	DGP		SPRING, Direct Clutch
		1	6, 7, 8			ET0, EW0	DGP		
22	4461 064	1	1, 2, 3			ET0, EW0	DGP		SNAP RING, 1.875" OD
		1	6, 7, 8			ET0, EW0	DGP		
23	4412 583	1	1, 2, 3			ET0, EW0	DGP		FILTER, Overdrive Clutch
		1	6, 7, 8			ET0, EW0	DGP		
24	5211 7975	1	1, 2, 3			ET0, EW0	DGP		RETAINER, Transmission O/Drive Clutch Piston
		1	6, 7, 8			ET0, EW0	DGP		
25	5211 8599	1	1, 2, 3			ET0, EW0	DGP		PISTON, Overdrive Clutch
		1	6, 7, 8			ET0, EW0	DGP		
26									SCREW, .25-20

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Clutch, Overdrive with Gear Train, 4 Speed, 47RE
Figure 47RE-1010




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	0152 796	6	1, 2, 3			ET0, EW0	DGP		
		6	6, 7, 8			ET0, EW0	DGP		
27	4431 697	1	1, 2, 3			ET0, EW0	DGP		SEAL, Overdrive Clutch Piston
		1	6, 7, 8			ET0, EW0	DGP		
28	4617 352	1	1, 2, 3			ET0, EW0	DGP		SEAL, Overdrive Clutch Piston
		1	6, 7, 8			ET0, EW0	DGP		
29	4431 585	1	1, 2, 3			ET0, EW0	DGP		PLATE, Transmission O/Drive Clutch .123"-.125" Thick
		1	6, 7, 8			ET0, EW0	DGP		.123"-.125" Thick
	4431 586	1	1, 2, 3			ET0, EW0	DGP		.153"-.155" Thick
		1	6, 7, 8			ET0, EW0	DGP		.153"-.155" Thick
	4431 587	1	1, 2, 3			ET0, EW0	DGP		.183"-.185" Thick
		1	6, 7, 8			ET0, EW0	DGP		.183"-.185" Thick
	4431 588	1	1, 2, 3			ET0, EW0	DGP		.213"-.215" Thick
		1	6, 7, 8			ET0, EW0	DGP		.213"-.215" Thick
	4431 590	1	1, 2, 3			ET0, EW0	DGP		.243"-.245" Thick
		1	6, 7, 8			ET0, EW0	DGP		.243"-.245" Thick
	4431 731	1	1, 2, 3			ET0, EW0	DGP		.138"-.140" Thick
		1	6, 7, 8			ET0, EW0	DGP		.138"-.140" Thick

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Clutch, Overdrive with Gear Train, 4 Speed, 47RE
Figure 47RE-1010




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4431 732	1	1, 2, 3			ET0, EW0	DGP		.168"-.170" Thick
		1	6, 7, 8			ET0, EW0	DGP		.168"-.170" Thick
	4431 733	1	1, 2, 3			ET0, EW0	DGP		.198"-.200" Thick
		1	6, 7, 8			ET0, EW0	DGP		.198"-.200" Thick
	4431 734	1	1, 2, 3			ET0, EW0	DGP		.228"-.230" Thick
		1	6, 7, 8			ET0, EW0	DGP		.228"-.230" Thick
	4431 735	1	1, 2, 3			ET0, EW0	DGP		.108"-.110" Thick
		1	6, 7, 8			ET0, EW0	DGP		.108"-.110" Thick
30									SPACER, Intermediate Shaft, 1. 58mm
	4431 916	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
-31									SPACER, Intermediate Shaft, .175
	4431 917	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
-32									SPACER, Intermediate Shaft, .193
	4431 918	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
-33									SPACER, Intermediate Shaft, .211
	4431 919	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
34									SNAP RING, Overdrive Clutch
	4461 082	1	6, 7, 8			ET0, EW0	DGP		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Clutch, Overdrive with Gear Train, 4 Speed, 47RE
Figure 47RE-1010



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
35		1	1, 2, 3			ET0, EW0	DGP		PLATE, Transmission Clutch Reaction
	4461 033	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
36		5	1, 2, 3			ET0, EW0	DGP		DISC, Direct Clutch
	4461 181	5	1, 2, 3			ET0, EW0	DGP		
		5	6, 7, 8			ET0, EW0	DGP		
37		1	1, 2, 3			ET0, EW0	DGP		PLATE, Transmission Clutch Reaction
	4461 033	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
38		1	1, 2, 3			ET0, EW0	DGP		SPRING, Overdrive Clutch
	4461 066	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
39		5	1, 2, 3			ET0, EW0	DGP		PLATE, Transmission Clutch Reaction
	4461 047	5	1, 2, 3			ET0, EW0	DGP		
		5	6, 7, 8			ET0, EW0	DGP		
40		1	1, 2, 3			ET0, EW0	DGP		SNAP RING, 6.50 OD
	4461 065	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Controls, Gearshift, Lower, 4 Speed, 47RE
Figure 47RE-1210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes

[DGP] = 4 Speed Automatic Transmission 47RE

[ET0] = All 5.9L Turbo Diesel Engines

[EW0] = All 8.0L Gas Engines

1	3575 333	2					DG0		GROMMET, Control Rod Front
2	J012 0393	1					DG0		WASHER, Flat
3	3575 354	1					DG0		SPRING, Gearshift Control Rod, Adjusting
4	3467 800	2					DG0		BUSHING, Gearshift Torque Shaft
5	6504 763	2					DG0		WASHER, Flat, M13.5
6	6034 943	1					DG0		WASHER
7	J400 4295	1					DG0		PIN, Rod To Trans Shaft Lever
8	6028 114	1					DG0		NUT, Hex, .437-14, Bracket Mtg. Lock 7/16-14
9	0391 888	1					DG0		WASHER, Wave, .359x.593x.010
10	0181 082	1					DG0		BOLT, Hex Head, 5/16-18x1/2
11	5207 7802	1					DG0		BRACKET, Gearshift, Torque Shaft, Frame End
12									SCREW, (NOT SERVICED) (Not Serviced)
13	6032 475	1					DG0		RING, Transmission Torque Shaft
14	5210 7734	1					DG0		CLAMP
15	3575 334	1					DG0		SWIVEL, Gearshift Control Rod
16	5207 7803	1				EL0, EM0	DGT		BRACKET, Gearshift, Torque Shaft Mtg., Trans. End
17	5207 8718	1					DG0		BRACKET, Throttle Valve Spring
18	5300 9055	1					DG0		SPRING, Throttle Valve Return
19	52107 699AB	1					DG0		ROD, Gear Shift Control
20	52079 030AB	1					DGK,		TORQUE SHAFT, Gearshift
							DGT		
21	5207 7630	1					DGP		ROD, Gear Shift Control, Transmission
22	5207 9065	1					DG0		LEVER, Throttle Valve
23	0181 065	1					DG0		BOLT, Hex Head, .25-20x1.00
24	0138 165	1					DG0		WASHER, Lock
25	J012 0375	1					DG0		NUT, Hex, .250-20
26	52077 804AC	1					DGP,		LEVER, Manual Control
							DGT		
27	0180 034	1					DGP, DGT		SCREW AND WASHER, Hex Head, .25-20x1.50

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year


September 15, 2005






Group – 3500

Manual Transmission 5 Speed


GROUP 3500 - Manual Transmission 5 Speed

Illustration Title	Group-Fig. No.
Transmission Assembly	
Transmission 3500 Five Speed [DDC]	Fig. 3500-110
Case and Extension	
Case and Extension [DDC]	Fig. 3500-210
Gear Train	
Gear Train [DDC]	Fig. 3500-410
Fork and Rails	
Shift Forks and Rails [DDC]	Fig. 3500-910
Gearshift Controls	
Gear Shift Controls [DDC]	Fig. 3500-1210



3500-100 Transmission Assembly	3500-200 Case and Extension	3500-400 Gear Train	3500-900 Fork and Rails
			
3500-1200 Gearshift Controls			
			

Transmission 3500 Five Speed [DDC]
Figure 3500-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes									
[DDC] = 5 Speed Heavy Duty Manual Transmission									
[EH0] = All 3.9L V6 Gas Engines									
[EL0] = All 5.2L 8 Cyl Gas Engines									
1							TRANSMISSION, 5 Speed		
	5210 8132	1	1, 2, 3			EH0, EL0	DDC		
	5210 8133	1	6, 7, 8			EH0, EL0	DDC		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Case and Extension [DDC]
Figure 3500-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DDC] = 5 Speed Heavy Duty Manual Transmission									
[EH0] = All 3.9L V6 Gas Engines									
[EL0] = All 5.2L 8 Cyl Gas Engines									
1									CASE, Transmission
	4874 311	1	1, 2, 3			EH0, EL0	DDC		
		1	6, 7, 8			EH0, EL0	DDC		
2									CASE, Transmission Rear
	5003 287AA	1	1, 2, 3			EH0, EL0	DDC		
	4740 988	1	6, 7, 8			EH0, EL0	DDC		
3									RETAINER, Shaft
	4874 019	1	1, 2, 3			EH0, EL0	DDC		
		1	6, 7, 8			EH0, EL0	DDC		
4									LEVER, Gearshift
	4886 199AA	1	1, 2, 3			EH0, EL0	DDC		
		1	6, 7, 8			EH0, EL0	DDC		
5									BOLT, M8-1.25x70
	4741 313	1	1, 2, 3			EH0, EL0	DDC		Reverse Idler
		1	6, 7, 8			EH0, EL0	DDC		Reverse Idler
6									BOLT, Hex Head
	4741 144	4	1, 2, 3			EH0, EL0	DDC		
		4	6, 7, 8			EH0, EL0	DDC		
7									BOLT, Hex Head, M8x1.25x50
	4741 123	11	1, 2, 3			EH0, EL0	DDC		
		11	6, 7, 8			EH0, EL0	DDC		
8									BOLT, Hex

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Case and Extension [DDC]
Figure 3500-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4741 115	1	1, 2, 3			EH0, EL0	DDC		
		1	6, 7, 8			EH0, EL0	DDC		
9	4741 122	2	1, 2, 3			EH0, EL0	DDC		PIN, Locating
		2	6, 7, 8			EH0, EL0	DDC		
10	4741 121	1	1, 2, 3			EH0, EL0	DDC		SWITCH, Back Up Lamp
		1	6, 7, 8			EH0, EL0	DDC		
11	4740 901	1	1, 2, 3			EH0, EL0	DDC		VENT, Transmission
		1	6, 7, 8			EH0, EL0	DDC		
12	4882 280	1	1, 2, 3			EH0, EL0	DDC		PLUG, Oil Fill
		1	6, 7, 8			EH0, EL0	DDC		
13	4740 904	1	1, 2, 3			EH0, EL0	DDC		PIN, Detent
		1	6, 7, 8			EH0, EL0	DDC		
14	4741 128	1	1, 2, 3			EH0, EL0	DDC		CAP, Detent
		1	6, 7, 8			EH0, EL0	DDC		
15	4773 182	1	6, 7, 8			EH0, EL0	DDC		SPRING, Shift Detent
		1	1, 2, 3			EH0, EL0	DDC		
16									PLUNGER

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Case and Extension [DDC]
Figure 3500-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4741 129	1	1, 2, 3			EH0, EL0	DDC		Shift Detent
		1	6, 7, 8			EH0, EL0	DDC		Shift Detent
17									BOLT, Hex Head, M6x1.00x25
	4741 300	6	1, 2, 3			EH0, EL0	DDC		
		6	6, 7, 8			EH0, EL0	DDC		
18									BEARING, Ball Linear
	4741 112	1	1, 2, 3			EH0, EL0	DDC		
		1	6, 7, 8			EH0, EL0	DDC		Linear
19									SEAL, Input Shaft
	4741 296	1	6, 7, 8			EH0, EL0	DDC		
		1	1, 2, 3			EH0, EL0	DDC		
20									SEAL, Output Shaft
	4741 118	1	6, 7, 8			EH0, EL0	DDC		
	4741 119	1	1, 2, 3			EH0, EL0	DDC		
21									BEARING, Input Shaft
	4874 174	1	6, 7, 8			EH0, EL0	DDC		
		1	1, 2, 3			EH0, EL0	DDC		
22									VENT, Transmission
	4740 902	1	6, 7, 8			EH0, EL0	DDC		
		1	1, 2, 3			EH0, EL0	DDC		
23									BUSHING, Detent
	4740 892	2	1, 2, 3			EH0, EL0	DDC		
		2	6, 7, 8			EH0, EL0	DDC		
24									SEAL, Shift Lever

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

**Case and Extension [DDC]
Figure 3500-210**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4886 153AA	1	6, 7, 8			EH0, EL0	DDC		
		1	1, 2, 3			EH0, EL0	DDC		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Gear Train [DDC]
Figure 3500-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DDC] = 5 Speed Heavy Duty Manual Transmission									
[EH0] = All 3.9L V6 Gas Engines									
[EL0] = All 5.2L 8 Cyl Gas Engines									
1									SHAFT, Input
	4883 472AA	1	1, 2, 3			EH0, EL0	DDC		
		1	6, 7, 8			EH0, EL0	DDC		
2									STOP RING, Synchronizer
	4741 277	1	1, 2, 3			EH0, EL0	DDC		
		1	6, 7, 8			EH0, EL0	DDC		
3									NEEDLE BEARING, Input Shaft
	4741 878	1	1, 2, 3			EH0, EL0	DDC		
		1	6, 7, 8			EH0, EL0	DDC		
4									SNAP RING, Output Shaft Bearing
	4741 266	1	1, 2, 3			EH0, EL0	DDC		
		1	6, 7, 8			EH0, EL0	DDC		
5									SYNCHRONIZER, Third and Fourth
	4741 293	1	1, 2, 3			EH0, EL0	DDC		
		1	6, 7, 8			EH0, EL0	DDC		
6									GEAR, Third
	4874 312	1	1, 2, 3			EH0, EL0	DDC		
		1	6, 7, 8			EH0, EL0	DDC		
7									NEEDLE BEARING, Second Gear
	4741 874	1	1, 2, 3			EH0, EL0	DDC		
		1	6, 7, 8			EH0, EL0	DDC		
8									SNAP RING


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Gear Train [DDC]
Figure 3500-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4897 922AA	1	1, 2, 3			EH0, EL0	DDC		
		1	6, 7, 8			EH0, EL0	DDC		
9									THRUST WASHER, Second And Third Gear
	4746 070	2	1, 2, 3			EH0, EL0	DDC		
		2	6, 7, 8			EH0, EL0	DDC		
10									GEAR, Second
	4874 358	1	1, 2, 3			EH0, EL0	DDC		
		1	6, 7, 8			EH0, EL0	DDC		
11									SYNCHRONIZER, First and Second
	4874 356	1	1, 2, 3			EH0, EL0	DDC		
		1	6, 7, 8			EH0, EL0	DDC		
12									GEAR, First
	4874 355	1	1, 2, 3			EH0, EL0	DDC		
		1	6, 7, 8			EH0, EL0	DDC		
13									NEEDLE BEARING, Transmission
	4741 871	1	1, 2, 3			EH0, EL0	DDC		
		1	6, 7, 8			EH0, EL0	DDC		
14									SHAFT, Output
	5003 288AA	1	1, 2, 3			EH0, EL0	DDC		
		1	6, 7, 8			EH0, EL0	DDC		
15									NEEDLE BEARING, Transmission
	4741 871	1	1, 2, 3			EH0, EL0	DDC		
		1	6, 7, 8			EH0, EL0	DDC		
16									GEAR, Reverse

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Gear Train [DDC]
Figure 3500-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4741 284	1	1, 2, 3			EH0, EL0	DDC		STOP RING, Synchronizer
		1	6, 7, 8			EH0, EL0	DDC		
17	4741 285	1	1, 2, 3			EH0, EL0	DDC		SYNCHRONIZER, Fifth And Reverse
		1	6, 7, 8			EH0, EL0	DDC		
18	4741 278	1	1, 2, 3			EH0, EL0	DDC		RING, Transmission
		1	6, 7, 8			EH0, EL0	DDC		
19	4741 805	AR	1, 2, 3			EH0, EL0	DDC		BEARING, Needle
		AR	6, 7, 8			EH0, EL0	DDC		
20	4741 273	1	1, 2, 3			EH0, EL0	DDC		GEAR, Fifth
		1	6, 7, 8			EH0, EL0	DDC		
21	4874 361	1	1, 2, 3			EH0, EL0	DDC		RETAINER, Transmission Output Shaft Bearing
		1	6, 7, 8			EH0, EL0	DDC		
22	4741 114	1	6, 7, 8			EH0, EL0	DDC		BEARING, Output Shaft
	4741 116	1	1, 2, 3			EH0, EL0	DDC		
23	4741 866	1	1, 2, 3			EH0, EL0	DDC		SNAP RING, Output Shaft Bearing
		1	6, 7, 8			EH0, EL0	DDC		
24									

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Gear Train [DDC]
Figure 3500-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4741 266	1	1, 2, 3			EH0, EL0	DDC		
		1	6, 7, 8			EH0, EL0	DDC		
25	4740 900	2	1, 2, 3			EH0, EL0	DDC		BEARING, Countershaft
		2	6, 7, 8			EH0, EL0	DDC		
26	4874 310	1	1, 2, 3			EH0, EL0	DDC		SHAFT, Counter
		1	6, 7, 8			EH0, EL0	DDC		
27	4741 312	1	1, 2, 3			EH0, EL0	DDC		SUPPORT, Segment Idler Shaft
		1	6, 7, 8			EH0, EL0	DDC		
28	4741 310	1	1, 2, 3			EH0, EL0	DDC		WASHER, Flat
		1	6, 7, 8			EH0, EL0	DDC		
29	4741 309	1	1, 2, 3			EH0, EL0	DDC		WASHER, Idler Gear
		1	6, 7, 8			EH0, EL0	DDC		Wave Spring
30	4741 307	2	1, 2, 3			EH0, EL0	DDC		THRUST WASHER, Reverse Idler
		2	6, 7, 8			EH0, EL0	DDC		
31	4741 306	1	1, 2, 3			EH0, EL0	DDC		GEAR, Reverse Idler (24 Teeth)
		1	6, 7, 8			EH0, EL0	DDC		(24 Teeth)
32									BEARING, Idler

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

Gear Train [DDC]
Figure 3500-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4874 359	1	1, 2, 3			EH0, EL0	DDC		
		1	6, 7, 8			EH0, EL0	DDC		
33	4741 303	1	1, 2, 3			EH0, EL0	DDC		IDLER SHAFT, Transmission
		1	6, 7, 8			EH0, EL0	DDC		
34	4741 891	2	1, 2, 3			EH0, EL0	DDC		BALL, Check, 4 mm
		2	6, 7, 8			EH0, EL0	DDC		
35	4874 403	2	1, 2, 3			EH0, EL0	DDC		RING
		2	6, 7, 8			EH0, EL0	DDC		
36	4874 363	2	1, 2, 3			EH0, EL0	DDC		RING, Synchronizer Blocker
		2	6, 7, 8			EH0, EL0	DDC		
37	4874 405	2	1, 2, 3			EH0, EL0	DDC		CONE, Synchronizer
		2	6, 7, 8			EH0, EL0	DDC		
38	4874 404	2	1, 2, 3			EH0, EL0	DDC		RING
		2	6, 7, 8			EH0, EL0	DDC		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Shift Forks and Rails [DDC]
Figure 3500-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes
[DDC] = 5 Speed Heavy Duty Manual Transmission
[EH0] = All 3.9L V6 Gas Engines
[EL0] = All 5.2L 8 Cyl Gas Engines


1									SHAFT, Selector
	4798 770	1	1, 2, 3			EH0, EL0	DDC		
	4798 771	1	6, 7, 8			EH0, EL0	DDC		
2									LEVER, Shift Shaft
	4856 988	1	1, 2, 3			EH0, EL0	DDC		
		1	6, 7, 8			EH0, EL0	DDC		
3									SPRING, Lever
	4741 137	3	1, 2, 3			EH0, EL0	DDC		
		3	6, 7, 8			EH0, EL0	DBB		
4									PLUNGER
	4741 129	1	1, 2, 3			EH0, EL0	DDC		
		1	6, 7, 8			EH0, EL0	DDC		
5									BUSHING, Transmission
	5012 337AA	1	1, 2, 3			EH0, EL0	DDC		
		1	6, 7, 8			EH0, EL0	DDC		
6									PIN, Shift Shaft Dowel
	4741 138	1	1, 2, 3			EH0, EL0	DDC		
		1	6, 7, 8			EH0, EL0	DDC		Dowel
7									FORK, Third and Fourth
	4886 076AA	1	1, 2, 3			EH0, EL0	DDC		
		1	6, 7, 8			EH0, EL0	DDC		
8									PIN, Shift Shaft

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Shift Forks and Rails [DDC]
Figure 3500-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4741 139	1	1, 2, 3			EH0, EL0	DDC		Roll
		1	6, 7, 8			EH0, EL0	DDC		Roll
9									SOCKET, Shift Shaft
	4874 352	1	1, 2, 3			EH0, EL0	DDC		
		1	6, 7, 8			EH0, EL0	DDC		
10									FORK, Transmission
	4773 564	1	1, 2, 3			EH0, EL0	DDC		
		1	6, 7, 8			EH0, EL0	DDC		
11									FORK, First and Second
	4886 077AA	1	1, 2, 3			EH0, EL0	DDC		
		1	6, 7, 8			EH0, EL0	DDC		
12									ISOLATOR, Shift Lever
	5012 020AA	1	1, 2, 3			EH0, EL0	DDC		
		1	6, 7, 8			EH0, EL0	DDC		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Gear Shift Controls [DDC]
Figure 3500-1210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DBB] = All Manual Transmission									
[DDC] = All 5 Speed Manual Transmissions									
1	4446 921	1					DD0		INSERT, Transmission Shift Knob, Shift Pattern
2	6502 556	1					DBB		NUT, Hex, M10-1.5, Gear Shift Control Selector Lever, M10x1.5
3	5210 4174	1					DBB		KNOB, Gearshift, Gear Shift Lever ***
4	52107 614AB	1					DBB		BOOT, Gear Shift Lever
5	6101 946	6	1, 2, 3				DBB		SCREW, Tapping
6	5210 7612	1					DBB		LEVER, Gearshift
7	5EZ5 4LAZ	1					DBB		CONSOLE, Floor, AGATE
8	52107 613AB	1					DBB		BOOT, Gear Shift Lever
9	6101 946	6	1, 2, 3				DBB		SCREW, Tapping

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – 4500

Manual Transmission 5 Speed

GROUP 4500 - Manual Transmission 5 Speed

Illustration Title Group-Fig. No.

Transmission Assembly

Transmission 5 Speed - 4500 [DDP,DDX] Fig. 4500-110

Case and Extension

Case 5 Speed - 4500 [DDP,DDX] Fig. 4500-210

Gear Train

Gear Train 5 Speed - 4500 [DDP,DDX] Fig. 4500-410


Gear Train 5 Speed - 4500 [DDP,DDX] Fig. 4500-420






Fork and Rails

Fork and Control - 4500 [DDP,DDX] Fig. 4500-910


Gearshift Controls

Gear Shift Controls - 4500 [DDP,DDX] Fig. 4500-1210



4500-100 Transmission Assembly 	4500-200 Case and Extension 	4500-400 Gear Train 	4500-900 Fork and Rails 
4500-1200 Gearshift Controls 			

Transmission 5 Speed - 4500 [DDP,DDX]
Figure 4500-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes
[DDP] = 5 Speed Manual Transmission
[DDX] = 5 Speed HD Manual Transmission
[EL0] = All 5.2L 8 Cyl Gas Engines
[EM0] = All 5.9L 8 Cyl Gas Engines
[ET0] = All 5.9L Turbo Diesel Engines
[EW0] = All 8.0L Gas Engines

1							TRANSMISSION, 5 Speed		
	5210 8128	1	1, 2, 3			EL0,	DDP		
						EM0			
	5210 8129	1	6, 7, 8			EL0,	DDP		
						EM0			
	5210 8130	1	1, 2, 3			ET0,	DDX		
						EW0			
	5210 8131	1	6, 7, 8			ET0,	DDX		
						EW0			

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic


Case 5 Speed - 4500 [DDP,DDX]
Figure 4500-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DDP] = 5 Speed Manual Transmission									
[DDX] = 5 Speed Heavy Duty Manual Transmission									
[EL0] = All 5.2L 8 Cyl Gas Engines									
[EM0] = All 5.9L 8 Cyl Gas Engines									
[ET0] = All 5.9L Turbo Diesel Engines									
[EW0] = All 8.0L Gas Engines									
1									RETAINER, Transmission Drive Gear
	4741 542	1	1, 2, 3			EL0,	DDP		
		1	6, 7, 8			EM0			
						EL0,	DDP		
	4741 543	1	1, 2, 3			EM0			
						ET0,	DDX		
		1	6, 7, 8			EW0			
						ET0,	DDX		
						EW0			
2									SEAL, Input
	5012 115AA	1	1, 2, 3			EL0,	DDP		
		1	6, 7, 8			EM0			
						EL0,	DDP		
						EM0			
		1	1, 2, 3			ET0,	DDX		
		1	6, 7, 8			EW0			
						ET0,	DDX		
						EW0			
3									PLUG, Oil Fill
	4637 849	1	1, 2, 3			EL0,	DDP		
		1	6, 7, 8			EM0			
						EL0,	DDP		
		1	1, 2, 3			EM0			
						ET0,	DDX		
		1	6, 7, 8			EW0			
						ET0,	DDX		
						EW0			
4									SCREW, Drive Gear
	4637 777	4	1, 2, 3			EL0,	DDP		
		4	6, 7, 8			EM0			
						ET0,			
						EW0			

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Case 5 Speed - 4500 [DDP,DDX]
Figure 4500-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		4	1, 2, 3			ET0, EW0	DDX		
		4	6, 7, 8			EL0, EM0	DDX		
5									CUP, Transmission Drive Gear Bearing
	4741 544	1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
6									MAGNET, Transmission
	4773 012	1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
7									DOWEL, Gear Shift Cover
	4637 847	2	1, 2, 3			EL0, EM0	DDP		
		2	6, 7, 8			ET0, EW0			
		2	1, 2, 3			ET0, EW0	DDX		
		2	6, 7, 8			EL0, EM0	DDX		
8									CASE, Transmission
	4882 319	1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Case 5 Speed - 4500 [DDP,DDX]
Figure 4500-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
9	4637 784	1	6, 7, 8			ET0, EW0	DDX		PLATE, Transmission Module
		1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
10	0181 088	1	6, 7, 8			ET0, EW0	DDX		BOLT, Hex Head, .312-18x1.00
		10	1, 2, 3			EL0, EM0	DDP		
		10	6, 7, 8			ET0, EW0			
		10	1, 2, 3			ET0, EW0	DDX		
11	4637 785	10	6, 7, 8			EL0, EM0	DDX		PLATE, Transmission Module
		1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
12	0556 875	1	6, 7, 8			ET0, EW0	DDX		COVER, Power Take Off
		1	6, 7, 8			ET0, EW0	DDX		
		2	1, 2, 3			EL0, EM0	DDP		
		2	6, 7, 8			ET0, EW0			
13	4637 851	2	1, 2, 3			ET0, EW0	DDX		BOLT, Transfer Case
		2	6, 7, 8			EL0, EM0	DDX		
		2	1, 2, 3			ET0, EW0			
		2	6, 7, 8			EL0, EM0			
14		6	6, 7, 8			EM0	DDP		BEARING CUP, Intermediate Shaft

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Case 5 Speed - 4500 [DDP,DDX]
Figure 4500-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4637 691	1	1, 2, 3			EL0,	DDP		
						EM0			
		1	6, 7, 8			EL0,	DDP		
						EM0			
		1	1, 2, 3			ET0,	DDX		
						EW0			
		1	6, 7, 8			ET0,	DDX		
						EW0			
15									PLUG, Countershaft
	4637 689	1	1, 2, 3			EL0,	DDP		
						EM0			
		1	6, 7, 8			EL0,	DDP		
						EM0			
		1	1, 2, 3			ET0,	DDX		
						EW0			
		1	6, 7, 8			ET0,	DDX		
						EW0			
16									DOWEL, Transmission Case
	4637 804	2	1, 2, 3			EL0,	DDP		
						EM0			
		2	6, 7, 8			ET0,			
						EW0			
		2	1, 2, 3			ET0,	DDX		
						EW0			
		2	6, 7, 8			EL0,	DDX		
						EM0			
17									RETAINER, Transmission Case Rear
	5003 034AA	1	1, 2, 3			EL0,	DDP		
						EM0			
	5003 035AA	1	1, 2, 3			ET0,	DDX		
						EW0			
	5014 479AA	1	6, 7, 8			EL0,	DDP		
						EM0			
		1	6, 7, 8			ET0,	DDX		
						EW0			
18									SCREW, Hex Head
	4637 805	8	1, 2, 3			EL0,	DDP		
						EM0			
		8	6, 7, 8			ET0,			
						EW0			

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Case 5 Speed - 4500 [DDP,DDX]
Figure 4500-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		8	1, 2, 3			ET0, EW0	DDX		
		8	6, 7, 8			EL0, EM0	DDX		
19									BUSHING, Extension Housing
	2801 724	1	1, 2, 3			EL0, EM0	DDP		
	5003 210AA	1	1, 2, 3			ET0, EW0	DDX		
20									SEAL, Output Shaft
	4741 119	1	1, 2, 3			EL0, EM0	DDP		
	4741 920	1	1, 2, 3			ET0, EW0	DDX		
21									SEAL, Adapter
	4269 956	1	6, 7, 8			EL0, EM0	DDP		
		1	6, 7, 8			ET0, EW0	DDX		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Gear Train 5 Speed - 4500 [DDP,DDX] Figure 4500-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DDP] = 5 Speed Manual Transmission									
[DDX] = 5 Speed Heavy Duty Manual Transmission									
[EL0] = All 5.2L 8 Cyl Gas Engines									
[EM0] = All 5.9L 8 Cyl Gas Engines									
[ET0] = All 5.9L Turbo Diesel Engines									
[EW0] = All 8.0L Gas Engines									
1									BEARING, First Gear
	4798 769	1	1, 2, 3			EL0,	DDP		
		1	6, 7, 8			EM0			
		1	1, 2, 3			EL0,	DDP		
		1	1, 2, 3			EM0			
		1	1, 2, 3			ET0,	DDX		
		1	6, 7, 8			EW0			
		1	6, 7, 8			ET0,	DDX		
		1	6, 7, 8			EW0			
2									GEAR, First
	4637 728	1	1, 2, 3			EL0,	DDP		
		1	6, 7, 8			EM0			
		1	6, 7, 8			EL0,	DDP		
		1	6, 7, 8			EM0			
		1	1, 2, 3			ET0,	DDX		
		1	6, 7, 8			EW0			
		1	6, 7, 8			ET0,	DDX		
		1	6, 7, 8			EW0			
3									GEAR PACKAGE, Reverse Clutch
	5003 055AA	1	1, 2, 3			EL0,	DDP		
		1	6, 7, 8			EM0			
		1	6, 7, 8			EL0,	DDP		
		1	1, 2, 3			EM0			
		1	1, 2, 3			ET0,	DDX		
		1	6, 7, 8			EW0			
		1	6, 7, 8			ET0,	DDX		
		1	6, 7, 8			EW0			
4									BEARING, Drive Gear
	4723 145	1	1, 2, 3			EL0,	DDP		
		1	6, 7, 8			EM0			
		1	6, 7, 8			EL0,	DDP		
		1	6, 7, 8			EM0			

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Gear Train 5 Speed - 4500 [DDP,DDX]
Figure 4500-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
5		1	1, 2, 3			ET0, EW0	DDX		SNAP RING PACKAGE, Transmission
		1	6, 7, 8			ET0, EW0	DDX		
	5003 056AA	1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
6		1	6, 7, 8			ET0, EW0	DDX		SPACER, Reverse Synchronizer
	4882 542	1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
7		1	1, 2, 3			EL0, EM0	DDP		BEARING, Reverse Synchronizer
	4637 761	1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
8		1	1, 2, 3			EL0, EM0	DDP		SYNCHRONIZER, Reverse
	4882 374	1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005




Gear Train 5 Speed - 4500 [DDP,DDX]
Figure 4500-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
9	4637 763	1	6, 7, 8			ET0, EW0	DDX		THRUST WASHER, Reverse Gear
		1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
10	4773 176	1	6, 7, 8			ET0, EW0	DDX		PIN, Split Thrust Washer
		1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
11	4637 771	1	6, 7, 8			ET0, EW0	DDX		BEARING CONE, Main Shaft
		1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
12	5003 037AA	1	6, 7, 8			ET0, EW0	DDX		MAINSHAFT, Transmission
		1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
		1	1, 2, 3			ET0, EW0	DDX		
13		1	6, 7, 8			ET0, EW0	DDX		SYNCHRONIZER, First and Second
		1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
		1	1, 2, 3			ET0, EW0	DDX		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005




Gear Train 5 Speed - 4500 [DDP,DDX]
Figure 4500-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4796 270	1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
14									STOP RING PACKAGE, Synchronizer
	4637 726	AR	1, 2, 3			EL0, EM0	DDP		
		AR	6, 7, 8			EL0, EM0	DDX		
		AR	1, 2, 3			ET0, EW0	DDX		
		AR	6, 7, 8			ET0, EW0	DDX		
15									GEAR, Second
	4637 730	1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
16									THRUST WASHER, Third Gear
	4637 732	1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
17									SPACER, Third Gear
	4882 540	1	1, 2, 3			EL0, EM0	DDP		


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



**Gear Train 5 Speed - 4500 [DDP,DDX]
Figure 4500-410**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
18	4874 369	1	1, 2, 3			EL0, EM0	DDP		GEAR, Third
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
19	4798 768	1	1, 2, 3			ET0, EW0	DDX		BEARING, Third Gear
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
20	4897 883AA	2	1, 2, 3			EL0, EM0	DDP		RING, Blocker
		2	6, 7, 8			ET0, EW0			
		2	1, 2, 3			ET0, EW0	DDX		
		2	6, 7, 8			EL0, EM0	DDX		
21	4740 824	1	1, 2, 3			EL0, EM0	DDP		SYNCHRONIZER, Third and Fourth
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

**Gear Train 5 Speed - 4500 [DDP,DDX]
Figure 4500-410**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
22	4874 370	1	6, 7, 8			ET0, EW0	DDX		GEAR, Clutch Drive
		1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
23	4637 755	1	6, 7, 8			ET0, EW0	DDX		THRUST BEARING, Drive Gear
		1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
24	4637 774	1	6, 7, 8			ET0, EW0	DDX		NEEDLE BEARING, Input Shaft
		1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
25	4882 357	1	1, 2, 3			EL0, EM0	DDP		SHAFT, Input
		1	6, 7, 8			EL0, EM0	DDP		
	4882 358	1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Gear Train 5 Speed - 4500 [DDP,DDX] Figure 4500-420



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DDP] = 5 Speed Manual Transmission									
[DDX] = 5 Speed Heavy Duty Manual Transmission									
[EL0] = All 5.2L 8 Cyl Gas Engines									
[EM0] = All 5.9L 8 Cyl Gas Engines									
[ET0] = All 5.9L Turbo Diesel Engines									
[EW0] = All 8.0L Gas Engines									
1									BEARING CUP, Main Shaft
	4637 782	1	1, 2, 3			EL0,	DDP		
		1	6, 7, 8			EM0			
		1	1, 2, 3			EL0,	DDP		
		1	1, 2, 3			EM0			
		1	6, 7, 8			ET0,	DDX		
		1	6, 7, 8			EW0			
		1	6, 7, 8			ET0,	DDX		
		1	6, 7, 8			EW0			
2									SHIM PACKAGE, Rear Mainshaft Bearing
	4864 284	1	1, 2, 3			EL0,	DDP		
		1	6, 7, 8			EM0			
		1	1, 2, 3			EL0,	DDP		
		1	1, 2, 3			EM0			
		1	6, 7, 8			ET0,	DDX		
		1	6, 7, 8			EW0			
		1	6, 7, 8			ET0,	DDX		
		1	6, 7, 8			EW0			
3									GEAR, Overdrive Mainshaft
	4637 798	1	1, 2, 3			EL0,	DDP		
		1	6, 7, 8			EM0			
	4741 551	1	1, 2, 3			EL0,	DDP		
		1	1, 2, 3			EM0			
		1	6, 7, 8			ET0,	DDX		
		1	6, 7, 8			EW0			
		1	6, 7, 8			ET0,	DDX		
		1	6, 7, 8			EW0			
4									WASHER, Overdrive Gear
	4637 801	1	1, 2, 3			EL0,	DDP		
		1	6, 7, 8			EM0			
		1	6, 7, 8			EL0,	DDP		
		1	6, 7, 8			EM0			

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Gear Train 5 Speed - 4500 [DDP,DDX]
Figure 4500-420

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4741 552	1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
5	4897 347AA	1	1, 2, 3			EL0, EM0	DDP		NUT AND WASHER PACKAGE
		1	6, 7, 8			EL0, EM0	DDP		
	4897 348AA	1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
6	4269 956	1	6, 7, 8			EL0, EM0	DDP		SEAL, Adapter
		1	6, 7, 8			ET0, EW0	DDX		
7	4882 366	1	1, 2, 3			EL0, EM0	DDP		SHAFT, Idler
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
8	4882 538	2	1, 2, 3			EL0, EM0	DDP		WASHER, Reverse Idler
		2	6, 7, 8			EL0, EM0	DDX		
		2	1, 2, 3			ET0, EW0	DDX		
		2	6, 7, 8			ET0, EW0			
9	4882 365	1	1, 2, 3			EL0, EM0	DDP		BEARING, Idler Gear

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Gear Train 5 Speed - 4500 [DDP,DDX]
Figure 4500-420

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
10	4882 364	1	1, 2, 3			EL0, EM0	DDP		GEAR, Reverse Idler
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
11	4637 705	1	1, 2, 3			EL0, EM0	DDP		BEARING CONE, Cluster Gear
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
12	4882 367	1	1, 2, 3			EL0, EM0	DDP		COUNTERSHAFT
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
13	4773 176	1	1, 2, 3			EL0, EM0	DDP		PIN, Split Thrust Washer
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Gear Train 5 Speed - 4500 [DDP,DDX]
Figure 4500-420

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
14	4637 708	1	6, 7, 8			ET0, EW0	DDX		BEARING CONE, Cluster Gear
		1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
15	4637 707	1	6, 7, 8			ET0, EW0	DDX		BEARING CUP, Cluster Gear
		1	1, 2, 3			EL0,	DDP		
		1	6, 7, 8			EM0 EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
16	4637 780	1	6, 7, 8			ET0, EW0	DDX		SHIM PACKAGE, Countershaft
		1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
17	5003 056AA	1	6, 7, 8			ET0, EW0	DDX		SNAP RING PACKAGE, Transmission
		1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
18		1	6, 7, 8			ET0, EW0	DDX		SYNCHRONIZER PACKAGE, Overdrive

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005




Gear Train 5 Speed - 4500 [DDP,DDX]
Figure 4500-420

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5003 156AA	1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
19									GEAR, Countershaft
	4637 786	1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
20									GEAR, Speedometer Drive, (NOT REQUIRED)
21									BEARING, Overdrive
	4882 541	1	1, 2, 3			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			EL0, EM0	DDP		
		1	6, 7, 8			ET0, EW0	DDX		
22									THRUST WASHER, Countershaft
	4637 778	1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Fork and Control - 4500 [DDP,DDX]
Figure 4500-910




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DDP] = 5 Speed Manual Transmission									
[DDX] = 5 Speed Heavy Duty Manual Transmission									
[EL0] = All 5.2L 8 Cyl Gas Engines									
[EM0] = All 5.9L 8 Cyl Gas Engines									
[ET0] = All 5.9L Turbo Diesel Engines									
[EW0] = All 8.0L Gas Engines									
1	5003 036AA	1	1, 2, 3			EL0, EM0	DDP		HOUSING, Shift Lever
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
2	4741 660	1	1, 2, 3			EL0, EM0	DDP		VENT, Transmission
		1	6, 7, 8			ET0, EW0	DDX		
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
3	4638 633	1	1, 2, 3			EL0, EM0	DDP		CLIP, Vent Tube
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
4	1664 355	AR	1, 2, 3			EL0, EM0	DDP		PIN, Shift Fork
		AR	6, 7, 8			EL0, EM0	DDX		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Fork and Control - 4500 [DDP,DDX]
Figure 4500-910




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		AR	1, 2, 3			ET0, EW0	DDX		
		AR	6, 7, 8			ET0, EW0			
5	5003 214AA	1	1, 2, 3			EL0, EM0	DDP		SPACER, Shift Tower
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
6	5003 212AA	4	1, 2, 3			EL0, EM0	DDP		BUSHING, Gearshift Lever
		4	6, 7, 8			EL0, EM0	DDX		
		4	1, 2, 3			ET0, EW0	DDX		
		4	6, 7, 8			ET0, EW0			
7	5003 213AA	4	1, 2, 3			EL0, EM0	DDP		BOLT
		4	6, 7, 8			EL0, EM0	DDX		
		4	1, 2, 3			ET0, EW0	DDX		
		4	6, 7, 8			ET0, EW0			
8	5003 211AA	1	1, 2, 3			EL0, EM0	DDP		LEVER, Gearshift
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
9									BOLT, Hex Head, .312-18x1.00

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Fork and Control - 4500 [DDP,DDX]
Figure 4500-910




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
10	0181 088	10	1, 2, 3			EL0, EM0	DDP		
		10	6, 7, 8			EL0, EM0	DDX		
		10	1, 2, 3			ET0, EW0	DDX		
		10	6, 7, 8			ET0, EW0			
10									CLIP
11	5211 8181	5	1, 2, 3			EL0, EM0	DDP		
		5	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			EL0, EM0	DDP		CLIP, Vacuum Harness
		1	6, 7, 8			ET0, EW0	DDX		
12	6016 203	1	1, 2, 3			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			EL0, EM0	DDP		GASKET, Back Up Lamp Switch
		1	6, 7, 8			ET0, EW0	DDX		
13	1302 807	1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
14	5600 7270	1	1, 2, 3			EL0, EM0	DDP		SWITCH, Back Up Lamp
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
14									LUG, Overdrive
14	4637 692	1	1, 2, 3			EL0, EM0	DDP		
		1	1, 2, 3			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Fork and Control - 4500 [DDP,DDX]
Figure 4500-910




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
15	4778 216	1	1, 2, 3			EL0, EM0	DDP		RAIL, Over Drive Lug
		1	6, 7, 8			ET0, EW0	DDX		
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
16	5012 019AA	1	1, 2, 3			EL0, EM0	DDP		PAD PACKAGE, Shift Fork
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
17	4773 178	1	1, 2, 3			EL0, EM0	DDP		FORK, Transmission
		1	6, 7, 8			ET0, EW0	DDX		
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
18	1664 355	2	1, 2, 3			EL0, EM0	DDP		PIN, Shift Fork
		2	6, 7, 8			EL0, EM0	DDX		
		2	1, 2, 3			ET0, EW0	DDX		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Fork and Control - 4500 [DDP,DDX]
Figure 4500-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	-------------	-----	------	--------	------	--------	-------	------	-------------

		2	6, 7, 8			ET0, EWO			
--	--	---	---------	--	--	-------------	--	--	--

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Gear Shift Controls - 4500 [DDP,DDX]
Figure 4500-1210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DDP] = 5 Speed Manual Transmission									
[DDX] = 5 Speed Heavy Duty Manual Transmission									
[EL0] = All 5.2L 8 Cyl Gas Engines									
[EM0] = All 5.9L 8 Cyl Gas Engines									
[ET0] = All 5.9L Turbo Diesel Engines									
[EW0] = All 8.0L Gas Engines									
1	4446 921	1					DD0		INSERT, Transmission Shift Knob, Shift Pattern
2	6502 556	1					DBB		NUT, Hex, M10-1.5, Gear Shift Control Selector Lever
3	5210 4174	1					DBB		KNOB, Gearshift, Gear Shift Lever ***
4	52107 614AB	1					DBB		BOOT, Gear Shift Lever
5	6101 946	6	1, 2, 3				DBB		SCREW, Tapping
6	5210 7612	1					DBB		LEVER, Gearshift
7	5EZ5 4LAZ	1					DBB		CONSOLE, Floor, AGATE
8	52107 613AB	1					DBB		BOOT, Gear Shift Lever
9	6101 946	6	1, 2, 3				DBB		SCREW, Tapping

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – 5600

Manual Transmission 6 Speed

GROUP 5600 - Manual Transmission 6 Speed

Illustration Title

Group-Fig. No.

Transmission Assembly

Transmission - 5600 6 Speed [DEE]

Fig. 5600-110

Case and Extension

Case and Related Parts - 5600 6 Speed [DEE]

Fig. 5600-210

Gear Train

Gear Train - 5600 6 Speed [DEE] Main Shaft

Fig. 5600-410

Gear Train - 5600 6 Speed [DEE] Counter Shaft

Fig. 5600-420

Fork and Rails


Fork and Rails - 5600 6 Speed [DEE]






Fig. 5600-910

Gear Shift Controls

Controls. Gearshift - 5600 6 Speed [DEE]

Fig. 5600-1210



<div>5600-100</div> <div>Transmission Assembly</div> <div></div>	<div>5600-200</div> <div>Case and Extension</div> <div></div>	<div>5600-400</div> <div>Gear Train</div> <div></div>	<div>5600-900</div> <div>Fork and Rails</div> <div></div>
<div>5600-1200</div> <div>Gear Shift Controls</div> <div></div>			


Transmission - 5600 6 Speed [DEE]
Figure 5600-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes
[DEE] = 6 Speed Heavy Duty Manual Transmission
[ET0] = All 5.9L Turbo Diesel Engines

1									TRANSMISSION, 6 speed
---	--	--	--	--	--	--	--	--	-----------------------

	5210 8401	1	1, 2, 3			ET0	DEE		
	5210 8402	1	6, 7, 8			ET0	DEE		



DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Case and Related Parts - 5600 6 Speed [DEE]
Figure 5600-210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes

[DEE] = 6 Speed Heavy Duty Manual Transmission

[ET0] = All 5.9L Turbo Diesel Engines


1	5003 578AA	1	1, 2, 3			ET0	DEE		CASE, Transmission
		1	6, 7, 8			ET0	DEE		
-2	4882 280	1	1, 2, 3			ET0	DEE		PLUG, Oil Fill
		1	6, 7, 8			ET0	DEE		
-3	5003 579AA-	6	1, 2, 3			ET0	DEE		BUSHING, Shift Rail
		6	6, 7, 8			ET0	DEE		
-4	4761 099	2	1, 2, 3			ET0	DEE		PIN, Locating
		2	6, 7, 8			ET0	DEE		
5	0556 875	2	1, 2, 3			ET0	DEE		COVER, Power Take Off
		2	6, 7, 8			ET0	DEE		
6	5016 174AA	1	1, 2, 3			ET0	DEE		LABEL, Equipment Identification
		1	6, 7, 8			ET0	DEE		
7	5015 221AA	12	1, 2, 3			ET0	DEE		SCREW
		12	6, 7, 8			ET0	DEE		
8	5003 580AA	1	1, 2, 3			ET0	DEE		BEARING CUP, Output Shaft
		1	6, 7, 8			ET0	DEE		
9	5012 134AA	1	1, 2, 3			ET0	DEE		CUP, Bearing Inner [Timken# 554241]
		1	6, 7, 8			ET0	DEE		[Timken# 554241]
10	5003 582AA	1	1, 2, 3			ET0	DEE		HOUSING, Clutch
		1	6, 7, 8			ET0	DEE		
11	5003 583AA	1	1, 2, 3			ET0	DEE		BEARING CUP, Input Shaft
		1	6, 7, 8			ET0	DEE		
12	5003 584AA	1	1, 2, 3			ET0	DEE		BEARING CUP, Output Shaft
		1	6, 7, 8			ET0	DEE		
13									GUIDE, Oil

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Case and Related Parts - 5600 6 Speed [DEE]
Figure 5600-210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
14	5010 048AA	1	1, 2, 3			ET0	DEE		GUIDE, Oil
		1	6, 7, 8			ET0	DEE		
	5012 112AA	1	1, 2, 3			ET0	DEE		
		1	6, 7, 8			ET0	DEE		
15	5208 7542	1	1, 2, 3			ET0	DEE		PIVOT, Clutch Release
		1	6, 7, 8			ET0	DEE		
-16	6022 190	1	1, 2, 3			ET0	DEE		WASHER, Clutch Pivot
		1	6, 7, 8			ET0	DEE		
-17	5222 757	2	1, 2, 3			ET0	DEE		DOWEL
		2	6, 7, 8			ET0	DEE		
18	5012 114AA	1	1, 2, 3			ET0	DEE		RETAINER, Transmission Input Shaft
		1	6, 7, 8			ET0	DEE		
-19	5012 113AA-	1	1, 2, 3			ET0	DEE		GUIDE, Oil
		1	6, 7, 8			ET0	DEE		
-20	5012 115AA-	1	1, 2, 3			ET0	DEE		SEAL, Input
		1	6, 7, 8			ET0	DEE		
21	5003 585AA	1	1, 2, 3			ET0	DEE		HOUSING, Transmission Rear Extension
	5003 586AA	1	6, 7, 8			ET0	DEE		
-22	4740 901	1	1, 2, 3			ET0	DEE		VENT, Transmission
		1	6, 7, 8			ET0	DEE		
-23	5003 587AA-	1	1, 2, 3			ET0	DEE		BUSHING, Crossover Shaft
		1	6, 7, 8			ET0	DEE		
-24	4741 920	1	1, 2, 3			ET0	DEE		SEAL, Adapter
	4269 956	1	6, 7, 8			ET0	DEE		
-25	5003 210AA-	1	1, 2, 3			ET0	DEE		BUSHING, Extension Housing CAM, Alignment
		1	6, 7, 8			ET0	DEE		
26	5011 966AA	1	1, 2, 3			ET0	DEE		WASHER
		1	6, 7, 8			ET0	DEE		
27									

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005





Figure 5600-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	6100 880	1	1, 2, 3			ET0	DEE		
28		1	6, 7, 8			ET0	DEE		BOLT, Hex Head, M8x1.25x16
	6501 474	1	1, 2, 3			ET0	DEE		
		1	6, 7, 8			ET0	DEE		
-29									PLUNGER
	5003 589AA-	1	1, 2, 3			ET0	DEE		
		1	6, 7, 8			ET0	DEE		
-30									SPRING, Crossover Lever
	5011 967AB-	1	1, 2, 3			ET0	DEE		
		1	6, 7, 8			ET0	DEE		
-31									PLUG, Oil Fill, Plug w/Washer Detent
	4210 616	1	1, 2, 3			ET0	DEE		
		1	6, 7, 8			ET0	DEE		
32									BRACKET, Exhaust Pipe to T/Case
	5210 3101	1	1, 2, 3			ET0	DEE		
		1	6, 7, 8			ET0	DEE		
33									BUSHING, Exhaust Hanger
	5208 5085	1	1, 2, 3			ET0	DEE		
		1	6, 7, 8			ET0	DEE		
34									SWITCH, Back Up Lamp
	5600 7270	1	1, 2, 3			ET0	DEE		
		1	6, 7, 8			ET0	DEE		
-35									GASKET, Back Up Lamp Switch
	5012 138AA-	1	1, 2, 3			ET0	DEE		
		1	6, 7, 8			ET0	DEE		
-36									CLIP
	5300 8550	2	1, 2, 3			ET0	DEE		
		2	6, 7, 8			ET0	DEE		
-37									CLIP, Wiring
	5012 136AA-	AR	1, 2, 3			ET0	DEE		
		AR	6, 7, 8			ET0	DEE		

SERIES LINE

SERIES	LINE
E = WS RAM 1500	1,6 = 1500
L = RAM 1500, 2500,	2,7 = 2500
3500	3,8 = 3500

BODY
61 = Reg. Cab(118 WB)
62 = Reg. Cab(134 WB)
63 = Reg. Cab(138 WB)
64 = Reg. Cab(162 WB)
65 = Reg. Cab(134 WB)


ENGINE
EHC = 3.9L 6 Cyl.
ELF = 5.2L 8 Cyl.
ETC,ETH = 5.9L 6 Cyl.
EML,EMM = 5.9L 8 Cyl.
EWA = 8.0L 10 Cyl.
EAA = All engines
EAG = All gas engines

TRANSMISSION
 DGK = 42RE 4 Spd. Auto.
 DGP = 47RE 4 Spd. Auto.
 DGT = 46RE 4 Spd. Auto.
 DDP,DDX,DDC = 5 Spd. Manual
 DEE = 6 Spd. Manual
 DDO = All 5 Speed Manual
 DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Gear Train - 5600 6 Speed [DEE] Main Shaft
Figure 5600-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes
[DEE] = 6 Speed Heavy Duty Manual Transmission
[ET0] = All 5.9L Turbo Diesel Engines


1	5010 047AA	1	1, 2, 3			ET0	DEE		BEARING CONE, Input Shaft
		1	6, 7, 8			ET0	DEE		
2	5010 045AA	1	1, 2, 3			ET0	DEE		SHAFT, Input
		1	6, 7, 8			ET0	DEE		
3	5010 046AA	1	1, 2, 3			ET0	DEE		BEARING CUP, Input Shaft
		1	6, 7, 8			ET0	DEE		
4	5010 053AA	1	1, 2, 3			ET0	DEE		CONE, Input Shaft
		1	6, 7, 8			ET0	DEE		
5	5010 054AA	AR	1, 2, 3			ET0	DEE		RING, Blocker
		AR	6, 7, 8			ET0	DEE		
6	5010 058AA	1	1, 2, 3			ET0	DEE		RETAINING RING, Bearing
		1	6, 7, 8			ET0	DEE		
7	5010 057AA	1	1, 2, 3			ET0	DEE		BEARING CONE, Output Shaft
		1	6, 7, 8			ET0	DEE		
-8									SHIM PACKAGE, Drive Pinion
	5011 376AA-	1	1, 2, 3			ET0	DEE		Bearing
		1	6, 7, 8			ET0	DEE		
9	5010 055AA	1	1, 2, 3			ET0	DEE		SYNCHRONIZER, Fifth
		1	6, 7, 8			ET0	DEE		
10	5012 350AA	AR	1, 2, 3			ET0	DEE		SPRING, Synchronizer
		AR	6, 7, 8			ET0	DEE		
11	5010 056AA	AR	1, 2, 3			ET0	DEE		KEY, Synchronizer
		AR	6, 7, 8			ET0	DEE		
12	4741 136	AR	1, 2, 3			ET0	DEE		BALL, Shift Lever, M5
		AR	6, 7, 8			ET0	DEE		
13									GEAR, Sixth

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Gear Train - 5600 6 Speed [DEE] Main Shaft
Figure 5600-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-14	5010 052AA	1	1, 2, 3			ET0	DEE		BEARING, Sixth Gear
		1	6, 7, 8			ET0	DEE		
	5010 051AA-	1	1, 2, 3			ET0	DEE		
		1	6, 7, 8			ET0	DEE		
15	5010 049AA	1	1, 2, 3			ET0	DEE		SHAFT, Output
	5010 050AA	1	6, 7, 8			ET0	DEE		
16	5010 077AA	1	1, 2, 3			ET0	DEE		SLEEVE, First Gear
		1	6, 7, 8			ET0	DEE		
17	5010 059AA	AR	1, 2, 3			ET0	DEE		BEARING
		AR	6, 7, 8			ET0	DEE		
18	5010 060AA	1	1, 2, 3			ET0	DEE		GEAR, Second
		1	6, 7, 8			ET0	DEE		
19	5010 061AA	AR	1, 2, 3			ET0	DEE		RING, Blocker
		AR	6, 7, 8			ET0	DEE		
20	5010 062AA	1	1, 2, 3			ET0	DEE		SYNCHRONIZER, First and Second
		1	6, 7, 8			ET0	DEE		
21	5010 063AA	1	1, 2, 3			ET0	DEE		GEAR, First
		1	6, 7, 8			ET0	DEE		
22	5012 128AA	1	1, 2, 3			ET0	DEE		FORK, Transmission, Reverse
		1	6, 7, 8			ET0	DEE		
23	5012 127AA	1	1, 2, 3			ET0	DEE		RING
		1	6, 7, 8			ET0	DEE		
24	5012 125AA	1	1, 2, 3			ET0	DEE		SYNCHRONIZER, Reverse
		1	6, 7, 8			ET0	DEE		
25	5012 130AA	1	1, 2, 3			ET0	DEE		GEAR, Reverse
		1	6, 7, 8			ET0	DEE		
26	4637 761	1	1, 2, 3			ET0	DEE		BEARING, Reverse Synchronizer

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Gear Train - 5600 6 Speed [DEE] Main Shaft
Figure 5600-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6, 7, 8			ET0	DEE		
27	5012 129AA	1	1, 2, 3			ET0	DEE		SLEEVE, Reverse
		1	6, 7, 8			ET0	DEE		
28	5012 131AA	1	1, 2, 3			ET0	DEE		WASHER, Reverse Thrust
		1	6, 7, 8			ET0	DEE		
29	5003 580AA	1	1, 2, 3			ET0	DEE		BEARING CUP, Output Shaft
		1	6, 7, 8			ET0	DEE		
30	5010 065AA	1	1, 2, 3			ET0	DEE		BEARING CONE, Output Shaft
		1	6, 7, 8			ET0	DEE		
-31	5011 352AA-	1	1, 2, 3			ET0	DEE		SNAP RING PACKAGE, Mainshaft
		1	6, 7, 8			ET0	DEE		
32	5012 133AA	1	1, 2, 3			ET0	DEE		NUT, Locking
		1	6, 7, 8			ET0	DEE		

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Gear Train - 5600 6 Speed [DEE] Counter Shaft
Figure 5600-420

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DEE] = 6 Speed Heavy Duty Manual Transmission									
[ET0] = All 5.9L Turbo Diesel Engines									
1	5012 124AA	1	1, 2, 3			ET0	DEE		CONE ASSEMBLY, Countershaft
		1	6, 7, 8			ET0	DEE		
2	5012 122AA	1	1, 2, 3			ET0	DEE		GEAR, Countershaft, Reverse
		1	6, 7, 8			ET0	DEE		
3	5012 123AA	1	1, 2, 3			ET0	DEE		SLEEVE, Reverse
		1	6, 7, 8			ET0	DEE		
4									COUNTERSHAFT, Serviced w/ Bearing
	5010 066AA	1	1, 2, 3			ET0	DEE		
		1	6, 7, 8			ET0	DEE		
5									BEARING, First Gear
	4798 769	1	1, 2, 3			ET0	DEE		
		1	6, 7, 8			ET0	DEE		
6									THRUST WASHER, Second And Third Gear
	5010 068AA	1	1, 2, 3			ET0	DEE		
		1	6, 7, 8			ET0	DEE		
7									GEAR, Third
	5010 069AA	1	1, 2, 3			ET0	DEE		
		1	6, 7, 8			ET0	DEE		
8									CONE, Input Shaft
	5010 053AA	1	1, 2, 3			ET0	DEE		
		1	6, 7, 8			ET0	DEE		
9									RING, Blocker
	5010 054AA	AR	1, 2, 3			ET0	DEE		
		AR	6, 7, 8			ET0	DEE		
10									SYNCHRONIZER, Third and Fourth
	5010 070AA	1	1, 2, 3			ET0	DEE		
		1	6, 7, 8			ET0	DEE		
11									BALL, Shift Lever, M5
	4741 136	AR	1, 2, 3			ET0	DEE		
		AR	6, 7, 8			ET0	DEE		
12									KEY, Synchronizer
	5010 056AA	3	1, 2, 3			ET0	DEE		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005




Gear Train - 5600 6 Speed [DEE] Counter Shaft
Figure 5600-420

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		3	6, 7, 8			ET0	DEE		
13	5012 350AA	AR	1, 2, 3			ET0	DEE		SPRING, Synchronizer
		AR	6, 7, 8			ET0	DEE		
14	5010 071AA	1	1, 2, 3			ET0	DEE		SLEEVE, Fourth Gear
		1	6, 7, 8			ET0	DEE		
15	5010 072AA	1	1, 2, 3			ET0	DEE		GEAR, Fourth
		1	6, 7, 8			ET0	DEE		
16	5010 074AA	1	1, 2, 3			ET0	DEE		GEAR, Countershaft, Sixth
		1	6, 7, 8			ET0	DEE		
17	5010 073AA	1	1, 2, 3			ET0	DEE		GEAR, Countershaft, Input
		1	6, 7, 8			ET0	DEE		
18	5010 075AA	1	1, 2, 3			ET0	DEE		CONE ASSEMBLY, Countershaft, Front
		1	6, 7, 8			ET0	DEE		
-19	5011 358AA-	1	1, 2, 3			ET0	DEE		SNAP RING PACKAGE, Countershaft
		1	6, 7, 8			ET0	DEE		
20	5012 118AA	2	1, 2, 3			ET0	DEE		WASHER, Idler Gear
		2	6, 7, 8			ET0	DEE		
21	5012 121AA	1	1, 2, 3			ET0	DEE		GEAR, Idler
		1	6, 7, 8			ET0	DEE		
22	5012 119AA	2	1, 2, 3			ET0	DEE		BEARING, Idler
		2	6, 7, 8			ET0	DEE		
23	5012 120AA	1	1, 2, 3			ET0	DEE		SPACER, Idler
		1	6, 7, 8			ET0	DEE		
24	5012 117AA	1	1, 2, 3			ET0	DEE		SHAFT, Idler
		1	6, 7, 8			ET0	DEE		


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Fork and Rails - 5600 6 Speed [DEE] Figure 5600-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DEE] = 6 Speed Heavy Duty Manual Transmission									
[ET0] = All 5.9L Turbo Diesel Engines									
1	5010 078AA	1	1, 2, 3			ET0	DEE		RAIL, Shift
		1	6, 7, 8			ET0	DEE		
2	5010 086AA	1	1, 2, 3			ET0	DEE		SOCKET, Shift Shaft
		1	6, 7, 8			ET0	DEE		
3	4741 139	1	1, 2, 3			ET0	DEE		PIN, Shift Shaft
		1	6, 7, 8			ET0	DEE		
4	5010 090AA	1	1, 2, 3			ET0	DEE		FORK, Third and Fourth
		1	6, 7, 8			ET0	DEE		
5	5010 083AA	1	1, 2, 3			ET0	DEE		PIN, Roll
		1	6, 7, 8			ET0	DEE		
6	5010 091AA	1	1, 2, 3			ET0	DEE		FORK, First and Second
		1	6, 7, 8			ET0	DEE		
7	5010 079AA	1	1, 2, 3			ET0	DEE		RAIL, Shift
		1	6, 7, 8			ET0	DEE		
8	5010 082AA	1	1, 2, 3			ET0	DEE		PIN, Roll
		1	6, 7, 8			ET0	DEE		
-9	5010 088AA-	1	1, 2, 3			ET0	DEE		BLOCKER, Shift
		1	6, 7, 8			ET0	DEE		
-10	5010 089AA-	1	1, 2, 3			ET0	DEE		GATE, Gearshift Rod
		1	6, 7, 8			ET0	DEE		
11	5010 097AA	1	1, 2, 3			ET0	DEE		RAIL, Reverse Shift, Rail and Gate Serviced in Assembly
		1	6, 7, 8			ET0	DEE		
12	5012 128AA	1	1, 2, 3			ET0	DEE		FORK, Transmission, Reverse
		1	6, 7, 8			ET0	DEE		
13									FORK, Fifth Shift


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Fork and Rails - 5600 6 Speed [DEE]
Figure 5600-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
14	5010 093AA	1	1, 2, 3			ET0	DEE		ARM, Transmission Shift
		1	6, 7, 8			ET0	DEE		
	5016 173AA	1	1, 2, 3			ET0	DEE		
		1	6, 7, 8			ET0	DEE		
-15	5010 084AA-	1	1, 2, 3			ET0	DEE		PIN, Shift Shaft
		1	6, 7, 8			ET0	DEE		
16	5010 095AA	1	1, 2, 3			ET0	DEE		BRACKET, Shift Fork
		1	6, 7, 8			ET0	DEE		
17	5010 096AA	2	1, 2, 3			ET0	DEE		BOLT, M8
		2	6, 7, 8			ET0	DEE		


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Controls. Gearshift - 5600 6 Speed [DEE]
Figure 5600-1210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes

[DBB] = All Manual Transmissions

[DEE] = 6 Speed Heavy Duty Manual Transmission

[ET0] = All 5.9L Turbo Diesel Engines

1									LEVER, Gearshift
	5012 139AA	1	1, 2, 3			ET0	DEE		
		1	6, 7, 8			ET0	DEE		
2									BOLT
	5003 213AA	4	1, 2, 3			ET0	DEE		
		4	6, 7, 8			ET0	DEE		
3									BUSHING, Gearshift Lever
	5003 212AA	1	1, 2, 3			ET0	DEE		
		1	6, 7, 8			ET0	DEE		
4									SPACER, Shift Tower
	5003 214AA	1	1, 2, 3			ET0	DEE		
		1	6, 7, 8			ET0	DEE		
5	5210 7612	1					DBB		LEVER, Gearshift
6	5210 4174	1	6, 7, 8						KNOB, Gearshift
7	5210 8192	1				ET0	DEE		INSERT, Transmission Shift Knob
8	6502 556	1	6, 7, 8						NUT, Hex, M10-1.5
9	52107 614AB	1					DBB		BOOT, Gear Shift Lever
10	52107 613AB	1					DBB		BOOT, Gear Shift Lever
11									CONSOLE, Floor
	5EZ5 4LAZ	1					DBB		[Agate]
	5EZ5 4RC8	1					DBB		[Dark Mist Gray]
	5EZ5 4VK9	1					DBB		[Dark Tan]
12									SCREW, (NOT SERVICED) (Not Serviced)

DODGE RAM STANDARD CAB (BR)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – 231

Transfer Case Model 231 [DHJ, DHK, DHN]



GROUP 231 - Transfer Case Model 231 [DHJ, DHK, DHN]

Illustration Title

Group-Fig. No.

Transfer Case Assembly

Transfer Case Assembly 231 [DHK] Fig. 231-110

Case and Related Parts

Case and Related Parts 231 [DHK] Fig. 231-210

Gear Train






Gear Train [DHK] Fig. 231-410

Fork and Rails


Forks, Rails, Miscellaneous Parts [DHK] Fig. 231-910

Gearshift Controls

Controls, Transfer Case Fig. 231-1210

231-100 Transfer Case Assembly 	231-200 Case and Related Parts 	231-400 Gear Train 	231-900 Fork and Rails 
231-1200 Gearshift Controls 			

Transfer Case Assembly 231 [DHK]
Figure 231-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes
[DDC] = 5 Speed Heavy Duty Manual Transmission
[DGO] = All Automatic Transmissions
[EL0] = All 5.2L 8 Cylinder Gas Engines
[EM0] = All 5.9L 8 Cylinder Gas Engines

1									TRANSFER CASE, NP231 HD
	5210 5021	1	6, 7, 8			EL0, EM0	DDC		
	5210 5022	1	6, 7, 8			EL0, EM0	DGO		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Case and Related Parts 231 [DHK]
Figure 231-210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes

[DDC] = 5 Speed Heavy Duty Manual Transmission

[DG0] = All Automatic Transmissions

[EL0] = All 5.2L 8 Cylinder Gas Engines

[EM0] = All 5.9L 8 Cylinder Gas Engines


1	4798 111	1	6, 7, 8			EL0, EM0	DDC		CASE, Transfer Front [52105021]
		1	6, 7, 8			EL0, EM0	DG0		[52105022]
	5015 430AA	1	6, 7, 8			EM0 EL0, EM0	DG0		[52105022ab]
		1	6, 7, 8			EL0, EM0	DDC		[52105021ab]
2	4746 253					EM0			STUD
		6	6, 7, 8			EL0, EM0	DDC		
		6	6, 7, 8			EL0, EM0	DG0		
3	4219 065								SNAP RING, Annulus Gear
		1	6, 7, 8			EL0, EM0	DDC		
		1	6, 7, 8			EL0, EM0	DG0		
4	6033 172	6	6, 7, 8						NUT AND WASHER, Hex, .375-24
5	4886 473AA								SCREW
		1	6, 7, 8			EL0, EM0	DDC		
		1	6, 7, 8			EL0, EM0	DG0		
6	5300 1101								SWITCH, Transfer Case
		1	6, 7, 8			EL0, EM0	DDC		
		1	6, 7, 8			EL0, EM0	DG0		
7	4338 956								SEAL, Vacuum Switch
		2	6, 7, 8			EL0, EM0	DDC		
		2	6, 7, 8			EL0, EM0	DG0		
8									FILTER, Transfer Case Oil

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Case and Related Parts 231 [DHK]
Figure 231-210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4338 943	1	6, 7, 8			EL0, EM0	DG0		
		1	6, 7, 8			EL0, EM0	DDC		
9									BOLT, Transfer Case
	4210 617	10	6, 7, 8			EL0, EM0	DG0		
		10	6, 7, 8			EL0, EM0	DDC		
10									BOLT, Hex Flange Head
	4210 614	2	6, 7, 8			EL0, EM0	DDC		
		2	6, 7, 8			EL0, EM0	DG0		
11									RETAINER, Transfer Case Rear
	4897 956AA	1	6, 7, 8			EL0, EM0	DG0		
		1	6, 7, 8			EL0, EM0	DDC		
12									BOLT
	6500 318	9	6, 7, 8			EL0, EM0	DDC		
		9	6, 7, 8			EL0, EM0	DG0		
13									VENT, Transfer Case
	4796 910	1	6, 7, 8			EL0, EM0	DDC		
		1	6, 7, 8			EL0, EM0	DG0		
14									EXTENSION, Transfer Case
	4746 150	1	6, 7, 8			EL0, EM0	DDC		
		1	6, 7, 8			EL0, EM0	DG0		
15									SEAL, Output Shaft
	4746 258	1	6, 7, 8			EL0, EM0	DG0		
		1	6, 7, 8			EL0, EM0	DDC		
16									SPRING, Poppet

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Case and Related Parts 231 [DHK]
Figure 231-210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4798 257	1	6, 7, 8			EL0, EM0	DDC		
		1	6, 7, 8			EL0, EM0	DG0		
17									PLUNGER
	5300 8217	1	6, 7, 8			EL0, EM0	DDC		
		1	6, 7, 8			EL0, EM0	DG0		
18									WASHER, Flat
	4210 983	2	6, 7, 8			EL0, EM0	DDC		
		2	6, 7, 8			EL0, EM0	DG0		
19									CONNECTOR, Oil Tube Pickup
	4338 944	1	6, 7, 8			EL0, EM0	DG0		
		1	6, 7, 8			EL0, EM0	DDC		
20									PLUG, Oil Fill
	4856 641	2	6, 7, 8			EL0, EM0	DDC		
		2	6, 7, 8			EL0, EM0	DG0		
21									TUBE, Oil Pickup
	4338 941	1	6, 7, 8			EL0, EM0	DG0		
		1	6, 7, 8			EL0, EM0	DDC		
22									MAGNET, Transmission
	3681 601	1	6, 7, 8			EL0, EM0	DDC		
		1	6, 7, 8			EL0, EM0	DG0		
23	5209 7541	1							TUBE, Transfer Case Vent
24	4210 617	10	6, 7, 8			EL0, EM0	DG0		BOLT, Transfer Case
		10	6, 7, 8			EL0, EM0	DDC		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Case and Related Parts 231 [DHK]
Figure 231-210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
25	4443 176	1	6, 7, 8						HOSE, Fuel, .31 I.D. 50 Foot Roll
26	6502 081	2							CLAMP, Oil Cooler Line
27	4741 242	1	6, 7, 8			EL0, EM0	DDC		CASE, Transfer Rear
		1	6, 7, 8			EL0, EM0	DG0		
28	4338 942	1	6, 7, 8			EL0, EM0	DG0		SEAL, Oil
		1	6, 7, 8			EM0 EL0, EM0	DDC		
29	4116 310	2	6, 7, 8			EL0, EM0	DG0		DOWEL, Transfer Case
		2	6, 7, 8			EL0, EM0	DDC		
30	4897 958AA	1	6, 7, 8			EL0, EM0	DDC		GASKET, Transfer Case 52105021
		1	6, 7, 8			EL0, EM0	DG0		52105022
		1	6, 7, 8			EM0 EL0, EM0	DG0		52105022 AB
		1	6, 7, 8			EL0, EM0	DDC		52105021AB

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Gear Train [DHK]
Figure 231-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes

[DDC] = 5 Speed Heavy Duty Manual Transmission

[DG0] = All Automatic Transmissions

[EL0] = All 5.2L 8 Cylinder Gas Engines

[EM0] = All 5.9L 8 Cylinder Gas Engines

1	4797 022	1	6, 7, 8			EL0, EM0	DDC		MAINSHAFT, Transfer Case
		1	6, 7, 8			EL0, EM0	DG0		
2	4167 929	1	6, 7, 8			EL0, EM0	DDC		SEAL, Input Gear
		1	6, 7, 8			EL0, EM0	DG0		
3	4338 973	1	6, 7, 8			EL0, EM0	DG0		EXTENSION, Transfer Case
		1	6, 7, 8			EL0, EM0	DDC		
4	4210 603	1	6, 7, 8			EL0, EM0	DG0		SEAL, Main Shaft
		1	6, 7, 8			EL0, EM0	DDC		
5	4338 936	1	6, 7, 8			EL0, EM0	DDC		PUMP, Transfer Case Oil
		1	6, 7, 8			EL0, EM0	DG0		
6	4897 981AA	1	6, 7, 8			EL0, EM0	DDC		BEARING, Output Shaft
		1	6, 7, 8			EL0, EM0	DG0		
7	6025 755	1	6, 7, 8			EL0, EM0	DDC		SNAP RING, 1.28 ID
		1	6, 7, 8			EL0, EM0	DG0		
8									BEARING, Input Shaft

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Gear Train [DHK]
Figure 231-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	8350 3507	1	6, 7, 8			EL0,	DDC		
		1				EM0	DG0		
9	4338 909	1	6, 7, 8			EL0, EM0	DDC		RING
10	4796 903	1	6, 7, 8			EL0, EM0	DG0		PLANETARY, Transfer Case
		1	6, 7, 8			EL0, EM0	DDC		
11	4338 908	2	6, 7, 8			EL0, EM0	DDC		THRUST WASHER, Planetary Carrier
12	4746 144	1	6, 7, 8			EL0, EM0	DDC		SLEEVE, Synchronizer
		1	6, 7, 8			EL0, EM0	DG0		
13	4338 892	1	6, 7, 8			EL0, EM0	DDC		BEARING
14	4797 013	1	6, 7, 8			EL0, EM0	DG0		SLEEVE, Range Fork [52105021]
		1	6, 7, 8			EL0, EM0	DDC		[52105022]
		1	6, 7, 8			EL0, EM0	DDC		[52105021ab]
		1	6, 7, 8			EL0, EM0	DG0		[52105022ab]
15									SNAP RING

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Gear Train [DHK]
Figure 231-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4338 933	1	6, 7, 8			EL0, EM0	DG0		
		1	6, 7, 8			EL0, EM0	DDC		
16	4338 910	1	6, 7, 8			EL0, EM0	DDC		SNAP RING
		1	6, 7, 8			EL0, EM0	DG0		
17	4797 023	1	6, 7, 8			EL0, EM0	DDC		SPROCKET, Transfer Case
		1	6, 7, 8			EL0, EM0	DG0		
18	4746 139	1	6, 7, 8			EL0, EM0	DG0		RING, Blocker
		1	6, 7, 8			EL0, EM0	DDC		
19	4796 965	1	6, 7, 8			EL0, EM0	DDC		GEAR, Input [52105021]
	4897 953AA	1	6, 7, 8			EL0, EM0	DG0		[52105022]
	5015 432AA	1	6, 7, 8			EL0, EM0	DG0		[52105022ab]
	5015 441AA	1	6, 7, 8			EL0, EM0	DDC		[52105021ab]
20	4269 189	1	6, 7, 8			EL0, EM0	DDC		BEARING, Output Shaft
		1	6, 7, 8			EL0, EM0	DG0		
21	4636 961	1	6, 7, 8			EL0, EM0	DG0		CHAIN, Transfer Case
		1	6, 7, 8			EL0, EM0	DDC		
22						EM0			OUTPUT SHAFT, Transfer Case

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Gear Train [DHK]
Figure 231-410


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4636 965	1	6, 7, 8			EL0, EM0	DDC		
		1	6, 7, 8			EL0, EM0	DG0		
23									NUT, Hex Flange
	4446 488	1	6, 7, 8			EL0, EM0	DDC		
		1	6, 7, 8			EL0, EM0	DG0		
24									SNAP RING, Bearing
	4338 894	1	6, 7, 8			EL0, EM0	DDC		
		1	6, 7, 8			EL0, EM0	DG0		
25									SEAL
	4798 112	1	6, 7, 8			EL0, EM0	DDC		
		1	6, 7, 8			EL0, EM0	DG0		
26									YOKE, Transfer Case
	4897 960AA	1	6, 7, 8			EL0, EM0	DDC		
		1	6, 7, 8			EL0, EM0	DG0		
27									WASHER, Flat
	4446 487	1	6, 7, 8			EL0, EM0	DDC		
		1	6, 7, 8			EL0, EM0	DG0		
28									HUB, Synchronizer
	4746 143	1	6, 7, 8			EL0, EM0	DDC		
		1	6, 7, 8			EL0, EM0	DG0		
29									BOLT
	6500 318	9	6, 7, 8			EL0, EM0	DDC		
		9	6, 7, 8			EL0, EM0	DG0		
30									BEARING, Input Gear

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Gear Train [DHK] Figure 231-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4746 155	1	6, 7, 8			EL0, EM0	DDC		[52105021]
		1	6, 7, 8			EL0, EM0	DG0		[52105022]
	4338 891	1	6, 7, 8			EL0, EM0	DG0		[52105022ab]
		1	6, 7, 8			EL0, EM0	DDC		[52105021ab]
31									SNAP RING
	3821 558	1	6, 7, 8			EL0, EM0	DDC		
		1	6, 7, 8			EL0, EM0	DG0		
32									KEY, Synchronizer
	4746 137	3	6, 7, 8			EL0, EM0	DG0		
		3	6, 7, 8			EL0, EM0	DDC		
33									SPRING, Synchronizer
	4746 138	2	6, 7, 8			EL0, EM0	DG0		
		2	6, 7, 8			EL0, EM0	DDC		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Forks, Rails, Miscellaneous Parts [DHK]
Figure 231-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes

[DDC] = 5 Speed Heavy Duty Manual Transmission

[DG0] = All Automatic Transmissions

[EL0] = All 5.2L 8 Cylinder Gas Engines

[EM0] = All 5.9L 8 Cylinder Gas Engines


1	4798 136	1	6, 7, 8			EL0, EM0	DDC		FORK, Range
		1	6, 7, 8			EL0, EM0	DG0		
2	4746 140	1	6, 7, 8			EL0, EM0	DDC		PAD, Shift Fork
		1	6, 7, 8			EL0, EM0	DG0		
3	3467 791	1	6, 7, 8			EL0, EM0	DDC		GROMMET, Shift Lever
		1	6, 7, 8			EL0, EM0	DG0		
4	4746 136	1	6, 7, 8			EL0, EM0	DDC		FORK, Mode
		1	6, 7, 8			EL0, EM0	DG0		
5	4167 969	2	6, 7, 8			EL0, EM0	DDC		PAD, Shift Fork
		2	6, 7, 8			EL0, EM0	DG0		
6	0152 345	1	6, 7, 8			EL0, EM0	DDC		NUT, Hex Flange Lock
		1	6, 7, 8			EL0, EM0	DG0		
7	4897 959AA	1	6, 7, 8			EL0, EM0	DDC		LEVER, Transfer Case
		1	6, 7, 8			EL0, EM0	DG0		
8									SECTOR, Transfer Case

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Forks, Rails, Miscellaneous Parts [DHK]
Figure 231-910




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4897 952AA	1	6, 7, 8			EL0, EM0	DDC		
		1	6, 7, 8			EL0, EM0	DG0		
9									WASHER, Flat
	S243 6163	1	6, 7, 8			EL0, EM0	DDC		
		1	6, 7, 8			EL0, EM0	DG0		
10									RETAINER, Rear Clutch
	4167 964	1	6, 7, 8			EL0, EM0	DDC		
		1	6, 7, 8			EL0, EM0	DG0		
11									SEAL, O-Ring
	4167 963	1	6, 7, 8			EL0, EM0	DDC		
		1	6, 7, 8			EL0, EM0	DG0		
12									CUP, Shift Fork Spring
	8350 3515	1	6, 7, 8			EL0, EM0	DDC		
		1	6, 7, 8			EL0, EM0	DG0		
13									SPRING, Mode Fork
	0013 816	1	6, 7, 8			EL0, EM0	DDC		
		1	6, 7, 8			EL0, EM0	DG0		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Controls, Transfer Case
Figure 231-1210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes

[DDC] = 3500 5 Speed Manual Transmission

[DDP] = 5 Speed Manual Transmission

[DDX] = 5 Speed Heavy Duty Manual Transmission

[DG0] = All Automatic Transmissions

1	52105 214AE	1	6, 7, 8						SHIFTER, Transfer Case
2	6101 467	2	6, 7, 8						NUT, Hex Flange, M8x1.25
3	52105 216AB	1	6, 7, 8						RING
4	6502 064	2	6, 7, 8						SCREW, Tapping, M6x1x20
5	6101 727	2	6, 7, 8						BOLT, Hex Head
6	5210 5005	1	6, 7, 8						LEVER, Transfer Case
7									BEZEL, Transfer Case
	5FB39 LAZAB	1	6, 7, 8				DG0		AGATE
	5FB39 RC8AB	1	6, 7, 8				DG0		DARK CIRCUS
	5FB39 VK9AB	1	6, 7, 8				DG0		DARK SUEDE
8	52105 059AB	1	6, 7, 8						BOOT, Gearshift
9	5210 4174	1	6, 7, 8						KNOB, Gearshift
10	6502 556	1	6, 7, 8						NUT, Hex, M10-1.5
11	5210 5001	1	6, 7, 8						INSERT, Gearshift Knob
12									ROD, Gear Shift Control, Transfer Case
	5210 5006	1					DDC, DG0 DDP, DDX		
13									SWIVEL, Gearshift Control Rod
	3467 790	1					DDC, DG0 DDP, DDX		
14									CLAMP, Shift Rod
	4377 309	1					DDC, DG0 DDP, DDX		
15	0181 086	1							BOLT, Hex Head, .312-18x.75
16	5205 8673	1	6, 7, 8						CROSSMEMBER, Skid Plate, With S/C XEF
17	52058 674AB	1	6, 7, 8						SKID PLATE, Front, With S/C XEF
18	6101 340	2	6, 7, 8						U-NUT, M10-1.50, With S/C XEF


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Controls, Transfer Case
Figure 231-1210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

-19									BOLT, Hex Head, (NOT SERVICED) (Not Serviced)
-----	--	--	--	--	--	--	--	--	--


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – 241

Transfer Case Model 241 [DHE, DHG, DHH]



GROUP 241 - Transfer Case Model 241 [DHE, DHG, DHH]

Illustration Title

Group-Fig. No.

Transfer Case Assembly

Transfer Case 241 [DHH, DHG] Fig. 241-110

Case and Related Parts

Case, Transfer and Related Parts [DHH,DHG] Fig. 241-210

Gear Train






Gear Train [DHH,DHG] Fig. 241-410

Fork and Rails


Forks [DHH,DHG] Fig. 241-910

Gearshift Controls

Controls [DHH,DHG] Fig. 241-1210

241-100 Transfer Case Assembly 	241-200 Case and Related Parts 	241-400 Gear Train 	241-900 Fork and Rails 
241-1200 Gearshift Controls 			

Transfer Case 241 [DHH, DHG]
Figure 241-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes
[DDP] = 5 Speed Manual Transmission
[DDX] = 5 Speed Heavy Duty Manual Transmission
[DEE] = 6 Speed Heavy Duty Manual Transmission
[DG0] = All Automatic Transmissions
[EL0] = All 5.2L 8 Cylinder Gas Engines
[EM0] = All 5.9L 8 Cylinder Gas Engines
[ET0] = All 5.9L Turbo Diesel Engines
[EW0] = All 8.0L Gas Engines


1	5210 5027	1	6, 7, 8			ET0, EW0	DDX, DEE		TRANSFER CASE, NP241 HD, 29 Tooth
-2									TRANSFER CASE, NP241 HD, 23 Tooth
	5210 5026	1	6, 7, 8			EM0	DDP		
	5210 5028	1	6, 7, 8			EM0, ET0, EW0	DG0		
-3	5210 5024	1	6, 7, 8			ET0, EW0	DDX, DEE		TRANSFER CASE, NP241, 29 Tooth
-4									TRANSFER CASE, NP241, 23 Tooth
	5210 5023	1	6, 7, 8			EL0, EM0	DDP		
	5210 5025	1	6, 7, 8				DG0		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Case, Transfer and Related Parts [DHH,DHG]
Figure 241-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes

[DDP] = 5 Speed Manual Transmission

[DDX] = 5 Speed Heavy Duty Manual Transmission

[DEE] = 6 Speed Heavy Duty Manual Transmission

[DG0] = All Automatic Transmissions

[EL0] = All 5.2L 8 Cylinder Gas Engines

[EM0] = All 5.9L 8 Cylinder Gas Engines

[ET0] = All 5.9L Turbo Diesel Engines

[EW0] = All 8.0L Gas Engines

1	4897 961AA	1	6, 7, 8				DG0		CASE, Transfer Front
		1	6, 7, 8			ET0, EW0	DDX, DEE		[DHH]
									[DHH]
		1	6, 7, 8			EL0, EM0	DDP		[DHH]
	4897 993AA	1	6, 7, 8			EM0, ET0, EW0	DG0		[DHG]
		1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty[DHG]
		1	6, 7, 8			EM0	DDP		[DHG]
2	6501 289	2	6, 7, 8				DG0		STUD
		2	6, 7, 8			EL0, EM0	DDP		
		2	6, 7, 8			ET0, EW0	DEE, DG0		
		2	6, 7, 8			EM0, ET0, EW0	DG0		
		2	6, 7, 8			EM0	DDP		
	4219 065	2	6, 7, 8			ET0, EW0	DEE, DG0		Heavy Duty
		2	6, 7, 8						
		1	6, 7, 8				DG0		SNAP RING, Annulus Gear
		1	6, 7, 8			EL0, EM0	DDP		
		1	6, 7, 8			ET0, EW0	DDX, DEE		
		1	6, 7, 8			EM0	DDP		


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Case, Transfer and Related Parts [DHH,DHG]
Figure 241-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	6, 7, 8			EM0, ET0, EW0	DG0		
4	4797 550	1	6, 7, 8			EL0, EM0	DDP		CASE, Transfer Rear
		1	6, 7, 8			ET0, EW0	DDX, DEE		
		1	6, 7, 8			EM0	DG0		
		1	6, 7, 8			ET0,	DDP		Heavy Duty
		1	6, 7, 8			EW0	DDX, DEE		
		1	6, 7, 8			EM0, ET0, EW0	DG0		
5	4210 617	12	6, 7, 8				DG0		BOLT, Transfer Case
		12	6, 7, 8			EL0, EM0	DDP		
		12	6, 7, 8			ET0, EW0	DEE, DG0		
		8	6, 7, 8			EM0	DDP		
		8	6, 7, 8			ET0,	DEE,		
		8	6, 7, 8			EW0	DG0		
		8	6, 7, 8			EM0, ET0, EW0	DG0		
6	6501 371	4	6, 7, 8				DG0		BOLT, Retainer
		4	6, 7, 8			EL0, EM0	DDP		
		4	6, 7, 8			ET0, EW0	DEE, DG0		
		4	6, 7, 8			EM0	DDP		
		4	6, 7, 8			ET0,	DEE,		Heavy Duty
						EW0	DG0		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Case, Transfer and Related Parts [DHH,DHG]
Figure 241-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		4	6, 7, 8			EM0, ET0, EW0	DG0		
7	6033 172	6	6, 7, 8						NUT AND WASHER, Hex, .375-24
8	4741 920	1	6, 7, 8			EM0, ET0, EW0	DG0		SEAL, Output Shaft Heavy Duty
		1	6, 7, 8			ET0, EW0	DDX,		Heavy Duty
		1	6, 7, 8			EW0	DEE		Heavy Duty
9	4746 258	1	6, 7, 8			EM0	DDP		SEAL, Output Shaft Light Duty
		1	6, 7, 8				DG0		Light Duty
		1	6, 7, 8			EL0, EM0	DDP		Light Duty
		1	6, 7, 8			ET0, EW0	DDX, DEE		Light Duty
10	4796 910	1	6, 7, 8				DG0		VENT, Transfer Case Air Breather
		1	6, 7, 8			EL0, EM0	DDP		
		1	6, 7, 8			ET0, EW0	DDX, DEE		
		1	6, 7, 8			EM0	DDP		
		1	6, 7, 8			ET0,	DDX,		Heavy Duty
		1	6, 7, 8			EW0	DEE		
		1	6, 7, 8			EM0, ET0, EW0	DG0		
11	6502 081	2							CLAMP, Oil Cooler Line, Vent Hose
12	4443 176	1	6, 7, 8						HOSE, Fuel, .31 I.D. 50 Foot Roll
13	5209 7541	1							TUBE, Transfer Case Vent
14									FILTER, Transfer Case Oil
	4338 943	1	6, 7, 8				DG0		
		1	6, 7, 8			EL0, EM0	DDP		
		1	6, 7, 8			ET0,	DDX,		
		1	6, 7, 8			EW0	DEE		
		1	6, 7, 8			EM0	DDP		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Case, Transfer and Related Parts [DHH,DHG]
Figure 241-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	6, 7, 8			EM0, ET0, EW0	DG0		
15	4338 944	1	6, 7, 8				DG0		CONNECTOR, Oil Tube Pickup
		1	6, 7, 8			EL0, EM0	DDP		
		1	6, 7, 8			ET0, EW0	DDX, DEE		
		1	6, 7, 8			EM0	DDP		
		1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	6, 7, 8			EM0, ET0, EW0	DG0		
16	8350 3523	1	6, 7, 8				DG0		TUBE, Oil Pickup
		1	6, 7, 8			EL0, EM0	DDP		
		1	6, 7, 8			ET0, EW0	DDX, DEE		
		1	6, 7, 8			EM0	DDP		
		1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	6, 7, 8			EM0, ET0, EW0	DG0		
17	4338 942	1	6, 7, 8				DG0		SEAL, Oil
		1	6, 7, 8			EL0, EM0	DDP		
		1	6, 7, 8			ET0, EW0	DDX, DEE		
		1	6, 7, 8			EM0	DDP		
		1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Case, Transfer and Related Parts [DHH,DHG]
Figure 241-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
18	3681 601	1	6, 7, 8			EM0, ET0, EW0	DG0		MAGNET, Transmission
		1	6, 7, 8				DG0		
		1	6, 7, 8			EL0, EM0 ET0, EW0	DDP		
		1	6, 7, 8			ET0, EW0	DDX, DEE		
19	4856 641	1	6, 7, 8			EM0, ET0, EW0	DG0		PLUG, Oil Fill
		1	6, 7, 8			ET0, EW0	DDX, DEE		
		1	6, 7, 8			EW0 EM0	DDP		
		1	6, 7, 8				DG0		
20	5300 1101	1	6, 7, 8			EL0, EM0 ET0, EW0	DDP		SWITCH, Transfer Case Vacuum
		1	6, 7, 8			ET0, EW0	DDX, DEE		
		1	6, 7, 8			EM0 ET0, EW0	DDP		
		1	6, 7, 8			ET0, EW0	DDX, DEE		
21		1	6, 7, 8			EM0 ET0, EW0	DDP		SEAL, Vacuum Switch
		1	6, 7, 8			ET0, EW0	DDX, DEE		
		1	6, 7, 8			EM0, ET0, EW0	DDP		
		1	6, 7, 8			ET0, EW0	DDX, DEE		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Case, Transfer and Related Parts [DHH,DHG]
Figure 241-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4338 956	2	6, 7, 8			EM0	DDP		
		2	6, 7, 8			ET0, EW0	DEE, DG0		
		2	6, 7, 8			EM0, ET0, EW0	DG0		
		2	6, 7, 8			EL0, EM0	DDP		
		2	6, 7, 8			ET0, EW0	DEE, DG0		Heavy Duty
22		2	6, 7, 8				DG0		
	4886 473AA	1	6, 7, 8			EL0, EM0	DDP		SCREW
		1	6, 7, 8			ET0, EW0	DDX, DEE		
		1	6, 7, 8				DG0		
		1	6, 7, 8			EM0	DDP		
		1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	6, 7, 8			EM0, EW0	DG0		
23						ET0, EW0			SPRING, Poppet
	4798 257	1	6, 7, 8				DG0		
		1	6, 7, 8			EL0, EM0	DDP		
		1	6, 7, 8			ET0, EW0	DDX, DEE		
		1	6, 7, 8			EM0	DDP		
		1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	6, 7, 8			EM0, EW0	DG0		
24						ET0, EW0			PLUNGER
	5300 8217	1	6, 7, 8				DG0		
		1	6, 7, 8			EL0, EM0	DDP		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Case, Transfer and Related Parts [DHH,DHG]
Figure 241-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6, 7, 8			ET0, EW0	DDX, DEE		
		1	6, 7, 8			EM0	DDP		
		1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	6, 7, 8			EM0, ET0, EW0	DG0		
25	4210 983	2	6, 7, 8			EL0, EM0	DDP		WASHER, Flat
		2	6, 7, 8				DG0		
		2	6, 7, 8			ET0, EW0	DEE, DG0		
		2	6, 7, 8			EM0, ET0, EW0	DG0		
		2	6, 7, 8			EM0 ET0, EW0	DDP DEE, DG0		Heavy Duty
26	4210 614	1	6, 7, 8				DG0		BOLT, Hex Flange Head
		1	6, 7, 8			EL0, EM0	DDP		
		1	6, 7, 8			ET0, EW0	DDX, DEE		
		1	6, 7, 8			EM0 ET0, EW0	DDP DDX, DEE		Heavy Duty
		1	6, 7, 8			EM0, ET0, EW0	DG0		
27	0556 875	1	6, 7, 8						COVER, Power Take Off
		1	6, 7, 8			EM0 ET0, EW0	DDP DDX, DEE		
		1	6, 7, 8			EM0, ET0, EW0	DG0		
28									BOLT, Transfer Case


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Case, Transfer and Related Parts [DHH,DHG]
Figure 241-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4637 851	6	6, 7, 8			EM0, ET0, EW0	DG0		
		6	6, 7, 8			EM0	DDP		
		6	6, 7, 8			ET0, EW0	DEE, DG0		
29	4746 253	6	6, 7, 8			EL0, EM0	DDP		STUD
		6	6, 7, 8			ET0, EW0	DEE, DG0		
		6	6, 7, 8			EM0	DDP		
		6	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		6	6, 7, 8			EM0, ET0, EW0	DG0		
30	4798 002	1	6, 7, 8				DG0		EXTENSION, Transfer Case
		1	6, 7, 8			ET0,	DDX,		241 Light Duty
		1	6, 7, 8			EW0	DEE		241 Light Duty
		1	6, 7, 8			EL0, EM0	DDP		241 Light Duty
31	4897 980AA	1	6, 7, 8			EL0, EM0	DDP		EXTENSION, Transfer Case
		1	6, 7, 8			ET0, EW0	DDX, DEE		241 Light Duty
		1	6, 7, 8				DG0		241 Light Duty
32	4897 996AA	1	6, 7, 8			EM0, ET0, EW0	DG0		RETAINER, Transfer Case Rear
		1	6, 7, 8			ET0, EW0	DDX, DEE		241 Heavy Duty
		1	6, 7, 8			EM0	DDP		241 Heavy Duty
33	4856 645	1	6, 7, 8			EL0, EM0	DDP		GASKET, Rear Oil Seal Retainer

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Case, Transfer and Related Parts [DHH,DHG]
Figure 241-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6, 7, 8			ET0, EW0	DDX, DEE		
		1	6, 7, 8				DG0		
		1	6, 7, 8			EM0	DDP		
		1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	6, 7, 8			EM0, ET0, EW0	DG0		
34	4210 617	12	6, 7, 8			EL0, EM0	DDP		BOLT, Transfer Case
		12	6, 7, 8				DG0		
		8	6, 7, 8			EM0, ET0, EW0	DG0		
		8	6, 7, 8			EM0	DDP		
35	4116 310	2	6, 7, 8			EL0, EM0	DDP		DOWEL, Transfer Case
		2	6, 7, 8			EM0, ET0, EW0	DG0		
		2	6, 7, 8			EM0	DDP		
-36	4864 504	1	6, 7, 8			EM0	DDP		PLUG
		1	6, 7, 8			ET0, EW0	DDX, DEE		
		1	6, 7, 8			EM0, ET0, EW0	DG0		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Gear Train [DHH,DHG]
Figure 241-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes

[DDP] = 5 Speed Manual Transmission

[DDX] = 5 Speed Heavy Duty Manual Transmission

[DEE] = 6 Speed Heavy Duty Manual Transmission

[DG0] = All Automatic Transmissions

[EL0] = All 5.2L 8 Cylinder Gas Engines

[EM0] = All 5.9L 8 Cylinder Gas Engines

[ET0] = All 5.9L Turbo Diesel Engines

[EW0] = All 8.0L Gas Engines

1	3821 558	1	6, 7, 8				DG0		SNAP RING
		1	6, 7, 8			ET0, EW0	DDX, DEE		
		1	6, 7, 8			EL0, EM0	DDP		
		1	6, 7, 8			EM0, DG0	DDP		Heavy Duty
2	4338 910	1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	6, 7, 8			EL0, EM0	DDP		
		1	6, 7, 8			EM0, DG0	DDP		Heavy Duty
		1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
3	4746 155	1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	6, 7, 8			EM0, DG0	DDP		Heavy Duty
		1	6, 7, 8			EL0, EM0	DDP		
		1	6, 7, 8			EM0	DDP		Heavy Duty

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Gear Train [DHH,DHG]
Figure 241-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	6, 7, 8			EM0, ET0, EW0	DG0		Heavy Duty
4	4338 909	1	6, 7, 8				DG0		RING
		1	6, 7, 8			ET0, EW0	DDX, DEE		
		1	6, 7, 8			EL0, EM0	DDP		
		1	6, 7, 8			EM0, ET0,	DG0		Heavy Duty
		1	6, 7, 8			EW0 ET0, EW0	DDX, DEE		Heavy Duty
		1	6, 7, 8			EM0	DDP		Heavy Duty
5	4338 908	2	6, 7, 8			EL0, EM0	DDP		THRUST WASHER, Planetary Carrier
		2	6, 7, 8			EM0	DDP		Heavy Duty
		2	6, 7, 8			EM0, ET0, EW0	DG0		Heavy Duty
		2	6, 7, 8			ET0, EW0	DEE, DG0		
		2	6, 7, 8				DG0		
		2	6, 7, 8			ET0, EW0	DEE, DG0		Heavy Duty
6	4897 963AA	1	6, 7, 8				DG0		GEAR, Input
	4856 628	1	6, 7, 8			EL0,	DDP		
	4856 629	1	6, 7, 8			EM0 ET0, EW0	DDX, DEE		
	4856 628	1	6, 7, 8			EM0	DDP		Heavy Duty
	4856 629	1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Gear Train [DHH,DHG]
Figure 241-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
7	4897 963AA	1	6, 7, 8			EM0, ET0, EW0	DG0		Heavy Duty
	4746 127	1	6, 7, 8			EM0, ET0, EW0	DG0		BEARING, Input Shaft Heavy Duty
		1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	6, 7, 8			EM0	DDP		Heavy Duty
		1	6, 7, 8			EL0, EM0	DDP		
		1	6, 7, 8			ET0, EW0	DDX, DEE DG0		
		1	6, 7, 8			EL0, EM0	DDP		PLANETARY, Transfer Case
8	4797 030	1	6, 7, 8			ET0, EW0	DDX, DEE DG0		
	4797 032	1	6, 7, 8			EM0, ET0, EW0	DG0		Heavy Duty
		1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
9		1	6, 7, 8			EM0	DDP		Heavy Duty
	4746 129	1	6, 7, 8			ET0, EW0	DDX, DEE		SLEEVE, Range Fork Heavy Duty
	4897 994AA	1	6, 7, 8			EM0, ET0, EW0	DDP DG0		Heavy Duty Heavy Duty
	4797 013	1	6, 7, 8			EL0, EM0	DDP		
10		1	6, 7, 8			ET0, EW0	DDX, DEE DG0		
	4897 955AA	1	6, 7, 8						SNAP RING, Mainshaft

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Gear Train [DHH,DHG]
Figure 241-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4746 128	1	6, 7, 8			EM0, ET0, EW0	DG0		Heavy Duty
		1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
11		1	6, 7, 8			EM0	DDP		Heavy Duty SPRING, Synchronizer
	4746 138	2	6, 7, 8			EM0, ET0, EW0	DG0		Heavy Duty
		2	6, 7, 8			EM0	DDP		Heavy Duty
		2	6, 7, 8			ET0, EW0	DDX, DEE		
		2	6, 7, 8			EL0, EM0	DDX, DEE		
		2	6, 7, 8			ET0, EW0	DEE, DG0		Heavy Duty
12		3	6, 7, 8			EM0, ET0, EW0	DG0		KEY, Synchronizer Heavy Duty
	4746 137	3	6, 7, 8			EM0 EL0, EM0	DDP DDP		Heavy Duty
		3	6, 7, 8			ET0, EW0	DEE, DG0		
		3	6, 7, 8			ET0, EW0	DEE, DG0		Heavy Duty
13		1	6, 7, 8			EM0, ET0, EW0	DG0		SLEEVE, Synchronizer Heavy Duty
	4746 144	1	6, 7, 8			EM0, ET0, EW0	DDX, DEE		Heavy Duty
		1	6, 7, 8			EM0	DDP		Heavy Duty
		1	6, 7, 8			EL0, EM0	DDP		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Gear Train [DHH,DHG]
Figure 241-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
14	4746 139	1	6, 7, 8			ET0, EW0	DDX, DEE DGO		RING, Blocker Heavy Duty
		1	6, 7, 8			EM0, ET0, EW0	DGO		
		1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	6, 7, 8			EM0 EL0, EM0	DDP		Heavy Duty
15	4746 142	1	6, 7, 8			ET0, EW0	DDX, DEE DGO		
		1	6, 7, 8			EM0, ET0, EW0	DGO		SPROCKET, Transfer Case Heavy Duty
		1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	6, 7, 8			EM0 EL0, EM0	DDP		Heavy Duty
16	4746 147	1	6, 7, 8			ET0, EW0	DDX, DEE DGO		
		1	6, 7, 8			EM0, ET0, EW0	DGO		CHAIN, Transfer Case Heavy Duty
		1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	6, 7, 8			EM0 EL0, EM0	DDP		Heavy Duty
17	4746 257	1	6, 7, 8			ET0, EW0	DDX, DEE DGO		
		1	6, 7, 8			EM0 EL0, EM0	DDP		
		1	6, 7, 8			ET0, EW0	DDX, DEE		
		1	6, 7, 8			EW0	DGO		MAINSHAFT, Transfer Case

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Gear Train [DHH,DHG]
Figure 241-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4778 949	1	6, 7, 8			EL0, EM0	DDP		
		1	6, 7, 8			ET0, EW0	DDX, DEE DG0		
	4883 579AA	1	6, 7, 8			EM0, ET0, EW0	DG0		Heavy Duty
		1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
18		1	6, 7, 8			EM0	DDP		Heavy Duty SEAL, Main Shaft
	4210 603	1	6, 7, 8			EL0, EM0 ET0, EW0	DDP		Standard
		1	6, 7, 8				DDX, DEE DG0		Standard
19		1	6, 7, 8						PUMP, Transfer Case Oil
	4338 936	1	6, 7, 8			EL0, EM0 ET0, EW0	DDP		
		1	6, 7, 8				DDX, DEE		
	4883 596AA	1	6, 7, 8			EM0, ET0, EW0	DG0		Heavy Duty
		1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	6, 7, 8			EM0	DDP		Heavy Duty
20		1	6, 7, 8			EM0 ET0, EW0	DDP		SNAP RING, Output Bearing Heavy Duty Only
	4856 643	1	6, 7, 8				DDX, DEE		Heavy Duty Only
		1	6, 7, 8			EM0, ET0, EW0	DG0		Heavy Duty Only
21		1	6, 7, 8						BEARING, Output Shaft
	4883 601AA	1	6, 7, 8			EM0, ET0, EW0	DG0		Heavy Duty

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Gear Train [DHH,DHG]
Figure 241-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
	4897 981AA	1	6, 7, 8			EM0	DDP		Heavy Duty
		1	6, 7, 8			EL0, EM0	DDP		
		1	6, 7, 8				DG0		
		1	6, 7, 8			ET0, EW0	DDX, DEE		
22									SNAP RING
	4883 597AA	2	6, 7, 8			EM0, ET0, EW0	DG0		Heavy Duty
		2	6, 7, 8			EM0	DDP		Heavy Duty
	4897 982AA	1	6, 7, 8			EL0, EM0	DDP		Standard
		1	6, 7, 8			ET0, EW0	DDX, DEE		Standard
	4883 597AA	1	6, 7, 8				DG0		Standard
		2	6, 7, 8			ET0, EW0	DEE, DG0		Heavy Duty
23									BEARING, Output Shaft
	4269 189	1	6, 7, 8			EM0, ET0, EW0	DG0		Heavy Duty
		1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	6, 7, 8			EM0	DDP		Heavy Duty
		1	6, 7, 8			EL0, EM0	DDP		
		1	6, 7, 8			ET0, EW0	DDX, DEE		
		1	6, 7, 8				DG0		
24									SPROCKET, Driven
	4746 145	1	6, 7, 8			EM0, ET0, EW0	DG0		Heavy Duty
		1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	6, 7, 8			EM0	DDP		Heavy Duty

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Gear Train [DHH,DHG]
Figure 241-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4746 259	1	6, 7, 8			EL0, EM0 ET0, EW0	DDP		
		1	6, 7, 8				DDX, DEE DG0		
		1	6, 7, 8						
25	8350 3517	1	6, 7, 8			EL0, EM0 ET0, EW0	DDP		OUTPUT SHAFT, Transfer Case
		1	6, 7, 8				DDX, DEE DG0		
		1	6, 7, 8						
-26	4746 146	1	6, 7, 8			EM0	DDP		SHAFT, Output Heavy Duty
		1	6, 7, 8			ET0, EW0 EM0, ET0, EW0	DDX, DEE DG0		Heavy Duty
		1	6, 7, 8						Heavy Duty
27	4167 991	1	6, 7, 8			EM0, ET0, EW0	DG0		SNAP RING, Bearing Heavy Duty
		1	6, 7, 8			ET0, EW0 EM0	DDX, DEE DDP		Heavy Duty
		1	6, 7, 8			EL0, EM0	DDP		Heavy Duty
		1	6, 7, 8			ET0, EW0	DDX, DEE DG0		
28	2466 224	1	6, 7, 8				DG0		BEARING, Output Shaft
		1	6, 7, 8			EM0	DDP		Heavy Duty
		1	6, 7, 8			EL0, EM0 EM0, ET0, EW0	DDP DG0		Heavy Duty
		1	6, 7, 8						Heavy Duty

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Gear Train [DHH,DHG]
Figure 241-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
29	4798 125	1	6, 7, 8			ET0, EW0	DDX, DEE		SEAL, Output Shaft Heavy Duty
		1	6, 7, 8			ET0, EW0	DDX, DEE		
		1	6, 7, 8			EL0, EM0	DG0		
		1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty Heavy Duty
		1	6, 7, 8			EM0, ET0,	DDP		
		1	6, 7, 8			EM0, ET0,	DG0		
30	4897 983AA	1	6, 7, 8			EM0, ET0, EW0	DG0		YOKE, Transfer Case Output Heavy Duty
		1	6, 7, 8			ET0, EW0	DDX, DEE		
		1	6, 7, 8			EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		Heavy Duty Heavy Duty
		1	6, 7, 8			ET0, EW0	DDX, DEE		
		1	6, 7, 8			EM0	DDP		
31	4210 973	1	6, 7, 8			ET0, EW0	DDX, DEE		WASHER, Transfer Case Yoke Heavy Duty
		1	6, 7, 8			EM0, ET0,	DG0		
		1	6, 7, 8			EW0	DDX, DEE		
		1	6, 7, 8			EM0	DDP		Heavy Duty Heavy Duty
		1	6, 7, 8			EL0, EM0	DDP		
		1	6, 7, 8			ET0, EW0	DDX, DEE		
32		1	6, 7, 8				DG0		NUT, Transfer Case Yoke

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Gear Train [DHH,DHG]
Figure 241-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4167 924	1	6, 7, 8			EM0, ET0, EW0	DG0		Heavy Duty
		1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	6, 7, 8			EM0	DDP		Heavy Duty
		1	6, 7, 8			EL0, EM0	DDP		
		1	6, 7, 8			ET0, EW0	DDX, DEE		
33		1	6, 7, 8				DG0		HUB, Synchronizer
	4746 143	1	6, 7, 8			EM0, ET0, EW0	DG0		Heavy Duty
		1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	6, 7, 8			EM0	DDP		Heavy Duty
		1	6, 7, 8			EL0, EM0	DDP		
		1	6, 7, 8			ET0, EW0	DDX, DEE		
34		1	6, 7, 8				DG0		SLEEVE, Range Fork
	4746 129	1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	6, 7, 8			EM0	DDP		Heavy Duty
	4897 994AA	1	6, 7, 8			EM0, ET0, EW0	DG0		Heavy Duty
		1	6, 7, 8			EL0, EM0	DDP		
	4797 013	1	6, 7, 8			ET0, EW0	DDX, DEE		
		1	6, 7, 8				DG0		
35		1	6, 7, 8						SEAL, Input Gear
	4167 929	1	6, 7, 8			EM0, ET0, EW0	DG0		Heavy Duty

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Gear Train [DHH,DHG]
Figure 241-410


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	6, 7, 8			EM0	DDP		Heavy Duty
		1	6, 7, 8			EL0, EM0	DDP		
		1	6, 7, 8			ET0, EW0	DDX, DEE		
		1	6, 7, 8				DG0		
36									EXTENSION, Transfer Case
	4338 973	1	6, 7, 8			EM0, ET0, EW0	DG0		Heavy Duty
		1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	6, 7, 8			EM0	DDP		Heavy Duty
		1	6, 7, 8			EL0, EM0	DDP		
		1	6, 7, 8			ET0, EW0	DDX, DEE		
		1	6, 7, 8				DG0		
37									BOLT
	6500 318	4	6, 7, 8			EL0, EM0	DDP		
		4	6, 7, 8			ET0, EW0	DEE, DG0		
		4	6, 7, 8				DG0		
		4	6, 7, 8			EM0	DDP		Heavy Duty
		4	6, 7, 8			ET0, EW0	DEE, DG0		Heavy Duty
		4	6, 7, 8			EM0, ET0, EW0	DG0		Heavy Duty
-38									BEARING
	4762 084	1	6, 7, 8			EM0	DDP		
		1	6, 7, 8			ET0, EW0	DDX, DEE		
		1	6, 7, 8			EM0, ET0, EW0	DG0		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Forks [DHH,DHG]
Figure 241-910




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DDP] = 5 Speed Manual Transmission									
[DDX] = 5 Speed Heavy Duty Manual Transmission									
[DEE] = 6 Speed Heavy Duty Manual Transmission									
[DG0] = All Automatic Transmissions									
[EL0] = All 5.2L 8 Cylinder Gas Engines									
[EM0] = All 5.9L 8 Cylinder Gas Engines									
[ET0] = All 5.9L Turbo Diesel Engines									
[EW0] = All 8.0L Gas Engines									
1	4798 136	1	6, 7, 8			EL0, EM0	DDP		FORK, Range
		1	6, 7, 8			ET0,	DDX,		
		1	6, 7, 8			EW0	DEE		
		1	6, 7, 8			EM0	DDP		
		1	6, 7, 8			ET0,	DDX,		Heavy Duty
		1	6, 7, 8			EW0	DEE		
						EM0,	DG0		
						ET0,			
						EW0			
2	4746 136	1	6, 7, 8			EL0, EM0	DDP		FORK, Mode
		1	6, 7, 8			ET0,	DDX,		
		1	6, 7, 8			EW0	DEE		
		1	6, 7, 8				DG0		
		1	6, 7, 8			EM0	DDP		
		1	6, 7, 8			ET0,	DDX,		Heavy Duty
		1	6, 7, 8			EW0	DEE		
						EM0,	DG0		
						ET0,			
						EW0			
3	4167 969	2	6, 7, 8			EL0, EM0	DDP		PAD, Shift Fork
		2	6, 7, 8			ET0,	DEE,		
						EW0	DG0		
4		2	6, 7, 8				DG0		PAD, Shift Fork

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Forks [DHH,DHG]
Figure 241-910




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4746 140	1	6, 7, 8			EL0, EM0	DDP		
		1	6, 7, 8				DG0		
		1	6, 7, 8			EM0	DDP		
		1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	6, 7, 8			EM0, ET0, EW0	DG0		
5	8350 3515	1	6, 7, 8			EL0, EM0	DDP		CUP, Shift Fork Spring
		1	6, 7, 8			ET0, EW0	DDX, DEE		
		1	6, 7, 8				DG0		
		1	6, 7, 8			EM0	DDP		
		1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	6, 7, 8			EM0, ET0, EW0	DG0		
6	0013 816	1	6, 7, 8			EL0, EM0	DDP		SPRING, Mode Fork
		1	6, 7, 8			ET0, EW0	DDX, DEE		
		1	6, 7, 8				DG0		
		1	6, 7, 8			EM0	DDP		
		1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	6, 7, 8			EM0, ET0, EW0	DG0		
7	4897 962AA	1	6, 7, 8				DG0		SECTOR, Transfer Case
		1	6, 7, 8			ET0, EW0	DDX, DEE		
		1	6, 7, 8			EL0, EM0	DDP		
		1	6, 7, 8			EM0	DDP		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Forks [DHH,DHG]
Figure 241-910




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	6, 7, 8			EM0, ET0, EW0	DG0		
8	S243 6163	1	6, 7, 8			EL0, EM0	DDP		WASHER, Flat
		1	6, 7, 8			EM0	DDP		
		1	6, 7, 8			EM0, ET0, EW0	DG0		
9	4167 964	1	6, 7, 8			EL0, EM0	DDP		SEAL, O-Ring
		1	6, 7, 8			ET0, EW0	DDX, DEE		
		1	6, 7, 8			EM0	DDP		
		1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	6, 7, 8			EM0, ET0, EW0	DG0		
10	4167 963	1	6, 7, 8			EL0, EM0	DDP		SEAL, O-Ring
		1	6, 7, 8			ET0, EW0	DDX, DEE		
		1	6, 7, 8			EM0	DDP		
		1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	6, 7, 8			EM0, ET0, EW0	DG0		
11	4897 959AA	1	6, 7, 8			EL0, EM0	DDP		LEVER, Transfer Case

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Forks [DHH,DHG]
Figure 241-910




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6, 7, 8			ET0, EW0	DDX, DEE		
		1	6, 7, 8				DG0		
		1	6, 7, 8			EM0	DDP		
		1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	6, 7, 8			EM0, ET0, EW0	DG0		
12	0152 345	1	6, 7, 8			EL0, EM0	DDP		NUT
		1	6, 7, 8			ET0, EW0	DDX, DEE		
		1	6, 7, 8				DG0		
		1	6, 7, 8			EM0	DDP		
		1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	6, 7, 8			EM0, ET0, EW0	DG0		
13	3467 791	1	6, 7, 8			EL0, EM0	DDP		GROMMET, Shift Lever
		1	6, 7, 8			ET0, EW0	DDX, DEE		
		1	6, 7, 8				DG0		
		1	6, 7, 8			EM0	DDP		
		1	6, 7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	6, 7, 8			EM0, ET0, EW0	DG0		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Controls [DHH,DHG]
Figure 241-1210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes

[DDC] = 5 Speed Heavy Duty Manual Transmission

[DG0] = All Automatic Transmissions

1	52105 214AE	1	6, 7, 8						SHIFTER, Transfer Case
2	6101 467	2	6, 7, 8						NUT, Hex Flange, M8x1.25
3	52105 216AB	1	6, 7, 8						RING
4	6502 064	2	6, 7, 8						SCREW, Tapping, M6x1x20
5	6101 727	2	6, 7, 8						BOLT, Hex Head
6	5210 5005	1	6, 7, 8						LEVER, Transfer Case
7									BEZEL, Transfer Case
	5FB39 LAZAB	1	6, 7, 8				DG0		AGATE
	5FB39 RC8AB	1	6, 7, 8				DG0		DARK CIRBUS
	5FB39 VK9AB	1	6, 7, 8				DG0		DARK SUEDE
8	52105 059AB	1	6, 7, 8						BOOT, Gearshift
9	5210 4174	1	6, 7, 8						KNOB, Gearshift
10	6502 556	1	6, 7, 8						NUT, Hex, M10-1.5
11	5210 5001	1	6, 7, 8						INSERT, Gearshift Knob
12	5210 5006	1					DDC, DG0		ROD, Gear Shift Control, Transfer Case
13	3467 790	1					DDC, DG0		SWIVEL, Gearshift Control Rod
14	4377 309	1					DDC, DG0		CLAMP, Shift Rod
15	0181 086	1							BOLT, Hex Head, .312-18x.75
16	5205 8673	1	6, 7, 8						CROSSMEMBER, Skid Plate, With S/C XEF
17	52058 674AB	1	6, 7, 8						SKID PLATE, Front, With S/C XEF
18	6101 340	2	6, 7, 8						U-NUT, M10-1.50

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – 022
Wheels, Covers and Jacks

GROUP 22 - Wheels, Covers and Jacks

Illustration Title Group-Fig. No.

Wheels and Hardware

Wheels and Hardware Fig. 022-130

Wheel Covers and Center Caps


Caps And Covers, Wheel Fig. 022-230





Jack Stowage

Jack And Stowage Fig. 022-340


Spare Tire Stowage

Wheel, Spare Underslung Mounting Fig. 022-430



022-100 Wheels and Hardware	022-200 Wheel Covers and Center Caps	022-300 Jack Stowage	022-400 Spare Tire Stowage
			

Wheels and Hardware
Figure 022-130



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
WDB = 16 x 7.0 Chrome									
WDC = 16 x 6.5 Chrome									
WDD = 16 x 6.0 Steel w/Bright Skins									
WDK = 16 x 7 Steel/Bright Trim Ring									
WDS = 16 x 7.0 Forged Aluminum									
WDX = 16 x 7.0 Forged Aluminum									
WND = 16 x 7.0 Cast Aluminum									
WFJ = 17 x 9.0 Cast Aluminum									
WLB = Spare Wheel									
1	5FS04 S4AAC	4	1, 6		61, 62				WHEEL, Steel, 16x7, 16x7.0 Argent, [WDK]
2	5FS0 5S4A	4	2, 7		62, 65				WHEEL, Steel, [WDG]
3	5205 7939	4	2, 7		62, 65				WHEEL, Steel 16x6.5, Chrome, [WDC]
	52057 938AB	4	1, 6		61, 62				[WDB]
4	5DB8 6P4A	6	3, 8		62, 63, 64				WHEEL, Steel 16x6.0, Argent, [WDD] with Dual Rear Wheels
		1	3, 8		62, 63, 64				16x6.0, Argent, [WLB] Spare Dual Rear Wheels
5	5203 8955	4	1, 6		61, 62				WHEEL, Aluminum 16x7.0 Polished Aluminum [WDS]
	5EK53 PAKAC	4	1, 6		61, 62				16x7.0 Aluminum Cast [WND]
6	52113 111AA	4	1, 6		61, 62				WHEEL, Aluminum, 16x7.0 Painted Aluminum [WDX]
7	J400 6956	20	1, 6		61, 62				NUT, Wheel, .50x20, Capped [w/ WDB,WDK,WND,WDS,WDX]
8	6034 726	32	3, 8		62, 63, 64				NUT, Hex Flange, .56-18
9	52057 949AB	4	2, 3, 7, 8		62, 63, 64, 65				STEM, Wheel Valve Steel
	2073 355	4	1, 6		61, 62				Rubber, 1.25"
	2530 153	2	3, 8		62, 63, 64				Rubber, 1.50"
-10	6034 727	2	3		62				NUT, Hex, .516-18
		2	3, 8		63, 64				
		2	8		62				

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Wheels and Hardware

Figure 022-130


[illegible]

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Caps And Covers, Wheel
Figure 022-230



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Sale Code

WMA = Hub Caps

WMJ = Hub Chrome Center

WMG = Wheel Skins, Bright

WDG = 16x6.5 Steel Bright Wheels

WDC = 16x6.5 Chrome Wheel

WDK = 16x7.0 Steel/Bright Trim Ring

WDW = 16x6.0 Steel, 5.35 Offset

WDX = 16x7.0 Forged Aluminum

WD5 = 16x7.0 Forged Aluminum

WND = 16x7.0 Cast Aluminum

1									CAP, Wheel Center [WND]
	4753 123	4	1, 6		61, 62				
	5203 8267	4	1, 6		61, 62				[WMJ,WDK]
2									CAP, Wheel Center, Chrome [WDS,WDX]
	5203 8915	4	1, 6		61, 62				
	5203 9264	4	2, 7		62, 65				[WMJ,WDC]
	52106 283AA	4	2, 7		62, 65				[WDG]
	52106 863AA	2	3, 8		62, 63, 64				WDW,WMG, Front
	52106 866AA	2	3, 8		62, 63, 64				Rear
-3	5DK6 0PX9	4	1, 6		61, 62				CAP, Wheel Center, Black, [WMA, WDK]
4	5205 8200	4	1, 2, 6, 7		61, 62, 65				RING, Wheel Trim, 16"
5									SKINS, Wheel, Chrome 16x6.0 [WDD,WMG], Front
	5205 7936	1							
	5205 7937	1							[WDD,WMG], Rear

DODGE RAM STANDARD CAB (BR)

SERIES

E = WS RAM 1500
L = RAM 1500, 2500,
3500

LINE

1,6 = 1500
2,7 = 2500
3,8 = 3500

BODY

61 = Reg. Cab(118 WB)
62 = Reg. Cab(134 WB)
63 = Reg. Cab(138 WB)
64 = Reg. Cab(162 WB)
65 = Reg. Cab(134 WB)

ENGINE

EHC = 3.9L 6 Cyl.
ELF = 5.2L 8 Cyl.
ETC,ETH = 5.9L 6 Cyl.
EML,EMM = 5.9L 8 Cyl.
EWA = 8.0L 10 Cyl.
EAA = All engines
EAG = All gas engines

TRANSMISSION

DGK = 42RE 4 Spd. Auto.
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDP,DDX,DDC = 5 Spd. Manual
DEE = 6 Spd. Manual
DDO = All 5 Speed Manual
DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Jack And Stowage
Figure 022-340


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-1									STRAP, Jack Storage
	5203 8253	1	1, 2, 6, 7		61, 62, 65				
	5203 8254	1	3, 8		62, 63, 64				
2									JACK, Screw Type
	52038 318AB	1	3, 8		62, 63, 64				
	52020 414AA	1	1, 6		61, 62				
	52038 317AB	1	2, 7		62, 65				
3	0181 063	1							SCREW AND WASHER, .25-20x.75
4									BRACKET, Jack
	5203 8246	1	1, 2, 3						
		1	6, 7, 8						
5									BAG, Jack Tool Storage
	52020 344AA	1	3, 8		62, 63, 64				
		1	1, 6		61, 62				
		1	2, 7		62, 65				
6									TOOL, Wrench
	52020 339AA	1	2, 7		62, 65				
		1	3, 8		62, 63, 64				
7									DRIVER, Jack Handle
	52020 330AC	1	3, 8		62, 63, 64				
		1	1, 6		61, 62				
		1	2, 7		62, 65				
8									EXTENSION, Jack Handle
	52020 337AA	1	3, 8		62, 63, 64				
		1	1, 6		61, 62				
		1	2, 7		62, 65				
9									STRAP, Jack Tool Storage
	5203 8324	2							w/o Storage Tray
	5521 5597	2							w Storage Tray

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Wheel, Spare Underslung Mounting
Figure 022-430



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	6101 452	4							SCREW AND WASHER, Hex Head, M8x1.25x20, Winch Mtg.
2	5201 9948	1							GROMMET, Spare Tire Winch Tube
3	5201 9996	1			62, 63, 64, 65				TUBE, Winch Actuator 8 foot Box
4	5201 9997	1	1, 6		61				6.5 foot Box SCREW, Pan Head, .164-18x.50, (NOT SERVICED) (Not Serviced)
5	5205 8707	1							WINCH, Spare Tire Carrier, Spare Tire Carrier
6									PIN, Cotter, (NOT SERVICED) (Not Serviced)
7	5205 8402	1			61, 62				GROMMET, Spare Tire Winch Tube


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic



Group – 23D

Wiper/Lock Cylinder and Keys


GROUP 23D - Wiper/Lock Cylinder and Keys

Illustration Title	Group-Fig. No.
Lock Cylinders and Keys	
Lock Cylinders and Components	Fig. 23D-110
Windshield Wiper and Washer Systems	
Windshield Wiper and Washer	Fig. 23D-230



23D-100 Lock Cylinders and Keys	23D-200 Windshield Wiper and Washer Systems		
			

Lock Cylinders and Components
 Figure 23D-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5003 845AA	1							CYLINDER, Ignition Lock
2	4778 125	1							LOCK CYLINDER, Door (Bright)/ Liftgate
3	4778 117	1							TUMBLER, Door and Deck Number 1, Wide
4	4778 118	1							TUMBLER, Door and Deck Number 2, Wide
5	4778 119	1							TUMBLER, Door and Deck Number 3, Wide
6	4778 120	1							TUMBLER, Door and Deck Number 4, Wide
7	5010 879AA	1							TUMBLER, Ignition Number 1, Sidebar
8	5010 880AA	1							TUMBLER, Ignition Number 2, Sidebar
9	5010 881AA	1							TUMBLER, Ignition Number 3, Sidebar
10	5010 882AA	1							TUMBLER, Ignition Number 4, Sidebar
11	5010 883AA	1							SPRING, Ignition Tumbler, Sidebar
12	4378 793	1							SPRING, Cylinder Return
13	4778 121	1							SPRING, Door and Deck Tumbler
14	4778 149	1							CAP, Door Lock Cylinder, Bright
15	4778 150	1							SHUTTER, Door, Deck and Liftgate, Bright
16	4796 386	2							KEY, Blank
17	6026 125	1							CLIP, Retainer
18	5507 5824	1							LEVER, Door Lock Cylinder
19	56045 497AB	2							TRANSMITTER, Keyless Entry
20	8350 4802	2							BATTERY, Transmitter

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Windshield Wiper and Washer
Figure 23D-230



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	55154 582AC	2							ARM, Wiper
2	55076 910AA	2							BLADE, Wiper, w/Refill
-3	4897 022AA-	2							REFILL, Wiper Blade
4	6100 568	4							BOLT AND WASHER, Implement Attaching
5	55076 549AC	1							MODULE, Wiper, Wiper Motor, Pivot & Linkage
6									MOTOR, Wiper, Serviced w/Wiper Module Assembly, (NOT SERVICED) (Not Serviced)
7									NUT, (NOT SERVICED) (Not Serviced)
8	5515 4999	1							HOSE, Windshield Washer
9	4334 799	1							CONNECTOR, Washer Hose, In Line
10	5515 4703	1							HOSE, Windshield Washer
11	J323 6813	1							CONNECTOR, Washer Hose, Y
12	5515 4781	1							HOSE, Windshield Washer
13	5600 5414	2							NOZZLE, Washer, Windshield
14	4756 656	1							CAP, Washer Reservoir
15	5515 4852	1							RESERVOIR, Washer w/Sensor
	5515 4853	1							w/o Sensor
16	4334 568	2							GROMMET, Washer Reservoir
17	5515 5039	1							SENSOR, Washer Fluid Level
18	5515 4758	1							PUMP, Washer, Windshield

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – 024
Air Conditioning & Heater

GROUP 24 - Air Conditioning & Heater

Illustration Title Group-Fig. No.

Air Conditioner and Heater Units

Air Conditioner And Heater Unit Fig. 024-160

Air Conditioner and Heater Plumbing

Plumbing Air Conditioning Fig. 024-220

Plumbing, Heater 3.9L/5.2L And 5.9L Engine Fig. 024-260

Plumbing, Heater 8.0L Engine Fig. 024-265

Plumbing, Heater Diesel Engine Fig. 024-267

Plumbing, Cabin Heater Diesel Engine Fig. 024-269

Plumbing, Air Conditioning Diesel Engine Fig. 024-280

Air Conditioner and Heater Controls

Controls Heater Fig. 024-310

Control, Air Conditioning Fig. 024-350

Air Conditioning Compressor

Compressor Fig. 024-430

Compressor, Air Conditioning Diesel Engine Fig. 024-440

Air Conditioning Compressor Mounting


Mounting, Compressor 3.9L/5.2L/5.9L Engine Fig. 024-520







Mounting, Air Conditioning Compressor 8.0L Engine Fig. 024-525

Mounting, Compressor Diesel Engine Fig. 024-530


Air Ducts and Outlets

Air Ducts Fig. 024-630



024-100 Air Conditioner and Heater Units 	024-200 Air Conditioner and Heater Plumbing 	024-300 Air Conditioner and Heater Controls 	024-400 Air Conditioning Compressor 
024-500 Air Conditioning Compressor Mounting 	024-600 Air Ducts and Outlets 		

Air Conditioner And Heater Unit
Figure 024-160



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

EH0 = All 3.9L V6 Gas Engines
EL0 = All 5.2L 8 Cyl Gas Engines
EM0 = All 5.9L 8 Cyl Gas Engines
ET0 = All 5.9L Turbo Diesel Engines
EW0 = All 8.0L Gas Engines

1	4886 383AA	1							HOUSING, Air Recirculating
2	5012 919AB	1							CASE, Heater And A/C Unit
3	5012 920AA	1							CASE, Heater And A/C Unit
4	4720 026	1							DOOR, Fresh Air
5	4886 070AA	1							ACTUATOR, Fresh Air Door
6	4720 029	1							CLIP, Fresh Air Door
7	4720 023	1							DOOR, Vent
8	4778 420	1							DOOR, Floor Defroster Duct
9	4882 286	1							ACTUATOR, Heater Door
10	4720 279AB	1							ACTUATOR, Heater
11	5012 923AB	1							COUPLING, Servo
12	5012 922AA	1							DOOR, A/C Temperature
13	5012 924AA	1							SERVO, A/C Temperature Door
14	4720 347	1							LEVER, A/C Floor Door Duct
15	4720 348	1							LEVER, A/C Vent Defrost Door
16	4720 278	1							RESISTOR, Blower Motor
17	5011 167AA	1							EVAPORATOR, Air Conditioning
18	4720 039	1							SEAL, Blower Motor
19	5012 833AA	1							MOTOR, Blower, With Fan Blade
20	4720 009	1							BLOWER
21	5210 066	1							TUBE, A/C Motor Cooling
22	4720 037	1							SEAL, Evaporator Drain
23	4720 033	1							SEAL, Heater Tubes
24	4720 034	1							SEAL, Evaporator Tubes
25									U-NUT, Implement Mounting, (NOT SERVICED) (Not Serviced)
26	4720 533	20							SCREW, Heater Housing
27	4720 534	12							SCREW, Pan Head
28	4720 555	1							CLAMP, Heater Core
29	4720 028	1							CLIP, Heater Core
30	5011 724AA	1							COVER, A/C and Heater
31	4746 215	1							CORE, Heater
32	4720 031	2							RETAINER, Wiring Harness
33	5011 713AA	1							DUCT, A/C And Heater
34	4746 208	1							HARNESS, A/C And Heater Vacuum

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Air Conditioner And Heater Unit
Figure 024-160

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
35	5012 921AA	1							WIRING, Resistor Block Jumper
36	4720 032	4							STUD, A/C Heater Housing
37	4778 421	1							DOOR, Floor Defroster Duct
38	4778 415	1							INSULATOR, Air Conditioning
39	4746 884	1							BAFFLE, Air Inlet, without Air Conditioning
-40	55056 421AA-	1				ET0			HARNESS, Vacuum
-41	5503 6098	1				EH0,			HARNESS ASSEMBLY, vacuum
	55055 705AB-	1				EL0, EM0 EH0, EL0, EM0, EW0			
-42	5013 495AB-	1							COVER, Blower Motor

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Plumbing Air Conditioning
Figure 024-220

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0 = All 3.9L V6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
EW0 = All 8.0L Gas Engines									
1	55055 838AB	1							ACCUMULATOR, Suction and Discharge Line
2	5503 5607	1							BRACKET, Accumulator, Accumulator Support
3	55055 831AA	1				EH0			LINE, A/C Suction & Discharge
	55055 830AA	1				EL0,			
						EM0			
	55055 832AA	1				EW0			BRACKET, A/C Line
4	5010 432AA	1				EL0,			
						EM0			
5	4596 152	2				EH0			CLIP, A/C Quick Disconnect
						EH0,			
						EL0,			
						EM0,			LINE, A/C Liquid
6	55055 835AA	1				EW0			
						EH0,			
						EL0,			
7	5503 6022	1	6, 7, 8			EM0,			CLIP, A/C Liquid Line SWITCH, A/C High Pressure Cut Off
8	4897 617AA	1				EW0			
						EL0,			
						EM0			O RING, High Pressure
						EH0			
-9	5015 805AA-	1				EH0,			
						EL0,			CONDENSER, Air Conditioning
						EM0,			
						EW0			
10	55055 824AA	1				EH0,			
						EL0,			
						EM0,			
						EW0			


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Plumbing Air Conditioning Figure 024-220




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
11									SCREW, (NOT SERVICED) (Not Serviced)
12	55036 206AC	1							BAND, Accumulator Retaining
13	4761 737	AR							O RING, A/C Suction Line
-14	4728 705	1							O RING, Low Pressure Cutout Switc
15	4897 775AA	1							SWITCH, A/C Cycling
-16	5503 6209	1							LABEL, Air Conditioning System

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Plumbing, Heater 3.9L/5.2L And 5.9L Engine
 Figure 024-260



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

EH0 = All 3.9L V6 Gas Engines
 ELF = Magnum 5.2L SMPI V8 Engine
 EL0 = All 5.2L 8 Cyl Gas Engines
 EM0 = All 5.9L 8 Cyl Gas Engines


1	4741 932	1				EL0, EM0			HOSE, 5/8" I.D. 50 Foot Roll
		1				EH0			
2	55036 503AB	1				EH0, ELF, EM0			HOSE, Heater, Heater Supply
3	5503 6413	1				EH0,			HOSE, Heater, Heater to Manifold
						ELF, EM0			
4	6502 017	6				EH0, ELF,			CLAMP, Heater Hose
						EM0			
5	5503 6160	1				EH0, EL0, EM0			TUBE, Water Pump Inlet, Heater Return ***
6	4740 906	1				EH0, EL0, EM0			O RING, Tube Assy, Heater Return

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Plumbing, Heater 8.0L Engine
Figure 024-265



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

EW0 = All 8.0L Gas Engines

1	5503 6776	1				EW0			HOSE, Heater Return
-2	4637 938	1				EW0			SLEEVE, Heater Hose
3	5503 6777	1				EW0			HOSE, Heater Supply
-4	4637 938	1				EW0			SLEEVE, Heater Hose
5	5503 6415	1				EW0			HOSE AND TUBE, Thermostat, w/ Tube Manifold to Hose
6	5503 6056	1				EW0			CLIP, Heater Hose, Hose
-7	6032 878	1				EW0			STUD, .312-18x2.00, Clip to Cover
8	5503 6735	1				EW0			CLIP, Heater Hose, Hose
9	5505 5328	1				EW0			HOSE, Heater, w/Tube Water Pump to Hose
10	6502 017	8				EW0			CLAMP, Heater Hose


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Plumbing, Heater Diesel Engine
Figure 024-267



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

ET0 = All 5.9L Turbo Diesel Engines

EW0 = All 8.0L Gas Engines

1	4429 114	1				ET0			SCREW, Hex Flange Head
2	4429 089	2				ET0			CLAMP, Tube Retaining
3	4429 631	6				ET0			SCREW, Hex Head
4	5014 191AA	1				ET0			TUBE, Heater
5	5014 191AA	1				ET0			TUBE, Heater
6	4429 812	1				ET0			ELBOW, Oil Cooler Hose
7									CLAMP, Oil Cooler, (NOT SERVICED) (Not Serviced)
8	4429 689	1				ET0			NUT, Hex Flange
9									HOSE, Transmission Oil Cooler, 04638704, (NOT SERVICED) (Not Serviced)
10	4883 885AA	1				ET0			COUPLING, Hose
11	4429 812	1				ET0			ELBOW, Oil Cooler Hose
12									HOSE, Heater
	55036 506AB	1				ET0			Heater Supply
	5503 7546	AR							Heater Return
13	5503 6776	1				EW0			HOSE, Heater Return


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Plumbing, Cabin Heater Diesel Engine
 Figure 024-269



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

ET0 = All 5.9L Turbo Diesel Engines

1	4429 369	1				ET0			PLUG, Pipe
2	4429 862	1				ET0			NUT, Hex Flange, M10x1.5
3	4429 976	1				ET0			COUPLING, Elbow Hose
4	5011 409AA	2				ET0			HOSE, Oil Cooler
5	5011 900AA	8				ET0			CLAMP, Heater
6	5011 901AA	1				ET0			COUPLING, Hose
7	5014 191AA	1				ET0			TUBE, Heater

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Plumbing, Air Conditioning Diesel Engine
 Figure 024-280

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

ET0 = All 5.9L Turbo Diesel Engines

1	55055 838AB	1							ACCUMULATOR, Suction and Discharge Line
2	5503 5607	1							BRACKET, Accumulator, Accumulator Support
3	55055 833AB	1				ET0			LINE, A/C Suction & Discharge
-4	4897 775AA-	1							SWITCH, A/C Cycling
-5	4728 705	1							O RING, Low Pressure Cutout Switc
6	55055 834AA	1				ET0			LINE, A/C Liquid
7	5503 6022	1	6, 7, 8						CLIP, A/C Liquid Line
8	55055 825AB	1				ET0			CONDENSER, Air Conditioning
9	6502 885	2				ET0			SCREW AND WASHER, Hex Head, M6x1x18.5, Condenser Mounting, Right
10	6100 048	4				ET0			NUT, Hex, M6x1.00
	6500 284	2				ET0			Condenser Mounting, Left
11	55036 206AB	1							BAND, Accumulator Retaining, Accumulator Support
12	4761 737	AR							O RING, A/C Suction Line
13	4741 705	4				ET0			O RING, A/C and Heater
14	4741 705	4				ET0			O RING, A/C and Heater
15	4897 775AA	1							SWITCH, A/C Cycling
16	4728 705	1							O RING, Low Pressure Cutout Switc


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Controls Heater
Figure 024-310




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CONTROL, Heater
	5015 735AA	1							w/o Power Mirrors
	5015 737AA	1							w/Power Mirrors
2	6032 723	4							SCREW, Self Tapping, M4.2x1.69x19.05, Control Mounting
3	5003 986AB	3							KNOB, A/C And Heater Control - Rotary
-4	5003 281AA-	1							BULB, Heater and A/C Control

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Control, Air Conditioning
Figure 024-350





ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CONTROL, A/C And Heater
	5015 734AA	1							w/o Power Mirror
	5015 736AA	1							w/Power Mirror
2	6032 723	4							SCREW, Self Tapping, M4.2x1. 69x19.05, Control Mounting
3	5003 986AB	3							KNOB, A/C And Heater Control - Rotary
-4	5003 281AA-	1							BULB, Heater and A/C Control

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Compressor
Figure 024-430




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:
EH0 = All 3.9L V6 Gas Engines
EL0 = All 5.2L 8 Cyl Gas Engines
EM0 = All 5.9L 8 Cyl Gas Engines
ET0 = All 5.9L Turbo Diesel Engines
EW0 = All 8.0L Gas Engines

1	55055 540AC	1				EH0, EL0, EM0, EW0			COMPRESSOR, Air Conditioning
	55055 339AB	1				ET0			Up To 9-22-98
	55055 339AD	1				ET0			After 9-22-98
2	4882 008	1				EH0, EL0, EM0, EW0			CLUTCH, A/C Compressor
	4882 009	1				ET0			Up To 9-22-98
	5016 127AA	1				ET0			After 9-22-98

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Compressor, Air Conditioning Diesel Engine
Figure 024-440




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:									
ET0 = All 5.9L Turbo Diesel Engines									
1	55055 339AD	1				ET0			COMPRESSOR, Air Conditioning
-2	4882 009	1				ET0			CLUTCH, A/C Compressor

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Mounting, Compressor 3.9L/5.2L/5.9L Engine
Figure 024-520




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0 = All 3.9L V6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
EW0 = All 8.0L Gas Engines									
1									BOLT, (NOT SERVICED) (Not Serviced)
2									BOLT, (NOT SERVICED) (Not Serviced)
3	5301 0252	1				EH0, EL0, EM0			BRACE, A/C Compressor, Bracket to Manifold
4	6034 246	1				EH0, EL0, EM0			BOLT, Hex Head, .375-16x.75
5									NUT, Lock, (NOT SERVICED) (Not Serviced)
6	5300 8614	1				EH0, EL0, EM0			BRACKET, Alternator And Compressor, Compressor/ Alternator Mounting
7	3300 2201	1				EH0, EL0, EM0			BUSHING, Idler Pulley
8									BOLT, (NOT SERVICED) (Not Serviced)
9	6034 247	2				EH0, EL0, EM0, EW0			BOLT, Hex Head, .375-16x.25
10	5300 9508	1				EH0, EL0, EM0			PULLEY, Idler, Idler

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Mounting, Air Conditioning Compressor 8.0L Engine
Figure 024-525



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

EW0 = All 8.0L Gas Engines

1	5301 0014	1				EW0			BRACE, A/C Compressor, Compressor Mounting Bracket
2									SCREW, (NOT SERVICED) (Not Serviced)
3	0154 555	1				EW0			SCREW
4									SCREW, (NOT SERVICED) (Not Serviced)
5									SCREW, (NOT SERVICED) (Not Serviced)
6	5300 5619	1				EW0			BRACKET, A/C Compressor, Compressor Mounting


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Mounting, Compressor Diesel Engine
Figure 024-530



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

ET0 = All 5.9L Turbo Diesel Engines

1	5011 928AA	1				ET0			CONNECTOR, Water Inlet
2									SCREW, (M8x1.25x100, (NOT SERVICED) (Not Serviced)

DODGE RAM STANDARD CAB (BR)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Air Ducts
Figure 024-630

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: All other distribution ducts are serviced in instrument panel.

1	5505 5442	1							ADAPTER, Defroster Duct, Defroster and Demister Duct
2	5503 6517	1							BAFFLE, Air Intake, Inlet ***
3	55115 857AC	1							DUCT, Air Distribution



DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Group – 025

Emission Systems

GROUP 25 - Emission Systems

Illustration Title Group-Fig. No.

Emission Labels

Emission Labels 3.9L (EHC), 5.2L (ELF), 5.9L (EML), 5.9L (EMM), 8.0L (EWA) Engine Fig. 025-140

Vacuum Canister

Vacuum Canister 3.9L (EHC), 5.2L (ELF), 5.9L (EML), 5.9L EMM), 8.0L (EWA) Engine Fig. 025-340

Emission Harness

Emission Control Vacuum Harness 3.9L (EHC), 5.2L (ELF), 5.9L (EML), 5.9L (EMM), 8.0L (EWA) Engine Fig. 025-440


Leak Detection Pump 3.9L (EHC), 5.2L (ELF), 5.9L (EML), 5.9L (EMM), 8.0L (EWA) Engine Fig. 025-450





Vacuum Pump 5.9L (ETC) Diesel Engine Fig. 025-470

Air Pumps

Air Pump 5.9L (EMM), 8.0L (EWA) Engine Fig. 025-510

Air Injection Plumbing 5.9L (EMM), 8.0L (EWA) Engine Fig. 025-520



025-100 Emission Labels	025-300 Vacuum Canister	025-400 Emission Harness	025-500 Air Pumps
			

Emission Labels 3.9L (EHC), 5.2L (ELF), 5.9L (EML), 5.9L (EMM), 8.0L (EWA) Engine
Figure 025-140

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

DBB = All Manual Transmissions
DGO = All Automatic Transmissions
EHC = Magnum 3.9L SMPI V6 Engine
ELF = Magnum 5.2L SMPI V8 Engine
EML = Magnum 5.9L SMPI V8 Engine
EMM = Magnum 5.9L SMPI V8 Engine
EWA = Magnum 8.0L V10 MPI Engine
EW0 = All 8.0L Gas Engines

Check the VIN Number for the 'Z' Code GVW Rating

1									LABEL, Emission
53031 942AA	1	1			61	EHC			Canada
53031 943AA	1	1			62	EHC			Canada
53031 946AA	1	1, 6			61	ELF			Federal, Export
53031 940AA	1	1			61	EHC			Federal, Export
53031 941AA	1	1			62	EHC			Federal, Export
53031 944AA	1	1			61	EHC			California
53031 947AA	1	1, 6			61	ELF			Canada
53031 954AA	1	1, 6			61	ELF			California
53031 955AA	1	1, 6			62	ELF			California
53031 960AA	1	1, 6			62	EML	DGO		Federal, Export
53031 945AA	1	1			62	EHC			California
53031 948AA	1	1, 6			62	ELF			Federal, Export
53031 949AA	1	1, 6			62	ELF			Canada
53031 958AA	1	1, 6			61	EML	DGO		Federal, Export
53031 961AA	1	1, 6			62	EML	DGO		Canada
53031 965AA	1	2, 7			62	EML			Federal, Export
53031 966AA	1	2, 7			62	EML			Canada
53031 971AA	1	1			61, 62	EML			California
53031 959AA	1	1, 6			61	EML	DGO		Canada
53031 969AA	1	2, 7			65	EML			Federal, Export
53031 970AA	1	2, 7			65	EML			Canada
53031 973AA	1	2, 3, 7, 8			62	EML	DBB		California
53031 972AA	1	6			61, 62	EML			California
53031 976AA	1	3, 8			63, 64	EML	DBB		California
53031 980AA	1	2, 3, 7, 8			62	EML	DGO		California
53031 983AA	1	3, 8			62, 63, 64	EMM			Federal, Export, Engine Information
53031 975AA	1	2, 7			65	EML	DBB		California
53031 981AA	1	2, 7			65	EML	DGO		California

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

IMPORTANT VEHICLE INFORMATION

THIS VEHICLE CONFORMS TO U.S. EPA REGULATIONS APPLICABLE TO 19XX MODEL YEAR NEW LIGHT-DUTY TRUCKS WITH A CURB WEIGHT GREATER THAN POUNDS AT ALL ALTITUDES.

CATALYST

CHRYSLER CORPORATION

* BASIC IGNITION TIMING AND IDLE FUEL/AIR MIXTURE HAVE BEEN PRESET AT THE FACTORY. SEE THE SERVICE MANUAL FOR PROPER PROCEDURES AND OTHER ADDITIONAL INFORMATION.

◦ ADJUSTMENTS MADE BY OTHER THAN APPROVED SERVICE MANUAL PROCEDURES MAY VIOLATE FEDERAL AND STATE LAWS.

CAUTION : APPLY PARKING BRAKE WHEN SERVICING VEHICLE.

XX LITER
NCR5.2T5FEX3
NCRTG


SPARK PLUGS

IDLE *
TIMING BTC

MAN
X

AUTO
X

NO OTHER ADJUSTMENTS NEEDED



Emission Labels 3.9L (EHC), 5.2L (ELF), 5.9L (EML), 5.9L (EMM), 8.0L (EWA) Engine
Figure 025-140

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	53031 982AA	1	3, 8		63, 64	EML	DG0		California
	53031 985AA	1	3, 8		62, 63, 64	EMM			Canada, Engine Information
	53031 984AB	1	3, 8		62, 63, 64	EMM			Federal, Export, Body Information
	53031 989AA	1	2, 3, 7, 8		62, 63, 64, 65	EWA			Canada, Engine Information
	53031 990AA	1	2, 3, 7, 8		62, 63, 64, 65	EWA			Canada, Body Information
	53031 986AA	1	3, 8		62, 63, 64	EMM			Canada, Body Information
	53031 987AA	1	2, 3, 7, 8		62, 63, 64, 65	EWA			Federal, Export, Engine Information
	53031 988AB	1	2, 3, 7, 8		62, 63, 64, 65	EWA			Federal, Export, Body Information
	53031 994AA	1	3, 8		63, 64	EWA			California
	53031 991AA	1	2, 3, 7, 8		62	EWA			California
	53031 992AA	1	2, 7		65	EWA			California

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

1

IMPORTANT VEHICLE INFORMATION

THIS VEHICLE CONFORMS TO U.S. EPA REGULATIONS APPLICABLE TO 19XX MODEL YEAR NEW LIGHT-DUTY TRUCKS WITH A CURB WEIGHT GREATER THAN POUNDS AT ALL ALTITUDES.

CATALYST

CHRYSLER CORPORATION

XX LITER
NCR5.2T5FEX3
NCRTG

SPARK PLUGS

IDLE *
TIMING BTC

MAN
X

AUTO
X

NO OTHER ADJUSTMENTS NEEDED

VAPOR
CANISTER

TANK
VENT

ORIFICE

TO CLIMATE CONTROL
CRUISE CONTROL
4X4 AXLE
(WHEN EQUIPPED)

ORIFICE
CHECK VALVE

PCV
VALVE

ORIFICE

THROTTLE
BODY

HAP
SENSOR

EGR
VALVE

FUEL PRESSURE
REGULATOR

PURGE
SOLENOID

FILTER


BREATHER
CAP

TO AIR
CLEANER

TO BRAKE
BOOSTER

FRONT
OF
VEHICLE

Vacuum Canister 3.9L (EHC), 5.2L (ELF), 5.9L (EML), 5.9L EMM), 8.0L (EWA) Engine
Figure 025-340



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:
EH0 = All 3.9L V6 Gas Engines
ELF = Magnum 5.2L SMPI V8 Engines
EM0 = All 5.9L 8 Cyl Gas Engines
EW0 = All 8.0L Gas Engines

1	53030 893AB	1				EH0, ELF, EM0, EW0			BRACKET, Vapor Canister
2	6500 284	4				EH0, ELF, EM0, EW0			NUT, Hex, M6x1.00
3	0154 726	4				EH0, ELF, EM0, EW0			BOLT, Hex Flange Head, .312-18x. 50
4	53031 584AC	1				EH0, ELF, EM0, EW0			CANISTER, Fuel Vapor
5	5303 0837	1				EH0, ELF, EM0, EW0			CANISTER, Vapor

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Emission Control Vacuum Harness 3.9L (EHC), 5.2L (ELF), 5.9L (EML), 5.9L (EMM), 8.0L (EWA) Engine
Figure 025-440

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

EH0 = All 3.9L V6 Gas Engines
ELF = Magnum 5.2L SMPI V8 Engine
EM0 = All 5.9L 8 Cyl Gas Engines
EW0 = All 8.0L Gas Engines

1	53031 035AC	1				EH0, ELF, EM0, EW0			HARNESS, Vacuum Canister Purge Federal, Canada
	53031 130AC	1				EH0, ELF, EM0, EW0			California
2	5303 2154	1				EW0			HARNESS, Emission Control
	5303 2150	1				EH0			
	5303 2153	1				ELF, EM0			
3	6503 159	1				EW0			STUD, Double Ended, M6x1.0x38
4	4669 475AB	1				EH0, ELF, EM0, EW0			SOLENOID, Duty Cycle Purge
5	4865 228AA	1				EH0, ELF, EM0, EW0			SOLENOID, Duty Cycle Purge, Federal, Canada
-6	4897 709AA-	1				EH0, ELF, EM0, EW0			BRACKET PACKAGE, LDP/DCP And Filter, California
7	6503 587	1				EH0, ELF, EM0, EW0			STUD, Collared, M6x1.0/.250-14 x 50.0, Federal, Canada
-8	6101 839	3				EH0, ELF, EM0, EW0			SCREW AND WASHER, Hex Head, M8x1.25x40, California


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Emission Control Vacuum Harness 3.9L (EHC), 5.2L (ELF), 5.9L (EML), 5.9L (EMM), 8.0L (EWA) Engine
Figure 025-440




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
9	53031 611AC	1				EH0,			HOSE, Carbon Canister
						ELF,			
						EM0,			
						EW0			
-10									HARNESS, Emission Control
									Vacumn
	5304 1076	1				EW0			
	5503 6098	1				EH0,			
						EL0,			
						EM0			

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Leak Detection Pump 3.9L (EHC), 5.2L (ELF), 5.9L (EML), 5.9L (EMM), 8.0L (EWA) Engine
Figure 025-450




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0 = All 3.9L V6 Gas Engines									
ELF = Magnum 5.2L SMPI V8 Engine									
EM0 = All 5.9L 8 Cyl Gas Engines									
EW0 = All 8.0L Gas Engines									
1	4669 336AD	1				EH0, ELF, EM0, EW0			PUMP, Leak Detection
2	4897 709AA	1				EH0, ELF, EM0, EW0			BRACKET PACKAGE, LDP/DCP And Filter
3	5303 0877	1				EH0, ELF, EM0, EW0			HOSE, Filter to Leak Detection Pump
4	6101 839	3				EH0, ELF, EM0, EW0			SCREW AND WASHER, Hex Head, M8x1.25x40
5	4612 901	1				EH0, ELF, EM0, EW0			FILTER, Fuel Vapor Vent
6									SCREW, M6x1.00x11.00, (NOT SERVICED) (Not Serviced)
7	6100 051	1				EH0, ELF, EM0, EW0			NUT AND WASHER, Hex Nut-Coned Washer, M8 x 1.25
8	6035 482	3				EH0, ELF, EM0, EW0			SCREW, Tapping, .19-16x.375

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Vacuum Pump 5.9L (ETC) Diesel Engine
Figure 025-470



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:
DBB = All Manual Transmissions
DGO = All Automatic Transmissions
ETC = 5.9L Cummins 24V Diesel Engine
ETO = All 5.9L Turbo Diesel Engines


1	4638 531	1				ETO	DGO		GASKET, Hydraulic Pump
		1				ETO	DBB		
2	4429 568	1				ETO			PLUG, Pipe
3	4429 369	1				ETO			PLUG, Pipe
4	5003 614AA	2				ETO			PLUG, Expansion
5	5003 604AA	2				ETO			O RING
6	4429 637	1				ETO			SCREW, Hex Head, m12X1.75X.35
7	4429 862	1				ETO			NUT, Hex Flange, M10x1.5
8									SCREW, Hex Head, M8x1.25x16, (NOT REQUIRED)
-9	5011 818AA-	1				ETO			SCREW, Hex Head, M8x1.25x12
10	4429 862	3				ETO			NUT, Hex Flange, M10x1.5
11	4728 162	1				ETO	DBB		HUB, Hydraulic Brake Pump
		1				ETO	DGO		
12	4883 960AA	1				ETO	DGO		PUMP, Power Steering
		1				ETO	DBB		
13	4761 972	4				ETO			STUD
14	5011 797AA	1				ETO	DBB		GEAR, Accessory Drive
		1				ETO	DGO		
15	5011 796AA	1				ETO	DBB		PUMP, Vacuum
		1				ETO	DGO		
16	5011 617AA	1				ETO	DBB		CHECK VALVE, Vacuum Pump
		1				ETO	DGO		
17	5003 637AA	1				ETO			NIPPLE, Pump
18	5011 421AA	1				ETO			SCREW
19	5011 428AA	1				ETO	DGO		HOSE, Vacuum Pump
		1				ETO	DBB		
20									BRACKET, Vacuum Pump

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Vacuum Pump 5.9L (ETC) Diesel Engine
Figure 025-470



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5011 799AA	1				ET0	DG0		
		1				ET0	DBB		
21	4638 529	1				ET0	DBB		CONNECTOR, Vacuum, With Caps
		1				ET0	DG0		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Air Pump 5.9L (EMM), 8.0L (EWA) Engine
Figure 025-510


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:									
EMM = Magnum 5.9L SMPI V8 Engine									
EW0 = All 8.0L Gas Engines									
1									SCREW AND WASHER, Hex Head, M6x1x18
	6501 714	3				EMM			
		3				EW0			
2									PULLEY, Air Pump
	5300 8638	1				EMM			
		1				EW0			
3									BOLT, [.375-16x5.0], (NOT SERVICED) (Not Serviced)
4									PUMP, Air
	5303 0503	1				EMM			
		1				EW0			
5	5300 5621	1				EW0			BRACKET, Air Pump And Tensioner
6	53010 013AB	1				EW0			BRACE, Alternator
7									BOLT, [.312-18x.75], (NOT SERVICED) (Not Serviced)


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Air Injection Plumbing 5.9L (EMM), 8.0L (EWA) Engine
Figure 025-520




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EMM = Magnum 5.9L SMPI V8 Engine									
EW0 = All 8.0L Gas Engines									
1	4324 506	1				EW0			FILTER, Air Pump
2	5304 1014	1				EW0			CAP, Air Pump Filter
3	5304 1045	1				EW0			CLAMP, Hose
4	5304 0053	1				EW0			TUBE, Air Pump Inlet
5									TUBE, Air Pump Filter, (NOT REQUIRED)
-6	5303 1546	1				EW0			REDUCER, Air Pump Inlet
7									U-NUT, .25-20, (NOT REQUIRED)
8	5304 1077	1				EW0			BRACKET, Air Pump Silencer Filter
9									SCREW AND WASHER, Hex Head, .25-20x1.625, (NOT REQUIRED)
10	6033 560	3				EW0			NUT AND WASHER, Hex Nut-Coned Washer, .25-20
11									VALVE, Air Injection
	5303 0577	1				EMM			
		1				EW0			
12	5303 0217	1				EMM			HOSE, Relief Valve
		1				EW0			
13	5303 0535	1				EMM			TUBE, Fuel
-14	5304 1060	1				EW0			HOSE, Relief Valve
15									CLAMP, Hose
	2448 762	2				EMM			
		2				EW0			
16									TUBE, Frame Mount, (NOT REQUIRED)
-17									TUBE, Aspirator Downstream
	53030 649AB-	1	2, 3, 7, 8		62, 63, 64, 65	EMM			
		1	2, 3, 7, 8		62, 63, 64, 65	EW0			
18									SCREW, Hex Flange Head, M8x1.25x20
	6502 468	4				EMM			
		4				EW0			
19									VALVE, Air Injection
	5303 0467	2				EMM			

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Air Injection Plumbing 5.9L (EMM), 8.0L (EWA) Engine
Figure 025-520



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
2EW0									
20	53031 557AB	1	3, 8		62, 63, 64	EMM			TUBE, Aspirator Downstream
		1	2, 3, 7, 8		62, 63, 64, 65	EW0			
21	2448 761	3	3, 8		62, 63, 64	EMM			CLAMP, Hose
		3	2, 3, 7, 8		62, 63, 64, 65	EW0			
22	4324 514	1				EW0			FILTER, Air Pump
</									

Group – DBR

Doors and Related Parts

GROUP DBR - Doors and Related Parts

Illustration Title Group-Fig. No.

Front Door


Door, Front Shell And Hinges	Fig. DBR-110
Door, Front Glass And Regulators	Fig. DBR-120
Door, Front Lock And Controls	Fig. DBR-130




Exterior Mirror

Mirrors, Exterior	Fig. DBR-510
-------------------	--------------


Weatherstrips and Seals

Door, Front Weatherstrips And Seals	Fig. DBR-610
-------------------------------------	--------------



DBR-100 Front Door	DBR-500 Exterior Mirror	DBR-600 Weatherstrips and Seals	
			

Door, Front Shell And Hinges
Figure DBR-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									DOOR, Front
	55023 573AE	1							Left
	55023 572AD	1							Right
-2									PANEL, Front Door Outer Repair
	5502 3570	1							Right
	5502 3571	1							Left
-3	5513 4612	1							WATERDAM, Front Door, Door
-4	5513 4612	1							WATERDAM, Front Door
5									HINGE, Door
	55075 956AB	1							Upper Right
	55075 957AB	1							Upper Left
	55275 464AA	2							Lower
-6	6504 804	4							STUD, M8-1.25x46, Double Thread
-7	55256 920AB-	4							WASHER, Flat, Flat
-8	6102 034AA-	4							NUT AND WASHER, Hex, M8x1.25, w/Washer
9	6503 538	8							SCREW AND WASHER, Hex Head, M8x1.25x30
10									SCREW, Body To Hinge, (NOT SERVICED) (Not Serviced)
11	5507 4736	AR							SHIM, Door Hinge, Body Hinge
12	4440 486	2							PLUG, Body, 19.05mm x 31.75mm, Access Hole
13	5513 5002	2							PATCH, Waterdam Speaker
14	5534 6416	2							REINFORCEMENT, Door Inner
15	6034 715	8							CLIP, Speaker

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Door, Front Glass And Regulators
Figure DBR-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									GLASS, Front Door
	55135 396AB	1							Right
	55135 397AB	1							Left
2									REGULATOR, Front Door Window
	5507 5812	1							Manual, Right
	5507 5813	1							Manual, Left
	5515 4924	1							Electric w/Motor, Right
	5515 4925	1							Electric w/Motor, Left
3	6504 055	8							SCREW, Hex Head, M6x1x16,
									Regulator
4	6502 691	4							NUT, Hex Flange Lock, M6x1, Glass
									To Regulator
5	FW80 PX9	2							HANDLE, Window Regulator
6	5507 6218	2							SPACER, Door Handle
7									CHANNEL, Front Door Glass Lower
	5507 5774	1							Right
	5507 5775	1							Left
8	6504 055	4							SCREW, Hex Head, M6x1x16, Front
									Lower Channel
9									CHANNEL, Rear Door Glass Lower
	5507 5934	1							Right
	5507 5935	1							Left
10									SCREW, (NOT SERVICED) (Not
									Serviced)

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Door, Front Lock And Controls
Figure DBR-130

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									LATCH, Front Door
	5507 6290	1							Electric, Right
	5507 6291	1							Electric, Left
	5507 6288	1							Manual, Right
	5507 6289	1							Manual, Left
-2									CLIP, Latch Link
	4658 674	1							Latch, Right
	4658 675	2							Left
3	6033 876	6							SCREW, Tapping, M6.3x1.8x38.1, Latch
4									HANDLE, Interior Door
	5507 5338	1							Door Inside, Right
	5507 5339	1							Door Inside, Left
5	6503 124	4							SCREW, Hex Head Tapping, M6x1x20, Handle
6									REMOTE CONTROL, Door
	5507 6124	1							Right
	5507 6125	1							Left
7	6503 124	4							SCREW, Hex Head Tapping, M6x1x20, Remote Control
8									LINK, Remote Handle to Latch
	5507 4726	1							w/Sleeve, Inside Handle to Latch, Right
	5507 4727	1							Left
9									HANDLE, Front Door Exterior
	5527 5022	1							Right
	5527 5023	1							Left
10	6101 443	4							NUT AND WASHER, Hex, M5x.80
11									SCREW, (NOT SERVICED) (Not Serviced)
12	5507 4724	2							LINK, Exterior Door Handle, Exterior Handle to Latch
13									LINK, Key Cylinder To Latch
	5507 6004	1							Right
	5507 6005	1							Left
14									CLIP, Lever Key Cylinder, (NOT SERVICED) (Not Serviced)
15									KNOB, Door
	JS24 SK5	1							Tan
	JS24 RC3	1							Gray

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic


AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Door, Front Lock And Controls

Figure DBR-130




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
16									SPRING, Outside Door Handle, (NOT SERVICED) (Not Serviced)
17									CLIP, Lock Retaining, (NOT SERVICED) (Not Serviced)
18									BRACKET, Handle Retaining, Serviced in Handle, (NOT SERVICED) (Not Serviced)
19	5507 6354	1							ROD, Inside Lock to Latch Right
	5507 6355	1							Left

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Mirrors, Exterior
Figure DBR-510





ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
GPC = Chrome Trailer Tow Mirrors									
GPU = 6x9 Black Mirrors									
GPV = 6x9 Black Power Heated Mirrors									
GTS = Power Heated, Fold-Away Mirrors									
1									MIRROR, Outside Rearview
	55076 478AB	1							Manual - Foldaway, GPU, Right
	55076 479AB	1							Manual - Foldaway, GPU, Left
	55076 488AB	1							Elect - Heated Foldaway, GTS,
									Right
	55076 489AB	1							Elect - Heated Foldaway, GTS, Left
	55077 122AB	1							Elect Heated Foldaway (Europe),
									GTS, Right
	55076 489AB	1							Elect - Heated, GPV, Left
	4746 372	1							Manual, GPC, Right,Left
2	J420 0408	6							NUT AND WASHER, Hex Nut-Coned
									Washer, M5 x 0.80
-3	5507 4917	1							MIRROR KIT, Trailor Tow
-4	5513 5182	2							SEAL, Mirror Opening
-5									BRACKET, Mirror
	4746 368	1							Upper, GPC, Right
	4746 369	1							Upper, GPC, Left
	4746 374	1							Lower, GPC, Right
	4746 375	1							Lower, GPC, Left
-6	4723 110	1							WASHER, Outside Mirror, Phenolic
-7	4746 373	1							WASHER, Mirror, Black
-8									GLASS, Mirror Replacement
	5019 890AA-	1							Foldaway, GTS, Right
	5019 891AA-	1							Foldaway, GTS, Left
	5019 892AA-	1							Elect - Heated Foldaway, GTS,
									Right
	5019 893AA-	1							Elect - Heated Foldaway, GTS, Left
		1							Elect - Heated, GPV, Left

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Door, Front Weatherstrips And Seals
Figure DBR-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5513 5304	2							SEAL, B-Pillar
2	5513 5252	1							SEAL, Glass Run, Front Right
	5513 5253	1							Left
3	5513 4598	2							WEATHERSTRIP, Front Door Belt
4	55275 504AA	1							WEATHERSTRIP, Door Belt Right
	55275 505AA	1							Left
5	55275 508AA	1							SEAL, Body Side, Foam Block Right
	55275 509AA	1							Left
6	55135 004AC	1							RETAINER, Bodyside Seal Right
	55135 005AC	1							Left
7	55275 436AE	2							WEATHERSTRIP, Body Side, Right
8	55276 286AA	2							WEATHERSTRIP, Front Door
9	55275 394AB	2				61, 62, 63, 64			MOLDING, Door
10	0153 341	20							SCREW, Pan Head, .64-18x.50
11									SEAL, Front Door Lower, (NOT SERVICED) (Not Serviced)

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – EBR

Exterior Ornamentation

GROUP EBR - Exterior Ornamentation

Illustration Title Group-Fig. No.

Nameplates

Nameplates Fig. EBR-140


Moldings and Ornamentation








Moldings, Upper Fig. EBR-240

Moldings, Lower Fig. EBR-245


Decals and Tapestripes

Tape Strips And Decals Fig. EBR-350



EBR-100 Nameplates	EBR-200 Moldings and Ornamentation	EBR-300 Decals and Tapestripes	
   		 	

Nameplates
Figure EBR-140



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									NAMEPLATE, Ram 1500
	5GL05 CA1AA	2	1, 6		61, 62				Silver
	5GL05 PCHAA	2	1, 6		61, 62				Blue
-2									NAMEPLATE, Ram 2500 Cummins
	5GL09 CA1AA-	2	2, 7		62, 65				Silver
	5GL09 PCHAA-	2	2, 7		62, 65				Blue
3	55296 306AB	2							NAMEPLATE, Door, V6 MAGNUM
4	55296 307AB	2							NAMEPLATE, Door, V8 MAGNUM
5	55295 306AB	2							NAMEPLATE, Door, V10 MAGNUM
6	55274 860AB	2							NAMEPLATE, Cab, Laramie SLT
7									NAMEPLATE, Ram 2500
	5GL07 CA1AA	2	2, 7		62, 65				Silver V8
	5GL07 PCHAA	2	2, 7		62, 65				Blue V8
	5GL11 CA1AA	2	2, 7		62, 65				Silver V10
	5GL11 PCHAA	2	2, 7		62, 65				Blue V10
8									NAMEPLATE, Ram 3500
	5GL08 CA1AA	2	3, 8		62, 63,				Silver V8
					64				
	5GL08 PCHAA	2	3, 8		62, 63,				Blue V8
					64				
	5GL12 CA1AA	2	3, 8		62, 63,				Silver V10
					64				
	5GL12 PCHAA	2	3, 8		62, 63,				Blue V10
					64				
9									NAMEPLATE, Ram 3500 Cummins
	5GL10 CA1AA	2	3, 8		62, 63,				Silver
					64				
	5GL10 PCHAA	2	3, 8		62, 63,				Blue
					64				
-10	55295 310AB-	1	1, 6		61, 62				NAMEPLATE, Front Fender, Ram 1500
-11	55295 311AB-	2	2, 7		62, 65				NAMEPLATE, Front Fender, Ram 2500
-12	55295 312AB-	2	3, 8		62, 63,				NAMEPLATE, Front Fender, Ram 3500
					64				
-13	55295 313AC-	2	2, 7		62, 65				NAMEPLATE, Front Fender, Ram 2500 Cummins
-14	55295 314AC-	2	3, 8		62, 63,				NAMEPLATE, Front Fender, Ram 3500 Cummins
					64				
15									NAMEPLATE, Sport
	5GL04 CA1AA	2							Silver


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Nameplates
Figure EBR-140



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

5GL04 PCHAA 2


Blue

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Mouldings, Upper
Figure EBR-240


[illegible]

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Mouldings, Lower
Figure EBR-245



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									MOLDING, Front Door
	5507 6536	1							Right
	5507 6537	1							Left
2									MOLDING, Cab
	55076 886AA	1							Right
	55076 887AA	1							Left
3									MOLDING, Box Side Panel
	55076 891AA	2	1, 6		61				
	55076 902AA	2	1, 2, 6, 7		62				
4	5529 5060	1							APPLIQUE, Tailgate
5									MOLDING, Fender Rear
	55076 892AA	1	3, 8		62				Rear, Right
	55076 893AA	1	3, 8		62				Rear, Left
	55076 898AA	1	3, 8		62				Front, Right
	55076 899AA	1	3, 8		62				Front, Left
6									MOLDING, Box Side Panel
	55076 891AA	2	1, 6		61				Right
	55076 900AA	2	3, 8		62				Left

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Tape Strips And Decals
Figure EBR-350

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									DECAL, Dodge, Sport Appearance
	5GL13 CA1AA	1							Silver
	5GL13 PCHAA	1							Blue
2									DECAL, Dodge
	5DV7 3TA1	1							Silver
	5DV7 3PX9	1							Black
3									DECAL, 4x4, Sport Appearance
	5GL14 CA1AA	1	6, 7, 8						Silver
	5GL14 PCHAA	1	6, 7, 8						Blue
4									DECAL, 4 x 4
	5DV7 6TA1	1	6, 7, 8						Silver
	5DV7 6PX9	1	6, 7, 8						Black
5									DECAL, 4x4, 'OFF ROAD'
	5GL14 CA1AA	1	6, 7, 8						Silver
	5GL14 PCHAA	1	6, 7, 8						Blue
6									TAPE KIT, Bodyside
	4798 526	1							Quartz/Red, Right
	4798 527	1							Quartz/Red, Left
	4798 528	1							Rasberry/Driftwood, Right
	4798 529	1							Rasberry/Driftwood, Left
	5010 868AA	1							Blue/Driftwood, Right
	5010 869AA	1							Blue/Driftwood, Left
	5010 870AA	1							Silver/Green Metallic, Right
	5010 871AA	1							Silver/Green Metallic, Left
	5010 872AA	1							Silver/Aqua, Right
	5010 873AA	1							Silver/Aqua, Left


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic









AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – IBR

Interior Trim




IBR-100 Headliner and Visor	IBR-200 Moldings, Scuff Plates	IBR-300 Carpet	IBR-400 Door Trim Panels-Front and Rear
			
IBR-500 Front Seats and Attaching Parts	IBR-700 Seat Belts-Front and Rear	IBR-800 Adjusters, Covers, Shields, and Risers	IBR-900 Rear Storage Compartment
			

GROUP IBR - Interior Trim

Illustration Title	Group-Fig. No.
Headliner and Visor	
Sunvisor Headliners Coat Hook Assist Straps	Fig. IBR-110
Moldings, Scuff Plates	
A-pillar	Fig. IBR-210
B-pillar	Fig. IBR-220
Cowl And Sill	Fig. IBR-230
Carpet	
Carpets and Mats	Fig. IBR-310
Door Trim Panels-Front and Rear	
Front Door Trim Panels	Fig. IBR-410
Front Seats and Attaching Parts	
Seat, Front, Trim Code D2,D3	Fig. IBR-510
Seat, Front, Trim Code SX	Fig. IBR-520
Seat, Front, Trim Code S9	Fig. IBR-530
Seat, Front, Trim Code R1	Fig. IBR-540
Seat, Front, Code DP	Fig. IBR-550
Seat Belts-Front and Rear	
Belts - Shoulder Bench And 40/20/40 Seating Br Body, Standard Cab	Fig. IBR-710
Belts - Lap Bench Seat, Standard Cab Br Body	Fig. IBR-720
Belts - Lap 40/20/40 Seat Br,be, Standard And Club Cabs	Fig. IBR-730
Adjusters, Covers, Shields, and Risers	
Adjusters - Bench Seat	Fig. IBR-810
Recliner	Fig. IBR-820
Adjusters - Split Bench Seat	Fig. IBR-830
Seat - Floor Attaching	Fig. IBR-840
Rear Storage Compartment	
Rear Storage Base Model Br Body	Fig. IBR-910
Rear Storage Le Model Br Body	Fig. IBR-920

Sunvisor Headliners Coat Hook Assist Straps
Figure IBR-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									VISOR
	5ES00 TL2AD	1						O0	Without Mirror, Right
	5ES01 TL2AD	1						O0	Without Mirror, Left
2	5ES02 TL2AD	1						O0	VISOR, W/Mirror, Right
3									VISOR, Illuminated
	5FV64 TL2AD	1						O0	Right
	5FV65 TL2AD	1						O0	Left
-4									LABEL, Transfer Case Shift
	5210 5334	1	6, 7, 8						
	52105 360AA-	1	6, 7, 8						CANADA
-5									LABEL, Diesel Starting
	53040 084AA-	1							CANADA
	53040 085AA-	1							
-6	55350 848AA-	2							LABEL, Air Bag Warning
7	5EZ9 2SL2	2						O0	BRACKET, Sunvisor
8	0152 383	2							SCREW, Pan Head, .19-16x.75, Visor Clip Mounting
9	1150 1150	6							SCREW, Oval Head Tapping, .164x18x.984
10									HEADLINER
	5FE24 TL2AC	1						O0	Without Overhead Console
	5FE25 TL2AC	1						O0	With Overhead Console
11	5FY27 TL2AB	1						O0	HOOK, Coat
12	5DZ3 9SL2	1						O0	HANDLE, Roof Grab
13									SCREW, .164-18x1.00, .164-18x1. 00, (NOT SERVICED) (Not Serviced)

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

A-pillar
Figure IBR-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, A Pillar Trim
	5ES5 7LAZ	1						O0	Agate, (AZ), Without Infinity Sound, Left
	5ES5 7RC3	1						O0	Mist Gray, (C3), Without Infinity Sound, Left
	5ES5 7RK5	1						O0	Tan, (K9), Without Infinity Sound, Left
	5ES4 4LAZ	1						O0	Agate, (AZ), Without Infinity Sound, Right
	5ES4 4RC3	1						O0	Mist Gray, (C3), Without Infinity Sound, Right
	5ES4 4RK5	1						O0	Tan, (K9), Without Infinity Sound, Right
	5GK68 LAZAA	1						O0	Agate, (AZ), With Infinity Sound, Right
	5GK68 RC3AA	1						O0	Mist Gray, (C3), With Infinity Sound, Right
	5GK68 RK5AA	1						O0	Tan, (K9), With Infinity Sound, Right
	5GK69 LAZAA	1						O0	Agate, (AZ), With Infinity Sound, Left
	5GK69 RC3AA	1						O0	Mist Gray, (C3), With Infinity Sound, Left
	5GK69 RK5AA	1						O0	Tan, (K9), With Infinity Sound, Left
2	5521 4846	2						O0	CLIP, Trim Panel
3	6503 910	2							NUT
4									HANDLE, Roof Grab
	5DX76 LAZAB	1						O0	Agate, (AZ)
	5DX76 RC3AB	1						O0	Mist Gray, (C3)
	5DX76 RK5AB	1						O0	Tan, (K9)
5	6504 432	2							SCREW, Pan Head, M6-1.00x29.00
6									PLUG, Assist and Grab Handle
	H526 TAZ	2						O0	Agate, (AZ)
	H526 TC3	2						O0	Mist Gray, (C3)
	H526 TK5	2						O0	Tan, (K9)

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

B-pillar
Figure IBR-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, B Pillar Upper Trim
	5EU5 6LAZ	1						O0	Agate, (AZ), Right
	5EU5 6RC3	1						O0	Mist Gray, (C3), Right
	5EU5 6RK5	1						O0	Tan, (K9), Right
	5EU5 7LAZ	1						O0	Agate, (AZ), Left
	5EU5 7RC3	1						O0	Mist Gray, (C3), Left
	5EU5 7RK5	1						O0	Tan, (K9), Left
2									PLUG, Seat Belt Opening
	5FV88 LAZAA	2						O0	Agate, (AZ)
	5FV88 RC3AA	2						O0	Mist Gray, (C3)
	5FV88 RK5AA	2						O0	Tan, (K9)
3									ADJUSTER, Seat Belt Turning Loop
	QQ83 LAZAA	1						O0	Agate, (AZ)
	QQ83 RC3AA	1						O0	Mist Gray, (C3)
	QQ83 RK5AA	1						O0	Tan, (K9)
4	5521 4846	2						O0	CLIP, Trim Panel

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Cowl And Sill
Figure IBR-230


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	0154 562	8							SCREW, Pan Head, .19-16x1.50
2	4386 474	2							SILENCER, Wheelhouse
3	55350 755AB	1							INSULATION, Dash Panel
4									PANEL, Cowl
	5FH9 0LAZ	1						O0	Agate, (AZ), Right
	5FH9 0RC3	1						O0	Mist Gray, (C3), Right
	5FH9 0RK5	1						O0	Tan, (K9), Right
	5FH9 1LAZ	1						O0	Agate, (AZ), Left
	5FH9 1RC3	1						O0	Mist Gray, (C3), Left
	5FH9 1RK5	1						O0	Tan, (K9), Left
-5	5521 4846	2						O0	CLIP, Trim Panel
6									PANEL, Side Sill
	5FH8 0LAZ	1						O0	Agate, (AZ), Right
	5FH8 0RC3	1						O0	Mist Gray, (C3), Right
	5FH8 0RK5	1						O0	Tan, (K9), Right
	5FH8 1LAZ	1						O0	Agate, (AZ), Left
	5FH8 1RC3	1						O0	Mist Gray, (C3), Left
	5FH8 1RK5	1						O0	Tan, (K9), Left
7	6031 321	4							PIN, Retainer

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Carpets and Mats
Figure IBR-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CARPET, Front Floor
	5FY48 LAZAB	1						O0	Agate, (AZ)
	5FY48 RC8AB	1						O0	Mist Gray, (C3)
	5FY48 VK9AB	1						O0	Tan, (K9)
-2	55350 782AA-	2							COVER, Carpet Anchor Hole
3									MAT, Full Floor, Rubber
	5EJ08 DX9AB	1						O0	With Rear Stowage, Up to 9-11-98
	5EJ08 DX9AC	1						O0	With Rear Stowage, After 9-11-98
	5DY35 DX9AC	1						O0	Without Rear Stowage, Up to 9-11-98
	5DY35 DX9AD	1						O0	Without Rear Stowage, After 9-11-98
4									MAT KIT, Floor - Front
	5FJ56 LAZAB	1						O0	Agate, (AZ)
	5FJ56 RC8AB	1						O0	Mist Gray, (C3)
	5FJ56 VK9AB	1						O0	Tan, (K9)

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Front Door Trim Panels
Figure IBR-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; When replacing Door Trim Panel installer must replace X-mas tree style pin 6505878AA.									
1									PANEL, Door Trim Front
	PL68 LAZ	1						O0	Agate, (AZ),With or Witout Power Mirrors, Right
	PL68 TC3	1						O0	Mist Gray, (C3), With or Witout Power Mirrors, Right
	PL59 LAZ	1						O0	Agate, (AZ),With or Witout Power Mirrors, Left
	PL59 TC3	1						O0	Mist Gray, (C3), With or Witout Power Mirrors, Left
	RH60 LAZAA	1						O0	Agate, (AZ), With LE Decor Group, Without Leather, Right
	RH60 1C3AA	1						O0	Mist Gray, (C3), With LE Decor Group, Without Leather, Right
	RH60 1K9AA	1						O0	Agate, (AZ), With LE Decor Group, Without Leather, Right
	RH61 LAZAA	1						O0	Agate, (AZ), With LE Decor Group, Without Leather, Left
	RH61 1C3AA	1						O0	Mist Gray, (C3), With LE Decor Group, Without Leather, Left
	RH61 1K9AA	1						O0	Camel, (K9), With LE Decor Group, Without Leather, Left
	RZ68 1AZAA	1						O0	Agate, (AZ), With LE Decor Group, With Leather, Right
	RZ68 1K9AA	1						O0	Camel, (K9), With LE Decor Group, With Leather, Right
	RZ69 1AZAA	1						O0	Agate, (AZ), With LE Decor Group, With Leather
	RZ69 1K9AA	1						O0	Camel, (K9), With LE Decor Group, With Leather, Left
-2	KM64 TC3	1						O0	PLUG, Mirror Switch
3	6503 709	10						O0	PIN, Door Panel
4									SCREW, .164-18x1.00, (NOT SERVICED) (Not Serviced)
5									PULL CUP, Front Door Trim Panel
	4741 404	1						O0	With SLT Decor, Right
	4741 405	1						O0	With SLT Decor, Left
	4741 402	1						O0	Without SLT Decor, Right
	4741 403	1						O0	Without SLT Decor, Left

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Seat, Front, Trim Code D2,D3
Figure IBR-510




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CUSHION, Front Seat
	SQ18 1AZAA	1						D2	Agate, (AZ)
	SQ18 1C3AA	1						D2	Mist Gray, (C3)
	SQ22 1AZAA	1						D3	Agate, (AZ)
	SQ22 1C3AA	1						D3	Mist Gray, (C3)
2									COVER, Front Seat Cushion
	SQ20 1AZAA	1						D2	Agate, (AZ)
	SQ20 1C3AA	1						D2	Mist Gray, (C3)
	SQ24 1AZAA	1						D3	Agate, (AZ)
	SQ24 1C3AA	1						D3	Mist Gray, (C3)
3									BACK, Front Seat
	SQ19 1AZAA	1						D2	Agate, (AZ)
	SQ19 1C3AA	1						D2	Mist Gray, (C3)
	SQ23 1AZAA	1						D3	Agate, (AZ)
	SQ23 1C3AA	1						D3	Mist Gray, (C3)
4									COVER, Seat Back
	SQ21 1AZAA	1						D2	Agate, (AZ)
	SQ21 1C3AA	1						D2	Mist Gray, (C3)
	SQ25 1AZAA	1						D3	Agate, (AZ)
	SQ25 1C3AA	1						D3	Mist Gray, (C3)

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Seat, Front, Trim Code SX
Figure IBR-520



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CUSHION, Front Seat
	SQ78 1AZAA	1						SX	Agate, (AZ), Right
	SQ78 1C3AA	1						SX	Mist Gray, (C3), Right
	SQ79 1AZAA	1						SX	Agate, (AZ), Left
	SQ79 1C3AA	1						SX	Mist Gray, (C3), Left
	SV81 1AZAA	1						SX	Agate, (AZ), Center
	SV81 1C3AA	1						SX	Mist Gray, (C3), Center
2									COVER, Front Seat Cushion
	SQ77 1AZAA	1						SX	Agate, (AZ), Center
	SQ77 1C3AA	1						SX	Mist Gray, (C3), Center
	SQ82 1AZAA	1						SX	Agate, (AZ), Right
	SQ82 1C3AA	1						SX	Mist Gray, (C3), Right
	SQ83 1AZAA	1						SX	Agate, (AZ), Left
	SQ83 1C3AA	1						SX	Mist Gray, (C3), Left
3									BACK, Front Seat
	SQ80 1AZAA	1						SX	Agate, (AZ), Right
	SQ80 1C3AA	1						SX	Mist Gray, (C3), Right
	SQ81 1AZAA	1						SX	Agate, (AZ), Left
	SQ81 1C3AA	1						SX	Mist Gray, (C3), Left
4									COVER, Front Seat Back
	SQ84 1AZAA	1						SX	Agate, (AZ), Right
	SQ84 1C3AA	1						SX	Mist Gray, (C3), Right
	SQ85 1AZAA	1						SX	Agate, (AZ), Left
	SQ85 1C3AA	1						SX	Mist Gray, (C3), Left
5									BASE, Armrest
	SS28 1AZAA	1						SX	Agate, (AZ)
	SS28 1C3AA	1						SX	Mist Gray, (C3)
6									LID, Armrest Bin
	SS23 1AZAA	1						SX	Agate, (AZ)
	SS23 1C3AA	1						SX	Mist Gray, (C3)
7	4778 673	1						SX	BEZEL, Armrest, Lid
8	5278 455AA	1						SX	BEZEL, Armrest, Base
9	4773 684	1						SX	PIN, Armrest Lid Hinge
10	4773 685	1						SX	SPRING, Armrest Lid Hinge
11	5278 456AA	1						SX	LINER, Armrest Lid
12	4797 715	1						SX	BEZEL, Armrest, Lid Latch Release Push Button
13	4773 507	1						SX	BOLT, Armrest Pivot
14									SCREW, (NOT SERVICED) (Not Serviced)
15									COVER, Bracket


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Seat, Front, Trim Code SX
Figure IBR-520

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4773 418	1						SX	Right
	4773 419	1						SX	Left
-16	5278 457AA-	1						SX	SPRING, Coinholder




DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Seat, Front, Trim Code S9
Figure IBR-530



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CUSHION, Front Seat
	SQ66 1AZAA	1						S9	Agate, (AZ), Right
	SQ66 1C3AA	1						S9	Mist Gray, (C3), Right
	SQ67 1AZAA	1						S9	Agate, (AZ), Left
	SQ67 1C3AA	1						S9	Mist Gray, (C3), Left
	SV82 1AZAA	1						S9	Agate, (AZ), Center
	SV82 1C3AA	1						S9	Mist Gray, (C3), Center
2									COVER, Front Seat Cushion
	SQ70 1AZAA	1						S9	Agate, (AZ), Right
	SQ70 1C3AA	1						S9	Mist Gray, (C3), Right
	SQ71 1AZAA	1						S9	Agate, (AZ), Left
	SQ71 1C3AA	1						S9	Mist Gray, (C3), Left
	SQ72 1AZAA	1						S9	Agate, (AZ), Center
	SQ72 1C3AA	1						S9	Mist Gray, (C3), Center
3									BACK, Front Seat
	SQ68 1AZAA	1						S9	Agate, (AZ), Right
	SQ68 1C3AA	1						S9	Mist Gray, (C3), Right
	SQ69 1AZAA	1						S9	Agate, (AZ), Left
	SQ69 1C3AA	1						S9	Mist Gray, (C3), Left
4									COVER, Seat Back
	SQ74 1AZAA	1						S9	Agate, (AZ), Right
	SQ74 1C3AA	1						S9	Mist Gray, (C3), Right
	SQ75 1AZAA	1						S9	Agate, (AZ), Left
	SQ75 1C3AA	1						S9	Mist Gray, (C3), Left
5									BASE, Armrest
	SS36 1AZAA	1						S9	Agate, (AZ)
	SS36 1C3AA	1						S9	Mist Gray, (C3)
6									LID, Armrest Bin
	SS23 1AZAA	1						S9	Agate, (AZ)
	SS23 1C3AA	1						S9	Mist Gray, (C3)
7	4778 673	1						S9	BEZEL, Armrest, Lid
8	5278 455AA	1						S9	BEZEL, Armrest, Base
9	4773 684	1						S9	PIN, Armrest Lid Hinge
10	4773 685	1						S9	SPRING, Armrest Lid Hinge
11	5278 456AA	1						S9	LINER, Armrest Lid
12	4797 715	1						S9	BEZEL, Armrest, Lid Latch Release Push Button, Lid Latch Release
13	4773 507	1						S9	Button BOLT, Armrest Pivot
14									SCREW, (NOT SERVICED) (Not Serviced)


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Seat, Front, Trim Code S9
Figure IBR-530

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
15									COVER, Bracket
	4773 418	1						S9	Right
	4773 419	1						S9	Left
-16	5278 457AA-	1						S9	SPRING, Coinholder




DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Seat, Front, Trim Code R1
Figure IBR-540




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	CUSHION, Front Seat								
	SQ64 1AZAA	1						R1	Agate, (AZ), Right
	SQ64 1C3AA	1						R1	Mist Gray, (C3), Right
	SQ64 1K5AA	1						R1	Tan, (K9), Right
	SQ65 1AZAA	1						R1	Agate, (AZ), Left
	SQ65 1C3AA	1						R1	Mist Gray, (C3), Left
	SQ65 1K5AA	1						R1	Tan, (K9), Left
	SQ96 1AZAA	1						R1	Agate, (AZ), Left,Power Seat
	SQ96 1C3AA	1						R1	Mist Gray, (C3), Left,Power Seat
	SQ96 1K5AA	1						R1	Tan, (K9), Left,Power Seat
	SV83 1AZAA	1						R1	Agate, (AZ), Center
	SV83 1C3AA	1						R1	Mist Gray, (C3), Center
	SV83 1K5AA	1						R1	Tan, (K9), Center
2	COVER, Front Seat Cushion								
	SQ53 1AZAA	1						R1	Agate, (AZ), Center
	SQ53 1C3AA	1						R1	Mist Gray, (C3), Center
	SQ53 1K5AA	1						R1	Tan, (K9), Center
	SQ60 1AZAA	1						R1	Agate, (AZ), Right
	SQ60 1C3AA	1						R1	Mist Gray, (C3), Right
	SQ60 1K5AA	1						R1	Tan, (K9), Right
	SQ61 1AZAA	1						R1	Agate, (AZ), Left
	SQ61 1C3AA	1						R1	Mist Gray, (C3), Left
	SQ61 1K5AA	1						R1	Tan, (K9), Left
	SQ97 1AZAA	1						R1	Agate, (AZ), Left,Power
	SQ97 1C3AA	1						R1	Mist Gray, (C3), Left,Power
	SQ97 1K5AA	1						R1	Tan, (K9), Left,Power
3	BACK, Front Seat								
	SQ93 1AZAA	1						R1	Agate, (AZ), Left,Power Seat
	SQ93 1C3AA	1						R1	Mist Gray, (C3), Left,Power Seat
	SQ93 1K5AA	1						R1	Tan, (K9), Left,Power Seat
	SQ94 1AZAA	1						R1	Agate, (AZ), Right
	SQ94 1C3AA	1						R1	Mist Gray, (C3), Right
	SQ94 1K5AA	1						R1	Tan, (K9), Right
	SQ95 1AZAA	1						R1	Agate, (AZ), Left
	SQ95 1C3AA	1						R1	Mist Gray, (C3), Left
	SQ95 1K5AA	1						R1	Tan, (K9), Left
4	COVER, Seat Back								
	SQ62 1AZAA	1						R1	Agate, (AZ), Right
	SQ62 1C3AA	1						R1	Mist Gray, (C3), Right
	SQ62 1K5AA	1						R1	Tan, (K9), Right

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Seat, Front, Trim Code R1
Figure IBR-540




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	SQ63 1AZAA	1						R1	Agate, (AZ), Left
	SQ63 1C3AA	1						R1	Mist Gray, (C3), Left
	SQ63 1K5AA	1						R1	Tan, (K9), Left
5									BASE, Armrest
	SS37 1AZAA	1						R1	Agate, (AZ)
	SS37 1C3AA	1						R1	Mist Gray, (C3)
	SS37 1K5AA	1						R1	Tan, (K9)
6									LID, Armrest Bin
	SS23 1AZAA	1						R1	Agate, (AZ)
	SS23 1C3AA	1						R1	Mist Gray, (C3)
	SS23 1K5AA	1						R1	Tan, (K9)
7	4778 673	1						R1	BEZEL, Armrest, Lid
8	5278 455AA	1						R1	BEZEL, Armrest, Base
9	4773 684	1						R1	PIN, Armrest Lid Hinge
10	4773 685	1						R1	SPRING, Armrest Lid Hinge
11	5278 456AA	1						R1	LINER, Armrest Lid
12	4797 715	1						R1	BEZEL, Armrest, Lid Latch Release Push Button
13	4773 507	1						R1	BOLT, Armrest Pivot
14									SCREW, (NOT SERVICED) (Not Serviced)
15									COVER, Bracket
	4773 418	1						R1	Right
	4773 419	1						R1	Left
-16	5278 457AA-	1						R1	SPRING, Coinholder

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Seat, Front, Code DP
Figure IBR-550



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CUSHION, Front Seat
	SQ26 1AZAA	1						DP	Agate, (AZ), Right
	SQ26 1K5AA	1						DP	Tan, (K9), Right
	SQ27 1AZAA	1						DP	Agate, (AZ), Left
	SQ27 1K5AA	1						DP	Tan, (K9), Left
	SQ32 1AZAA	1						DP	Agate, (AZ), Center
	SQ32 1K5AA	1						DP	Tan, (K9), Center
2									COVER, Front Seat Cushion
	SQ33 1AZAA	1						DP	Agate, (AZ), Center
	SQ33 1K5AA	1						DP	Tan, (K9), Center
	SQ48 1AZAA	1						DP	Agate, (AZ), Right
	SQ48 1K5AA	1						DP	Tan, (K9), Right
	SQ49 1AZAA	1						DP	Agate, (AZ), Left
	SQ49 1K5AA	1						DP	Tan, (K9), Left
3									BACK, Front Seat
	SQ28 1AZAA	1						DP	Agate, (AZ), Right
	SQ28 1K5AA	1						DP	Tan, (K9), Right
	SQ29 1AZAA	1						DP	Agate, (AZ), Left
	SQ29 1K5AA	1						DP	Tan, (K9), Left
4									COVER, Seat Back
	SQ58 1AZAA	1						DP	Agate, (AZ), Right
	SQ58 1K5AA	1						DP	Tan, (K9), Right
	SQ59 1AZAA	1						DP	Agate, (AZ), Left
	SQ59 1K5AA	1						DP	Tan, (K9), Left
5									BASE, Armrest
	SS38 1AZAA	1						DP	Agate, (AZ)
	SS38 1K5AA	1						DP	Tan, (K9)
6									LID, Armrest Bin
	SS23 1AZAA	1						DP	Agate, (AZ)
	SS23 1K5AA	1						DP	Tan, (K9)
7	4778 673	1						DP	BEZEL, Armrest, Lid
8	5278 455AA	1						DP	BEZEL, Armrest, Base
9	4773 684	1						DP	PIN, Armrest Lid Hinge
10	4773 685	1						DP	SPRING, Armrest Lid Hinge
11	5278 456AA	1						DP	LINER, Armrest Lid
12	4797 715	1						DP	BEZEL, Armrest, Lid Latch Release Push Button
13	4773 507	1						DP	BOLT, Armrest Pivot
14									SCREW, (NOT SERVICED) (Not Serviced)
15									COVER, Bracket


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Seat, Front, Code DP
Figure IBR-550

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4773 418	1						DP	Right
	4773 419	1						DP	Left
-16	5278 457AA-	1						DP	SPRING, Coinholder




DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Belts - Shoulder Bench And 40/20/40 Seating Br Body, Standard Cab
Figure IBR-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4664 039	2							SCREW, Pan Head, .437-20x1.244
2	6036 108AA	4							SCREW, Pan Head
3									SEAT BELT, Front Outer
	5FG9 0LAZ	1						O0	Agate, (AZ, C3), Right
	5FG9 0RK5	1						O0	Camel/Tan, (K9), Right
	5FG9 1LAZ	1						O0	Agate, (AZ, C3), Left
	5FG9 1RK5	1						O0	Camel/Tan, (K9), Left
4									EXTENDER, Seat Belt
	4856 560	1						D3	
		1						D2	
		1						DP	
		1						R1	
		1						S9	
		1						SX	
5	55350 805AA	2							ADJUSTER, Seat Belt Turning Loop
6									COVER, Adjustable Turning Loop
	JV77 LAZ	2						O0	Agate, (AZ)
	JV77 RC3	2						O0	Mist Gray, (C3)
	JV77 RK5	2						O0	Tan, (K9)
7	4645 780	2							KNOB, Seat Belt Adjuster

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Belts - Lap Bench Seat, Standard Cab Br Body
Figure IBR-720




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									LAP BELT, Two Buckles
	5EX6 0SAZ	1						D3	
		1						D2	
2									SEAT BELT, Buckle And Tip
	5EX6 1SAZ	1						D2	
		1						D3	
3									BEZEL, Seat Belt
	JU98 1AZ	2						D3	Agate, (AZ)
		2						D2	Agate, (AZ)
	JU98 1C3	2						D3	Mist Gray, (C3)
		2						D2	Mist Gray, (C3)
4									RETAINER, Seat Belt Bezel
	4746 336	2						D2	
		2						D3	
-5									EXTENDER, Seat Belt
	4856 560	1						D3	
		1						D2	

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Belts - Lap 40/20/40 Seat Br,be, Standard And Club Cabs
Figure IBR-730



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									LAP BELT, Buckle Half
	5EX6 2SAZ	1						DP	Agate, (AZ)
	5EX6 2TK5	1						DP	Tan, (K5)
	5EX6 2SAZ	1						R1	Agate, (AZ)
	5EX6 2TK5	1						R1	Tan, (K5)
	5EX6 2SAZ	1						S9	Agate, (AZ)
		1						SX	Agate, (AZ)
2									LAP BELT, Tip Half
	5EX6 3SAZ	1						DP	Agate, (AZ)
	5EX6 3TK5	1						DP	Tan, (K5)
	5EX6 3SAZ	1						R1	Agate, (AZ)
	5EX6 3TK5	1						R1	Tan, (K5)
	5EX6 3SAZ	1						S9	Agate, (AZ)
		1						SX	Agate, (AZ)
3									SEAT BELT, Buckle Half, Right Side for Standard Cabs, Left Side for Standard and Club Cabs with
									Manual Seat
	5EX6 4SAZ	1						DP	Agate, (AZ)
	5EX6 4TK5	1						DP	Tan, (K5)
	5EX6 4SAZ	1						R1	Agate, (AZ)
	5EX6 4TK5	1						R1	Tan, (K5)
	5EX6 4SAZ	2						S9	Agate, (AZ)
		2						SX	Agate, (AZ)
4									SEAT BELT, Front
	5EX6 6SAZ	1						DP	Agate, (AZ), Driver,Power
	5EX6 6TK5	1						DP	Tan, (K5), Driver,Power
	5EX6 6SAZ	1						R1	Agate, (AZ), Driver,Power
	5EX6 6TK5	1						R1	Driver,Power
-5									EXTENDER, Seat Belt
	4856 560	1						D2	
		1						D3	
		1						DP	
		1						R1	
		1						S9	
		1						SX	
-6									SHIELD, Seat Belt
	4864 650	1						DP	
		1						R1	
		1						S9	


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Belts - Lap 40/20/40 Seat Br,be, Standard And Club Cabs
Figure IBR-730

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-7	5017 032AA-	1							ANCHOR PACKAGE, Child Seat Tether




DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Adjusters - Bench Seat
Figure IBR-810




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									ADJUSTER, Manual Seat
	5003 472AA	1						D2	Right
	5003 470AA	1						D2	Left
	5003 472AA	1						D3	Right
	5003 470AA	1						D3	Left
2									LOCK BAR, Seat Belt
	5531 4569	1						D2	Left
	5531 4568	1						D2	Right
		1						D3	Right
	5531 4569	1						D3	Left
-3	J400 3926	2							WASHER, Flat, .437x.875x.135
4									BOLT, Seat Belt Anchor
	4746 341	2						D2	
		2						D3	
5									BOLT, Adjuster to Seat Frame
	4746 334	8						D2	
		8						D3	
6									BRACKET, Seat Riser
	4746 329	1						D2	
		1						D3	
7									BOLT, M6x1.00x12.00, (NOT
									SERVICED) (Not Serviced)
8									WIRE, Slave Seat Adjuster
	4886 207AA	1						D2	
		1						D3	

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Recliner
Figure IBR-820




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									BOLT, Front Seat Recliner
	4746 335	4						D2	
		4						D3	
		4						DP	
		4						R1	
		4						S9	
2									LATCH, Seat
	4883 794AA	1						SX	Right
		1						D2	Left
	4883 795AA	1						D2	Left
	4883 794AA	1						D3	Right
	4883 795AA	1						D3	Left
3									RECLINER, Seat Back
	4883 818AA	1						DP	Right
		1						R1	Right
		1						S9	Right
		1						SX	Right
	4883 819AA	1						DP	Left
		1						R1	Left
		1						S9	Left
		1						SX	Left
4	4746 339	2						DP	BEZEL, Front Seat Back Latch
		2						R1	
		2						S9	
		2						SX	
5									SCREW, (NOT SERVICED) (Not Serviced)
6									HANDLE, Seat Release
	5003 054AA	2						DP	
		2						R1	
		2						S9	
		2						SX	
7									HANDLE, Recliner
	5519 6021	1						DP	Left
	5519 6020	1						DP	Right
		1						R1	Right
	5519 6021	1						R1	Left
		1						S9	Left
	5519 6020	1						S9	Right
		1							

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Recliner
Figure IBR-820



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
8	5519 6021	1						SX	Left
	5519 6020	1						SX	Right
	6101 634	2						DP	SCREW, Pan Head, M4x.7x14
		2						R1	
9		2						S9	HANDLE, Lumbar
		2						SX	
	4797 891	1						DP	
		1						R1	

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic


Adjusters - Split Bench Seat
Figure IBR-830

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									ADJUSTER, Manual Seat, Passenger Outboard
	5003 504AA	1						SX	Passenger,Outboard
		1						S9	Passenger,Outboard
		1						DP	Passenger,Outboard
		1						R1	Passenger,Outboard
2									ADJUSTER, Manual Seat, Passenger Inboard
	5003 503AA	1						SX	
		1						S9	
		1						R1	
		1						DP	
3									ADJUSTER, Manual Seat, Driver Inboard
	5003 469AA	1						R1	
		1						S9	
		1						SX	
4									ADJUSTER, Manual Seat, Driver Outboard
	5003 470AA	1						R1	Driver,Outboard
		1						S9	Driver,Outboard
		1						SX	Driver,Outboard
5									BOLT, Adjuster to Seat Frame
	4746 334	16						SX	
		16						S9	
		16						R1	
		12						DP	
6									BOLT, Pivot
	5003 520AA	2						SX	
		2						S9	
		2						R1	
		2						DP	
7									ADJUSTER, Power Seat
	5003 471AA	1						R1	
		1						DP	
8									BRACKET, Mounting, Seat Switch, Serviced in Seat Complete, (NOT REQUIRED)
9									SWITCH, Seat, See Group 8, (NOT REQUIRED)
10									BEZEL, Seat Adjuster Switch


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Adjusters - Split Bench Seat Figure IBR-830



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4746 477	1						R1	
11		1						DP	SCREW, (NOT SERVICED) (Not Serviced)
12									SCREW, (NOT SERVICED) (Not Serviced)
13									WIRE, Slave Seat Adjuster
	4886 202AA	1						SX	
		1						S9	
		1						R1	
		1						DP	

DODGE RAM STANDARD CAB (BR)



SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500 3,8 = 3500	62 = Reg. Cab(134 WB) 63 = Reg. Cab(138 WB) 64 = Reg. Cab(162 WB) 65 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl. ETC,ETH = 5.9L 6 Cyl. EML,EMM = 5.9L 8 Cyl. EWA = 8.0L 10 Cyl.	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDP,DDX,DDC = 5 Spd. Manual DEE = 6 Spd. Manual DDO = All 5 Speed Manual DGO = All Automatic
			EAA = All engines EAG = All gas engines	

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Seat - Floor Attaching
Figure IBR-840




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SCREW AND WASHER, M10x1.5x45
	6505 401AA	2							Bench Seat 40/20/40 Seat
2	6502 337	2							NUT, M10x1.5
3	6504 794AA	2							STUD, Double Ended, M10x1.5x59
4	0152 477	2							NUT, Hex Flange Lock, .437-20
5	J400 3926	2							WASHER, Flat, .437x.875x.135

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Rear Storage Base Model Br Body
Figure IBR-910




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	BAG, Jack Tool Storage								
	52020 344AA	1	1, 6		61, 62				
		1	2, 7		62, 65				
		1	3, 8		62, 63, 64				
2	5203 8324	2							STRAP, Jack Tool Storage
3									SCREW AND WASHER, .164-18x. 750, (NOT SERVICED) (Not Serviced)

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Rear Storage Le Model Br Body
Figure IBR-920



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Trim Cab Back
	SB99 LAZAA	1						O0	Agate, (AZ)
	SB99 RC8AA	1						O0	Mist Gray, (C3)
	SB99 VK9AA	1						O0	Tan, (K9)
2	5521 5598	2							BIN, Cab Back Panel
3	0154 788	5							SCREW, Round Head, .19-16x.625
4	55214 730AC	1							TRAY, Floor Storage
5									BAG, Jack Tool Storage
	52020 344AA	1	1, 6		61, 62				
		1	2, 7		62, 65				
		1	3, 8		62, 63, 64				
6	4761 195	1						O0	BEZEL, Storage Bin
7	0154 562	3							SCREW, Pan Head, .19-16x1.50
8	5521 5597	2							STRAP, Jack Tool Storage
9									FASTENER, Trim Panel Attaching
	5DV6 2LAZ	5						O0	Agate, (AZ)
	5DV6 2RC8	5						O0	Mist Gray, (C3)
10									PANEL, Cab Back Trim
	QP04 LAZ	1						O0	Agate, (AZ)
	QP04 RC8	1						O0	Mist Gray, (C3)


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Group – SBR









Body Sheet Metal Except Doors



Group – SBR

Body Sheet Metal Except Doors

SBR-1100 Roof Panels <div>  </div>	SBR-1300 Tailgate <div>  </div>		
---	--	--	--


SBR-200 Floor Pans <div>  </div>	SBR-300 Plugs <div>  </div>	SBR-400 Front Fenders <div>  </div>	SBR-500 Hood & Hood Release <div>  </div>
SBR-600 Cowl and Dash Panel <div>  </div>	SBR-700 Glass and Rear View Mirror <div>  </div>	SBR-800 Aperture Panel <div>  </div>	SBR-900 Quarter Panel and Pillar <div>  </div>

GROUP SBR - Body Sheet Metal Except Doors

Illustration Title	Group-Fig. No.
Floor Pans	
Floor Pan Standard Cab	Fig. SBR-210
Floor Box And Panel	Fig. SBR-220
Plugs	
Plugs	Fig. SBR-310
Front Fenders	
Fender Front	Fig. SBR-410
Hood & Hood Release	
Hood And Hood Release	Fig. SBR-510
Cowl and Dash Panel	
Cowl And Dash Panel	Fig. SBR-610
Glass and Rear View Mirror	
Glass, Windshield, Backlite, Mirror	Fig. SBR-710
Aperture Panel	
Aperture Panel Bodyside	Fig. SBR-810
Quarter Panel and Pillar	
Quarter Panel	Fig. SBR-910
Roof Panels	
Roof Panel	Fig. SBR-1110
Tailgate	
Tailgate	Fig. SBR-1310



Floor Pan Standard Cab
Figure SBR-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	55275 273AB	1							PAN, Center Floor
2	4490 835AB	2							REINFORCEMENT, Shoulder Belt
3									PANEL, Floor Outer
	5527 4918	1							Right
	5527 4919	1							Left
4									SUPPORT, Cowl Side
	5527 4570	1							Right
	5527 4571	1							Left
5									SUPPORT, Underbody Hold Down
	5527 4926	1							Right
	5527 4927	1							Left
6	5527 4580	2							SUPPORT, Underbody Hold Down
7	5527 4706	1							REINFORCEMENT, Seat Belt
8	6504 794AA	2							Anchor
9									STUD, Double Ended, M10x1.5x59
10									PLATE, (NOT SERVICED) (Not Serviced)
									TAPPING PLATE, Floor to Instrument
									Panel Mount, (NOT SERVICED)
									(Not Serviced)

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Floor Box And Panel
Figure SBR-220




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5534 5618	1			61, 62				CROSSMEMBER, Rear Box, #5
2	5527 5107	1							PANEL, Cab Back
3	55023 544AB	1							REINFORCEMENT, Cab Back
4	5527 5374	1	1, 6		61				PANEL, Box Floor, 6 1/2 Foot Box
5	5502 3626	1			61, 62				PANEL, Front Box
6	5527 5253	1			61, 62				CROSSMEMBER, Rear Box, #1
7									CROSSMEMBER, Rear Box
	5527 4766	1	1, 6		61				6 1/2 Foot Box
	5534 6134	1			62				8 Foot Box
8									CROSSMEMBER, Rear Box
	5527 4770	1	1, 6		61				#3 For 6 1/2 Foot Box
		2			62				#3 and #4 For 8 Foot Box
9	5534 6091	2			61, 62				TAPPING PLATE, Floor
									Crossmember, Tie Downs, Also Serviced in Crossmember #1 and #2
10									BRACKET, Box Floor Center, (NOT SERVICED) (Not Serviced)
11									BRACE, Box Side Wheelhouse
	5534 5734	2			61, 62				Right
	5534 5735	2			61, 62				Left
12	5502 3614	2			61, 62				WHEELHOUSE, Rear Inner
13									REINFORCEMENT, Quarter Rear Corner
	55274 806AB	1			61, 62				Right
	55274 807AB	1			61, 62				Left
14									EXTENSION, Wheel House
	5534 4824	1	3, 8		62				Right
		1	1, 2		61, 62				Right
	5534 4825	1	3, 8		62				Left
		1	1, 2		61, 62				Left
15	5527 5186	1			61, 62				SILL, Box
16	55275 466AA	4			61, 62				ISOLATOR
-17	5527 5188	2			61, 62				TAPPING PLATE, Sill to Frame
18									REINFORCEMENT, Cab Back to Floor
	5527 5092	1							Right
	5527 5093	1							Left
-19	6503 298	8			62				SCREW AND WASHER, Hex Head, M10x1.5x45
20									PANEL, Box Side

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Floor Box And Panel
Figure SBR-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4856 376	1	1, 6		61				6 1/2 Foot Box, Right
	4856 377	1	1, 6		61				6 1/2 Foot Box, Left
	4856 380	1			62				8 Foot Box, Right
	4856 381	1			62				8 Foot Box, Left
21									PANEL, Box Side Outer
	5502 3618	1	1, 6		61				6 1/2 Foot Box, Right
	5502 3619	1	1, 6		61				6 1/2 Foot Box, Left
	5502 3620	1			62				8 Foot Box, Right
	5502 3621	1			62				8 Foot Box, Left
22									PANEL, Box Side, Dual Wheels
	4856 384	1			62				Right
	4856 385	1			62				Left
23	6503 221	2							PIN

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Plugs
Figure SBR-310


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4440 486	2							PLUG, Body, 19.05mm x 31.75mm, Left Side Only
2	5534 6332	2							PLUG, Sealing, Box Floor
3	4475 385	2							PLUG, Plenum Lower Push Rod Access
4	5503 5931	2							SEAL, Plenum Drain
5	4674 441	2							PLUG, Body, .75 Diameter, Body Side Aperture
6	1774 076	2							PLUG, Body Side
7	55257 380AA	6							PLUG, Floor Pan Outer Drain
8	4586 055	12							PLUG, Floor Pan
-9	5600 6990	1							PLUG, Sealing, Antenna Hole
-10	52108 193AB-	1							PLUG, Dash Panel Clutch Opening
-11	4084 000	2							PLUG, Hood, Hood Rear, Round
-12	4475 385	2							PLUG, Hood Rear, Oval

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Fender Front
Figure SBR-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Sales Codes:									
[Z3A] = Gross Vehicle Weight Rating 10500#									
[Z3B] = Gross Vehicle Weight Rating 11000#									
1	55275 310AG	1			61, 62, 63, 64				WHEELHOUSE, Front Inner Right
	55275 311AG	1			61, 62, 63, 64				Left
2	5502 3531	1							REINFORCEMENT, Fender Left
	5502 3530	1							Right
3	55234 708AG	1							PANEL, Fender Right
	55234 709AG	1							Left
-4	6503 757	2							SCREW AND WASHER, Hex Head, M8-1.25x22.00, Fender Outer to Aperture
-5	6502 282	12							SCREW, Hex Head, M8x1.25x30, Fender Inner to Radiator Closure
-6	6503 461	AR							SCREW, Fender Outer to Radiator Closure
7	5523 4649	1							REINFORCEMENT, Fender Left,Upper
	5523 4648	1							Right,Upper
8	55275 396AB	1							REINFORCEMENT, Fender Right
	55275 397AB	1							Left
9	5534 6014	1	1, 2, 3		61, 62, 65				SHIELD, Wheelhouse 2 Wheel Drive, Use For All Ram 1500 & 2500, Use For Ram 3500 With Gross Vehicle Weight #10, 500, [Z3A] Only2 Wheel Drive, Right
	5534 6015	1	1, 2, 3		61, 62, 65				2 Wheel Drive, Use For All Ram 1500 & 2500, Use For Ram 3500 With Gross Vehicle Weight #10, 500, [Z3A] Only2 Wheel Drive, Left
	5534 6052	1	3		63, 64				2 Wheel Drive, For Ram 3500 With Gross Vehicle Weight #11,000, [Z3B], Right

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Fender Front
Figure SBR-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5534 6053	1	3		63, 64				2 Wheel Drive, For Ram 3500 With Gross Vehicle Weight #11,000, [Z3B], Left
	5534 6052	1	6, 7, 8						4 Wheel Drive, Right
	5534 6053	1	6, 7, 8						4 Wheel Drive, Left
10	3420 1631	18							RIVET, M6.25x28 Black, Ataach Front Fender
11	55135 108AB	1							SEAL, Fender To Cowl Right
	55135 109AB	1							Left
-12	5304 0076	2							LABEL, Battery Jump Start
	5304 0081	1							CANADA

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Hood And Hood Release
Figure SBR-510

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Sales Code MFN = Sports Appearance Group

1	55075 923AC	1							HOOD
2	55350 404AC	1							PAD, Hood Silencer
3	6003 351	15							RETAINER, Hood Insulation, .415x.690
4	5523 4899	2							BUMPER, Hood to Fender, Upper
5	2276 804	2							BUMPER, Hood
6	6035 724	2							SCREW, Round Head, .312-18x1.50, Front Radiator Closure
7	6100 051	4							NUT AND WASHER, Hex Nut-Coned Washer, M8 x 1.25, Hood Hinge
8									HINGE, Hood
	55076 271AC	1							Left
	55076 270AC	1							Right
-9	6503 661	6							SCREW AND WASHER, Hex Head, M8x1.25x25
10	6500 787	1							RIVET, M5x11.30, Skid Plate
11	5507 5178	1							SKID PLATE, Secondary Hood Catch
12	5527 5379	1							LATCH, Hood
13	6101 455	2							SCREW AND WASHER, Hex Head, M6x1x20
14	5507 6343	1							RELEASE, Hood Latch
-15	5207 294	1							GROMMET, Hood Latch Release, Hood Latch Release
16	6503 794	3							CLIP, M6.3x11.2, Attach Tubing Release Hood Latch
-17	6504 288	6							SCREW AND WASHER, Hex Head, Grille Bracket to Hood
18	5507 6367	1							CATCH, Hood Safety
19	5507 5937	1							STRIKER, Hood Latch
20									ROD, Hood Safety Catch
	5527 5195	1							Without Sports Appearance Group, MFN
	55275 477AA	1							With Sports Appearance Group, MFN
21	55275 133AB	1							GUIDE, Hood Safety
22	6502 655	1							SCREW, Hex Head, M6x1x15
23	0154 782	3							SCREW, Hex Head, .19-16x.5
24									SEAL, Hood To Plenum
	5513 5340	1							With 8 Cylinder, Diesel, V-10


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

**Hood And Hood Release
Figure SBR-510**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-25	5513 5341	1							With 3.91 SEAL, Cowl
	5513 5342	1							Grille End, Right
	5513 5343	1							Grille End, Left
-26	5503 6839	2							TAPE, Hood To Seal
27	4658 677	1							CLIP, Latch Link
-28	6100 557	2							BOLT AND CONED WASHER, Hex Head, M6x20x14, Attach Clip Cable to Body

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Cowl And Dash Panel
Figure SBR-610


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	55274 586AB	1							PANEL, Dash
2	5527 5298	1							PANEL, Cowl And Plenum
3	5527 4644	1							PANEL, Plenum End Right
	5527 4645	1							Left
4	5527 4643	1							PANEL, Cowl And Plenum
5	5502 3557	1							SUPPORT, Steering Column, Upper
6	5527 5302	1							PANEL, Cowl Side Right
	5527 5303	1							Left
-7	6502 871	1							BOLT, M6.3x22.80
8	5527 4575	1							SUPPORT, Steering Column, Lower
9									SEAL, Cowl
	5513 5342	1							Grille End, Right
	5513 5343	1							Grille End, Left
10	J308 1054	4							CLIP, Silencer
11	55215 683AB	1							INSULATION, Dash Panel, Diesel, Outer,Plenum
12	5503 6871	1							PANEL, Cowl Top, Vent Grille
13	55350 212AD	1							INSULATION, Dash Panel Diesel,Outer
	55350 755AB	1							Gas Only
14	6503 339	5							NUT, Plastic, Cowl Top Cover
15	6503 338	AR							STUD, .250-20x16.2, Cowl Top Cover
16									REINFORCEMENT, Hood Hinge Right
	5527 4588	1							Left
	5527 4589	1							
17	5523 4637	1							REINFORCEMENT, Brake Booster
18	52108 193AB	1							PLUG, Dash Panel Opening, 2 1/2 Inches Round

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Glass, Windshield, Backlite, Mirror
Figure SBR-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	55076 400AB	1							WINDSHIELD
2	5527 5017	1							MOLDING, Windshield
3	5527 5388	2							SPACER, Windshield
4	4278 662	1							SPACER
5	5507 6401	1							BUTTON, Rear View Mirror
6	6031 094	1							SCREW, Pan Head Tapping, .19-16x.375
7	5507 6403	1							MIRROR, Inside Rear View
8	5507 6402	1							MIRROR, Inside Rear View, Electric
9	5534 6646	1							BACKLITE, Tinted
10	55346 644AE	1							BACKLITE, Sliding, Solar
11	5012 880AB	1							GLASS, Backlite, Sliding Right
	5012 881AB	1							Left
12	5011 532AA	1							CHANNEL, Sliding Backlite, Upper
13	5011 533AA	1							CHANNEL, Sliding Backlite, Lower
14	4773 094AB	1							LATCH, Sliding Window
-15	4864 015	1							INSTALLATION PACKAGE, Windshield Glass

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Aperture Panel Bodyside
Figure SBR-810



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5527 4600	1							TAPPING PLATE, Side Pillar Hinge, Right
2	5003 139AB	1							PANEL, Body Side Aperture Rear Left
	5003 138AB	1							Right
3	5527 5222	1							BRACKET, Aperture to Fender Right
	5527 5223	1							Left
4	55275 282AB	1							PANEL, Roof Rail to A Pillar Right
	55275 283AB	1							Left
5	4490 835AB	2							REINFORCEMENT, Shoulder Belt PANEL, Quarter
6	5527 4840	1							Right
	5527 4841	1							Left
7	4512 871AB	2							RETAINER, Door Lock Striker EXHAUSTER, Quarter Panel
8	5503 6334	2							PLATE, Front Door Striker
9	5525 6000	2							SPACER, Door Latch Striker
10	4520 289	AR							Gold
	5507 5483	AR							Silver
11	4520 288	2							STRIKER, Door Latch
12	6503 120	4							SCREW AND WASHER, Button Head Torx
13	5527 5366	1							BAFFLE, Body Side Hinge Pillar Right
	5527 5367	1							Left
14	5513 5346	1							BAFFLE, A Pillar Right
	5513 5347	1							Left
15	55134 858AB	1							BAFFLE, B Pillar Right
	55134 859AB	1							Left
16	5527 5284	1							PANEL, Quarter Inner Right,Upper
	5527 5285	1							Left,Upper
17	55275 294AB	1							PANEL, Quarter Inner Right,Lower
	55275 295AB	1							Left,Lower
18									GUSSET, Cowl Plenum To Cowl Side


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Aperture Panel Bodyside
Figure SBR-810




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	55274 562AC	1							Right
	55274 563AC	1							Left
19									SEAL, Body Side
	55275 508AA	1							Right
	55275 509AA	1							Left

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Quarter Panel
Figure SBR-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Box Side
	4856 376	1	1, 6		61				6 1/2 Foot Box, Right
	4856 377	1	1, 6		61				6 1/2 Foot Box, Left
	4856 380	1			62				8 Foot Box, Right
	4856 381	1			62				8 Foot Box, Left
2									PANEL, Box Side Outer
	5502 3618	1	1, 6		61				6 1/2 Foot Box, Right
	5502 3619	1	1, 6		61				6 1/2 Foot Box, Left
	5502 3620	1			62				8 Foot Box, Right
	5502 3621	1			62				8 Foot Box, Left
3									PANEL, Box Side, Dual Wheels
	4856 384	1			62				8 Foot Box, Right
	4856 385	1			62				8 Foot Box, Left
4									REINFORCEMENT, Quarter Rear Corner
	55274 806AB	1			61, 62				Right
	55274 807AB	1			61, 62				Left
5									DOOR, Fuel Fill
	55076 234AB	1	1, 2, 6, 7		61, 62				Dual Wheel
	55076 235AB	1			61, 62				Label, Unleaded Fuel Only
6									English
	4206 059	1							French
7									LABEL, Fuel, English, Diesel
8									BUMPER, Fuel Door
	5507 6327	2			61, 62				Dual Wheel
	5534 5963	2	3, 8		62				FENDER, Dual Wheel
9									Left
	5003 145AA	1	3, 8		62				Right
	5003 144AA	1	3, 8		62				SHIELD, Wheelhouse, Four Wheel Drive
10									61, 62
-11									62
	6502 871	32	3, 8		62				BOLT, M6.3x22.80
12									61, 62
	3420 1631	14	6, 7, 8						RIVET, M6.25x28 Black
13									STRIKER, Door Latch
14									BOLT AND CONED WASHER, Hex Head, M8x25x17
15									BOX, Pickup
	4874 785AB	1			62				8 Foot Box
	4874 783AB	1	1, 6		61				6 1/2 Foot Box


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Quarter Panel
Figure SBR-910




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4882 570AB	1			62				Dual Wheel, 8 Foot Box
16	5527 4780	2			61, 62				REINFORCEMENT, Box Side Right
	5527 4781	2			61, 62				Left
17	6503 735	18	3, 8		62				SCREW, Stake, M6x1x20
18	5534 4816	1			61, 62				BRACKET, Stop Lamp Right
	5534 4817	1			61, 62				Left
19	5534 5598	2	3, 8		62				EXTENSION, Wheel House, Dual Wheel
20	6503 259	2			61, 62				SCREW, Tapping, M6x1x20
-21	3420 2335	4			61, 62				FASTENER, M7.4 Christmas Tree
22									SHIELD, Splash
	5527 5260	1	3, 8		62				Right,Front
	5527 5261	1	3, 8		62				Left,Front
	5527 5262	1	3, 8		62				Right,Rear
	5527 5263	1	3, 8		62				Left,Rear
23	6503 267	40	3, 8		62				SCREW, Round Head, M6x1x25
24	6101 712	40	3, 8		62				NUT, U, M6x1
25									SCREW AND WASHER, Hex Head, M10x1.5x45
	6503 298	8			62				
		6	1, 6		61				
26	6502 780	16	3, 8		62				STUD, M6x1.0x18.0

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Roof Panel Figure SBR-1110

[illegible]

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Tailgate
Figure SBR-1310

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5527 5016	1			61, 62				PIVOT, Tailgate
2	55274 833AC	1			61, 62				TAILGATE With Dual Wheels
	55274 915AC	1			61, 62				
3									CABLE, Tailgate
	55345 124AB	1			61, 62				Right
	55345 125AB	1			61, 62				Left
4	5527 4842	2			61, 62				BUMPER, Tailgate
5	5527 4916	1			61, 62				PIVOT, Tailgate, Also Serviced in
									Tailgate, Right
6									LATCH, Tailgate
	55275 484AA	1			61, 62				Right
	55275 485AA	1			61, 62				Left
7	55075 698AC	2			61, 62				ROD, Tailgate Handle to Latch
8									REINFORCEMENT, Box Side
	5527 5020	1			61, 62				Right
	5527 5021	1			61, 62				Left
9	55074 580AB	1			61, 62				HANDLE, Liftgate
-10	4658 674	1							CLIP, Latch Link
11									SCREW AND WASHER, Tapping, M6-1.0x20.0, M6x1.00x20.00, (NOT SERVICED) (Not Serviced)
12	6036 019AA	2			61, 62				SCREW, Tailgate Mounting
13	6036 018AA	2			61, 62				BOLT, Shoulder
14	6034 460	2			61, 62				STRIKER, Tailgate Latch, .375-16x1. 988
15									SCREW, .190-16x.500, Bumper Mounting, (NOT SERVICED) (Not Serviced)
16	5527 4917	1			61, 62				PIVOT, Tailgate, Also Serviced in Tailgate, Left
17	55274 936AC	2			61, 62				BUSHING, Tailgate Pivot
18	5507 4751	1			61, 62				ESCUTCHEON, Tail Gate Handle
19	5527 5360	1			61, 62				BUMPER, Latch Striker
20	6025 351	4			61, 62				SCREW AND WASHER, Hex Head, .312-18x1.00

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005